

Compliance Assessment Report CAR_NRW0044867

Permit being assessed: AN0280001

For: COG MOORS STW CDIFF RD DINAS POWYS, held by DWR CYMRU CYFYNGEDIG

At: COG MOORS STW, CARDIFF ROAD, DINAS POWYS, BARRY, CF64 5RP.

Type of assessment carried out: Check Monitoring/Sampling, Reason: Routine.

On 23/07/2024, between 10:30 and 11:30.

Parts of permit assessed: N/A Regulatory Sampling Audit

NRW Lead Officer: Paul Latham, accompanied by: Alex Grabham.

Report sent to: CARS@dwrcymru.com, CARS@dwrcymru.com, on 20/12/2024.

1. Summary of our findings (full details in section 4)

Part of permitted activity assessed (criteria)	Assessment result	Permit condition
WQ-A1 - Water Quality - Management - General management	Assessed (A)	

Result types are explained in more detail in the 'Important Information' section below.

2. What action is required?

No action required.

3. What will happen next?

Any non-compliance we have identified and recorded on this form is an offence. It can result in criminal prosecution and/or suspension or revocation of your permit.

At this time, we do not intend to take any further action.

This statement does not stop us from taking additional enforcement action if further relevant information comes to light or offences continue.

4. Details of our assessment

On 23rd July 2024 NRW Officers carried out a Regulatory inspection with DCWW Regulatory Sampling Technician for Urban Wastewater Directive sampling at 2 DCWW assets. Thanks to DCWW Quality team for accommodating NRW Officers during the site visit to Cog Moors WWTW.

This assessment is based solely on what was witnessed on the day at.

Overall the Regulatory Sampling Technician appeared competent at following the process

required to correctly collect a representative sample from the UWWD autosamplers. They showed awareness of the reasons for carrying out the sampling programme and of the potential impact of any issues encountered that may impact the sampling schedule.

Specific audit notes can be seen in the attachment.

The following issues were noticed that are outside of the permit and are for action and evidencing only with a deadline for response before 31st January 2025:

The following actions are duplicated within CAR_NRW0044865

During the visit it was noticed that the Aquacell fixed sampling machines installed to carry out the UWWD sampling programme on the inlet and final effluent sample points were in poor condition presenting the possibility of collecting an unrepresentative sample if not rectified.

- Please provide evidence that any general maintenance required to return the autosamplers to a satisfactory condition is completed. Please provide this before Friday 31st January 2025. Photos are provided below.
- How does DCWW maintain MCERTS accreditation of the fixed and portable autosamplers?
- How does DCWW record and evidence the temperature stability of the sample effluent within the autosampler throughout the 24 hour sample program to ensure it is compliant with UWWD regulations
- How does DCWW ensure that sample collection hoses are suitably placed in the mixing zone to enable a representative sample is taken and minimise potential sample reschedules?

Photo 1 Cog Moors WWTW S320H-04796



Photo 2 Cog Moors WWTW P2CB-03719



If you have any queries about this report, or to discuss completion of any actions, please contact the NRW Officer named above.

Important information

Legal status of this report

Your permit is issued to you under the Environmental Permitting Regulations. You have a responsibility to comply with the conditions of your permit and prevent pollution/harm to the environment. You must also ensure that you comply with any other relevant legislation that may apply to your site's operations.

This report explains the findings of our assessment and any action you are required to take. We categorise non-compliance using our guidance for assessing non-compliance at regulated sites.

When we find potential non-compliance/s we will normally give you advice on how to maintain compliance.

To correct non-compliance, we may:

- require you to take specific actions
- issue a notice
- review the conditions of your permit.

Any advice and guidance we give will be without prejudice to any other enforcement response that we consider may be required.

Assessment results and non-compliance categories (used in section 1):

Assessment result	Description
Assessed (A)	Assessed or assessed in part, no evidence of non-compliance found
Action only (X)	Action only relating to the activity assessment
Ongoing (O)	Ongoing non-compliance, not scored

Non-compliance category	Description
C1 Major	Potential to have a major, serious, persistent and/or extensive impact or effect on the environment, people and/or property
C2 Significant	Potential to have a significant impact or effect on the environment, people and/or property
C3 Minor	Potential to have a minor or minimal impact or effect on the environment, people and/or property
C4 No environmental impact	Non-compliance at a regulated site that cannot foreseeably have any impact on the environment, people and/or property

If your assessment result in Section 1 is suspended, what does this mean?

In line with our guidance, we may suspend non-compliance for up to six months to allow time for remedial action to be taken. These will be re-instated if the action is not completed.

Full list of water quality action criteria (used in section 1 and 2):**WQ A: Management**

- WQ-A1 General management

WQ B: Operations

- WQ-B1 Permitted activities
- WQ-B2 The site
- WQ-B3 Operating techniques
- WQ-B4 Improvement programme
- WQ-B5 Pre-operational conditions

WQ C: Emissions and monitoring

- WQ-C1 Emissions to water
- WQ-C2 Emissions to land
- WQ-C3 Emissions of substances not controlled by emission limits
- WQ-C4 Installation of monitoring boreholes

WQ D: Information

- WQ-D1 Records
- WQ-D2 Reporting
- WQ-D3 Notifications

Enforcement response

Any permit condition non-compliance is an offence and we may take legal action against you. Action we take can include prosecution, serving a notice on you and/or suspension or revocation of your permit. See our Enforcement and Sanctions Guidance for further information.

Data protection notice

You should make sure that anyone named in this report knows that the information it contains will be processed by Natural Resources Wales to fulfil its regulatory and monitoring functions and to maintain the relevant public register(s).

We may also use and/or disclose the report in connection with:

- offering or providing you with our literature or services relating to environmental matters
- consulting with the public, public bodies and other organisations (e.g. Health and Safety Executive, local authorities) on environmental issues
- carrying out statistical analysis, research and development on environmental issues
- providing public register information to enquirers
- investigating possible breaches of environmental law
- assessing customer service satisfaction and improving our service
- Freedom of Information Act or Environmental Information Regulations requests.

We may also pass it on to our agents or representatives to do these things on our behalf.

Disclosure of information – this report will be available to view on-line

If you think this report contains commercially confidential information that should not be placed on our public register, you must contact your local Natural Resources Wales office within **fifteen working days** of receiving this report, using the contact details in the accompanying email or letter. You must give a full explanation of why it should not be

added to our public register, including specifying which information is commercially confidential. We will assess your request and respond to you within 20 working days to let you know if we agree to your request.

What do I do if I disagree with the report or have a complaint?

If you disagree with this compliance assessment report, you should contact the lead officer without delay to discuss your concerns.

If you are unable to resolve the issue with the lead officer or their line manager you should contact our Customer Contact team on 0300 065 3000 (Monday to Friday 08:00 – 18:00), or email enquiries@naturalresourceswales.gov.uk for details of how to raise your dispute further through our Complaints and Commendations procedure.

If you are dissatisfied with our response, you can contact the Public Services Ombudsman for Wales by phone on 0300 7900203 or by email at ask@ombudsman.wales

Welsh Language Standards

We are committed to establishing Natural Resources Wales as a naturally bilingual organisation. We will provide compliance reports in your preferred language.