

Certificate of Analysis

Issuing Laboratory SOCOTEC, Marine Department, Advanced Chemistry and Research, Etwall House, Bretby Business Park, Ashby Road, Burton-upon-Trent DE15 0YZ



Test Report ID MAR02530

Issue Version: 1

Customer: Gwynedd Council

Customer Reference: PSD Analysis

Date Sampled: 12-Nov-24

Date Samples Received: 19-Nov-24

Test Report Date: 12-Dec-24

Condition of samples: Cold Satisfactory

Opinions and Interpretations expressed herein are outside the scope of our UKAS accreditation
The results reported relate only to the sample tested
The results apply to the sample as received

Authorised by: Jane Colbourne

Position: Customer Service Specialist

Certificate of Analysis



Issuing Laboratory SOCOTEC, Marine Department, Advanced Chemistry and Research, Etwall House, Bretby Business Park, Ashby Road, Burton-upon-Trent DE15 0YZ

Test Report ID MAR02530
Issue Version 1
Customer Reference PSD Analysis

		Units	% (at 0.5phi intervals)	% (at 0.5phi intervals)	% (at 0.5phi intervals)	% (at 0.5phi intervals)	% (at 0.5phi intervals)	% (at 0.5phi intervals)	% (at 0.5phi intervals)
		Method No	*SUB_01	*SUB_01	*SUB_01	*SUB_01	*SUB_01	*SUB_01	*SUB_01
		Accreditation	MMO	MMO	MMO	MMO	MMO	MMO	MMO
			45mm	31.5mm	22.4mm	16mm	11.2mm	8mm	5.6mm
Client Reference:	SOCOTEC Ref:	Matrix	-5.5	-5.0	-4.5	-4.0	-3.5	-3.0	-2.5
Stockpile 1	MAR02530.001	Sediment	0.00	0.00	0.00	0.00	2.35	5.38	5.62
Stockpile 2	MAR02530.002	Sediment	0.00	0.00	0.00	0.00	0.00	0.91	1.28
Stockpile 3	MAR02530.003	Sediment	0.00	0.00	8.97	10.13	8.73	6.89	8.07
Stockpile 4	MAR02530.004	Sediment	0.00	0.00	0.00	0.00	4.33	1.26	1.41
Stockpile 5	MAR02530.005	Sediment	0.00	0.00	0.00	7.70	3.68	6.18	4.13
Traeth Crugan Site 1	MAR02530.006	Sediment	0.00	0.00	0.00	8.78	7.70	6.41	6.93
Traeth Crugan Site 2	MAR02530.007	Sediment	0.00	0.00	0.00	14.92	8.47	4.19	8.29

* See Report Notes

MAR02530

This test report shall not be reproduced except in full, without written approval of the laboratory

Certificate of Analysis



Issuing Laboratory SOCOTEC, Marine Department, Advanced Chemistry and Research, Etwall House, Bretby Business Park, Ashby Road, Burton-upon-Trent DE15 0YZ

Test Report ID MAR02530
 Issue Version 1
 Customer Reference PSD Analysis

		Units	% (at 0.5phi intervals)	% (at 0.5phi intervals)	% (at 0.5phi intervals)	% (at 0.5phi intervals)	% (at 0.5phi intervals)	% (at 0.5phi intervals)	% (at 0.5phi intervals)
		Method No	*SUB_01	*SUB_01	*SUB_01	*SUB_01	*SUB_01	*SUB_01	*SUB_01
		Accreditation	MMO	MMO	MMO	MMO	MMO	MMO	MMO
			4mm	2.8mm	2mm	1.4mm	1mm	707µm	500µm
Client Reference:	SOCOTEC Ref:	Matrix	-2.0	-1.5	-1.0	-0.5	0.0	0.5	1.0
Stockpile 1	MAR02530.001	Sediment	5.04	4.71	3.18	1.90	1.42	1.39	1.69
Stockpile 2	MAR02530.002	Sediment	0.95	1.43	1.74	1.91	2.99	8.58	12.13
Stockpile 3	MAR02530.003	Sediment	5.27	4.79	2.88	2.29	2.20	1.99	2.94
Stockpile 4	MAR02530.004	Sediment	1.03	1.01	0.87	0.88	0.84	0.30	1.35
Stockpile 5	MAR02530.005	Sediment	5.47	5.00	3.13	2.57	2.55	1.97	2.92
Traeth Crugan Site 1	MAR02530.006	Sediment	3.97	6.61	5.00	2.96	1.45	0.65	1.45
Traeth Crugan Site 2	MAR02530.007	Sediment	3.66	2.62	1.29	0.97	0.93	1.76	6.44

* See Report Notes

MAR02530

This test report shall not be reproduced except in full, without written approval of the laboratory

Certificate of Analysis

Issuing Laboratory SOCOTEC, Marine Department, Advanced Chemistry and Research, Etwall House, Bretby Business Park, Ashby Road, Burton-upon-Trent DE15 0YZ



Test Report ID MAR02530
 Issue Version 1
 Customer Reference PSD Analysis

		Units	% (at 0.5phi intervals)	% (at 0.5phi intervals)	% (at 0.5phi intervals)	% (at 0.5phi intervals)	% (at 0.5phi intervals)	% (at 0.5phi intervals)	% (at 0.5phi intervals)
		Method No	*SUB_01	*SUB_01	*SUB_01	*SUB_01	*SUB_01	*SUB_01	*SUB_01
		Accreditation	MMO	MMO	MMO	MMO	MMO	MMO	MMO
			353.6µm	250µm	176.8µm	125µm	88.39µm	63µm	44.2µm
Client Reference:	SOCOTEC Ref:	Matrix	1.5	2.0	2.5	3.0	3.5	4.0	4.5
Stockpile 1	MAR02530.001	Sediment	8.25	20.69	21.36	10.95	3.39	0.76	0.26
Stockpile 2	MAR02530.002	Sediment	13.80	31.25	22.15	0.86	0.00	0.00	0.00
Stockpile 3	MAR02530.003	Sediment	4.17	7.15	10.26	7.80	3.43	0.98	0.25
Stockpile 4	MAR02530.004	Sediment	6.78	20.37	28.60	18.42	7.59	2.35	0.63
Stockpile 5	MAR02530.005	Sediment	5.48	8.76	24.54	10.86	0.36	0.00	0.10
Traeth Crugan Site 1	MAR02530.006	Sediment	5.15	13.85	17.13	8.15	1.92	0.63	0.19
Traeth Crugan Site 2	MAR02530.007	Sediment	16.78	21.22	8.12	0.33	0.00	0.00	0.00

* See Report Notes

Certificate of Analysis

Issuing Laboratory SOCOTEC, Marine Department, Advanced Chemistry and Research, Etwall House, Bretby Business Park, Ashby Road, Burton-upon-Trent DE15 0YZ



Test Report ID MAR02530
Issue Version 1
Customer Reference PSD Analysis

		Units	% (at 0.5phi intervals)	% (at 0.5phi intervals)	% (at 0.5phi intervals)	% (at 0.5phi intervals)	% (at 0.5phi intervals)	% (at 0.5phi intervals)	% (at 0.5phi intervals)
		Method No	*SUB_01	*SUB_01	*SUB_01	*SUB_01	*SUB_01	*SUB_01	*SUB_01
		Accreditation	MMO	MMO	MMO	MMO	MMO	MMO	MMO
			31.3µm	22.1µm	15.6µm	11µm	7.8µm	5.5µm	3.9µm
Client Reference:	SOCOTEC Ref:	Matrix	5.0	5.5	6.0	6.5	7.0	7.5	8.0
Stockpile 1	MAR02530.001	Sediment	0.17	0.13	0.06	0.08	0.10	0.10	0.10
Stockpile 2	MAR02530.002	Sediment	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Stockpile 3	MAR02530.003	Sediment	0.12	0.06	0.02	0.04	0.05	0.04	0.04
Stockpile 4	MAR02530.004	Sediment	0.25	0.13	0.06	0.09	0.11	0.11	0.11
Stockpile 5	MAR02530.005	Sediment	0.17	0.46	0.51	0.36	0.52	0.59	0.51
Traeth Crugan Site 1	MAR02530.006	Sediment	0.13	0.12	0.09	0.10	0.08	0.06	0.04
Traeth Crugan Site 2	MAR02530.007	Sediment	0.00	0.00	0.00	0.00	0.00	0.00	0.00

* See Report Notes

MAR02530

This test report shall not be reproduced except in full, without written approval of the laboratory

Certificate of Analysis



Issuing Laboratory SOCOTEC, Marine Department, Advanced Chemistry and Research, Etwall House, Bretby Business Park, Ashby Road, Burton-upon-Trent DE15 0YZ

Test Report ID MAR02530
 Issue Version 1
 Customer Reference PSD Analysis

		Units	% (at 0.5phi intervals)	% (at 0.5phi intervals)	% (at 0.5phi intervals)	% (at 0.5phi intervals)	% (at 0.5phi intervals)	% (at 0.5phi intervals)	% (at 0.5phi intervals)
		Method No	*SUB_01	*SUB_01	*SUB_01	*SUB_01	*SUB_01	*SUB_01	*SUB_01
		Accreditation	MMO	MMO	MMO	MMO	MMO	MMO	MMO
			2.75µm	1.95µm	1.38µm	0.98µm	0.69µm	0.49µm	0.34µm
Client Reference:	SOCOTEC Ref:	Matrix	8.5	9.0	9.5	10.0	10.5	11.0	11.5
Stockpile 1	MAR02530.001	Sediment	0.09	0.09	0.10	0.11	0.11	0.10	0.09
Stockpile 2	MAR02530.002	Sediment	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Stockpile 3	MAR02530.003	Sediment	0.03	0.03	0.04	0.05	0.05	0.05	0.05
Stockpile 4	MAR02530.004	Sediment	0.09	0.09	0.11	0.14	0.14	0.13	0.12
Stockpile 5	MAR02530.005	Sediment	0.34	0.25	0.26	0.26	0.19	0.11	0.05
Traeth Crugan Site 1	MAR02530.006	Sediment	0.03	0.03	0.04	0.05	0.06	0.06	0.05
Traeth Crugan Site 2	MAR02530.007	Sediment	0.00	0.00	0.00	0.00	0.00	0.00	0.00

* See Report Notes

Certificate of Analysis



Issuing Laboratory SOCOTEC, Marine Department, Advanced Chemistry and Research, Etwall House, Bretby Business Park, Ashby Road, Burton-upon-Trent DE15 0YZ

Test Report ID MAR02530
 Issue Version 1
 Customer Reference PSD Analysis

		Units	% (at 0.5phi intervals)	% (at 0.5phi intervals)	% (at 0.5phi intervals)	% (at 0.5phi intervals)	% (at 0.5phi intervals)	% (at 0.5phi intervals)	% (at 0.5phi intervals)
		Method No	*SUB_01	*SUB_01	*SUB_01	*SUB_01	*SUB_01	*SUB_01	*SUB_01
		Accreditation	MMO	MMO	MMO	MMO	MMO	MMO	MMO
			0.24µm	0.17µm	0.12µm	0.09µm	0.06µm	0.04µm	<0.04µm
Client Reference:	SOCOTEC Ref:	Matrix	12.0	12.5	13.0	13.5	14.0	14.5	>14.5
Stockpile 1	MAR02530.001	Sediment	0.08	0.06	0.05	0.03	0.01	0.00	0.00
Stockpile 2	MAR02530.002	Sediment	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Stockpile 3	MAR02530.003	Sediment	0.04	0.03	0.03	0.02	0.01	0.00	0.00
Stockpile 4	MAR02530.004	Sediment	0.10	0.08	0.06	0.04	0.02	0.00	0.00
Stockpile 5	MAR02530.005	Sediment	0.02	0.00	0.00	0.00	0.00	0.00	0.00
Traeth Crugan Site 1	MAR02530.006	Sediment	0.05	0.04	0.03	0.02	0.01	0.00	0.00
Traeth Crugan Site 2	MAR02530.007	Sediment	0.00	0.00	0.00	0.00	0.00	0.00	0.00

* See Report Notes

MAR02530

This test report shall not be reproduced except in full, without written approval of the laboratory

Certificate of Analysis



Issuing Laboratory SOCOTEC, Marine Department, Advanced Chemistry and Research, Etwall House, Bretby Business Park, Ashby Road, Burton-upon-Trent DE15 0YZ

Test Report ID MAR02530
Issue Version 1
Customer Reference PSD Analysis

REPORT NOTES

Method Code	Sample ID	The following information should be taken into consideration when using the data contained within this report
*SUB_01	MAR02530.001-007	Analysis was conducted by an approved subcontracted laboratory.

DEVIATING SAMPLE STATEMENT

Deviation Code	Deviation Definition	Sample ID	Deviation Details. The following information should be taken into consideration when using the data contained within this report
D1	Holding Time Exceeded	N/A	N/A
D2	Sample Contaminated through Damaged Packaging	N/A	N/A
D3	Sample Contaminated through Sampling	N/A	N/A
D4	Inappropriate Container/Packaging	N/A	N/A
D5	Damaged in Transit	N/A	N/A
D6	Insufficient Quantity of Sample	N/A	N/A
D7	Inappropriate Headspace	N/A	N/A
D8	Retained at Incorrect Temperature	N/A	N/A
D9	Lack of Date & Time of Sampling	N/A	N/A
D10	Insufficient Sample Details	N/A	N/A
D11	Sample integrity compromised or not suitable for analysis	N/A	N/A

MAR02530
This test report shall not be reproduced except in full, without written approval of the laboratory

Certificate of Analysis

Issuing Laboratory SOCOTEC, Marine Department, Advanced Chemistry and Research, Etwall House, Bretby Business Park, Ashby Road, Burton-upon-Trent DE15 0YZ



Test Report ID MAR02530
Issue Version 1
Customer Reference PSD Analysis

Method	Sample and Fraction Size	Method Summary
Particle Size Analysis	Wet Sediment	Wet and dry sieving followed by laser diffraction analysis.

Analyte Definitions					
Analyte Abbreviation	Full Analyte name	Analyte Abbreviation	Full Analyte name	Analyte Abbreviation	Full Analyte name
ACENAPTH	Acenaphthene	C2N	C2-naphthalenes	THC	Total Hydrocarbon Content
ACENAPHY	Acenaphthylene	C3N	C3-naphthalenes	AHCH	alpha-Hexachlorocyclohexane
ANTHRACN	Anthracene	CHRYSENE	Chrysene	BHCH	beta-Hexachlorocyclohexane
BAA	Benzo[a]anthracene	DBENZA	Dibenzo[ah]anthracene	GHCH	gamma-Hexachlorocyclohexane
BAP	Benzo[a]pyrene	FLUORANT	Fluoranthene	DIELDRIN	Dieldrin
BBF	Benzo[b]fluoranthene	FLUORENE	Fluorene	HCB	Hexachlorobenzene
BEP	Benzo[e]pyrene	INDPYR	Indeno[1,2,3-cd]pyrene	PPDDE	p,p'-Dichlorodiphenyldichloroethylene
BENZGHIP	Benzo[ghi]perylene	NAPTH	Naphthalene	PPDDT	p,p'-Dichlorodiphenyltrichloroethane
BKF	Benzo[k]fluoranthene	PERYLENE	Perylene	PPTDE	p,p'-Dichlorodiphenyldichloroethane
C1N	C1-naphthalenes	PHENANT	Phenanthrene		
C1PHEN	C1-phenanthrene	PYRENE	Pyrene		

MAR02530
This test report shall not be reproduced except in full, without written approval of the laboratory