

**Water Resources Act 1991**  
as amended by the Environment Act 1995  
**Consent to Discharge**  
**Certificate of Holder**



**ENVIRONMENT  
AGENCY**

**Part A**

To: DWR CYMRU CYFYNGEDIG  
CONSENTS REGULATION OFFICER  
PLAS-Y-FFYNNON  
CAMBRIAN WAY  
BRECON LD3 7HP

The Environment Agency ("the Agency") hereby confirm that the above named person is a/the registered holder of consent BH0074505

Nature of Discharge(s); SEWAGE EFF/CRUDE EFF/EMERGENCY  
at FELIN BAN P.STN.(EM.OV) EMERGE

Note: This certificate should be kept with the consent document for future reference. If you transfer responsibility for the discharge to somebody else you must pass the consent to them and tell the Agency within 21 days. **Responsibility for the consent cannot be disclaimed by the holder but the registration of holder may be transferred to a successor.** To do this please complete the form below, then tear it off and return it to the address shown. If you fail to transfer the consent, even though you are no longer on the site, you may still be liable for prosecution for pollution. If you transfer the consent but do not tell us, you will be committing an offence. In case of any queries please contact your local Environment Agency office.

**Part B** Please complete in block capitals or type.

To:

**Water Resources Act 1991: Notice of transfer of consent to discharge**

Consent:

Name:  
Address:

I/We\* hereby serve notice on the Agency that I/we\* am/are\* no longer a/the\* Holder of the above consent which will be/was\* transferred to:

\* delete as appropriate

Name(s) of new holder(s):

Address:

Post Code:

Date of Transfer to new Holder(s); .....

Signed:..... Dated:.....

Name (block capitals):..... Position:.....

JWE/5/96

(to be completed when signing  
on behalf of corporate bodies)



**SOUTH WEST WALES RIVER AUTHORITY**  
**RIVERS (PREVENTION OF POLLUTION) ACTS, 1951-1961**

**Consent to discharge of effluent**

The South West Wales River Authority pursuant to the provisions of the above mentioned Acts, hereby consent to the construction of an outlet and to the discharge of effluent therefrom upon the following conditions :—

1. NAME AND ADDRESS OF PERSON to whom consent is given

The Town Clerk, Cardigan Borough Council,  
 Council Offices, Morgan Street, Cardigan.

2. PREMISES to which consent relates

Emergency discharge of sewage - Felin Ban  
 Pumping Station, Cardigan

3. OUTLET

- (a) Location—situated on right/left bank of ~~River~~ Mwdan Brook  
~~a tributary of the River~~  
 Map reference O.S. 21" SN 14, Grid reference 185 491  
 (b) Construction— 9" diameter Concrete Pipe  
 (c) Use—restricted to Sewage/~~Storm~~ Sewage/~~Trade~~/~~Farm~~ Effluent produced at the above mentioned premises.

4. DISCHARGE

- (a) Nature Screened untreated sewage  
 (b) Volume or rate of discharge 960 g.p.d. DWF  
 Maximum rate of discharge 240 g.p.h. (Discharge to occur only in the  
 (c) Temperature not to exceed 21 °C. event of complete failure of  
 (d) Composition :— electrical supply to the pumping station)  
 (i) pH value not less than 6.0 or more than 8.5  
 (ii) Suspended solids not more than  
 (iii) Dissolved solids not more than  
 (iv) 5 day B.O.D. at 20 °C. not more than  
 (v) Oxygen absorbed from acid permanganate in  
 3 mins at 27 °C. not more than  
 4 hrs  
 (vi) Ammoniacal nitrogen (as N) not more than  
 (vii) Effluent shall pass the methylene blue stability test (5 days at 20 °C.)  
 (viii) Effluent shall not contain any other polluting substance or substances in concentrations toxic to fish and other animals.

- (e) Sampling point to be located at point of outlet

5. PERIOD OF CONSENT

The terms of this consent will not without the consent in writing of the person to whom this consent is given be altered before the expiration of the period ending with the 30th day of November 19 75.

Dated this 21st day of November 19 73.

Clerk and Chief Executive Officer.