

Apply for a permit to discharge treated domestic sewage effluent of up to 15 cubic metres a day into ground or up to 20 cubic metres a day onto surface water

About you

Who will be the permit holder?

An individual

An individual

Complete your details:

First name: Mr

Last name: Ronald Baker

Address: Hendre Farm House

Postcode: NP25 4DJ

Telephone: 01600 740484

Email: hendrefarmhouse@aol.co.uk

Is somebody completing this application on your behalf?

Tell us if you're using an agent or somebody else to complete this application on your behalf

Yes – I'm completing this application on behalf of somebody else

Agent or others acting on behalf of the applicant

Complete your details:

First name: Steven

Last name: Hole

Address: Ridgeway Contractors Ltd, Wern Panna Farm, Llangwm,

Postcode: NP15 1HA

Telephone: 01291652967

Email address: steven@ridgewaycontractors.co.uk

Pre-application discussions

Did you have pre-applications discussions with Natural Resources Wales about this activity?

Yes

Pre-application discussions

Give us the case reference or details of the pre-application advice you received. We will then be able to refer back to the information you've already given us, which will help us to determine your application.

Susan Lenthall
Case ref Nr 13225

About your discharge

Where is your septic tank / sewage treatment plant located?

Address Hendre Farm House
Wonastow, Monmouth
Postcode NP25 4DJ

Please provide the 12 character national grid reference of the location of your septic tank / sewage treatment plant. This consists of two letters followed by 10 numbers (for example AB 12345 67890).

To find out the 12 character grid reference, you can search on the UK grid reference finder website

SO 45765 12411

What type of premises does your sewage treatment facility serve?

For example, the number of houses or a description such as a pub, café, restaurant, office and so on.

5 cottages and a 20 camp site pitches

When did your discharge start?

When did your discharge start? (New or existing)

On or after 1 April 2010 (new discharges)

Could your discharge be made to the foul sewer?

Is your discharge

From domestic properties?

Could your discharge from domestic properties be made to the foul sewer?

How far away is the nearest foul sewer from the boundary of the properties (in metres)?

You will need to check this with your sewerage undertaker (usually your local water company) and you may also need to check if it is possible to connect to a private foul sewer. Measure the shortest distance between the boundary of premises served by the private sewage treatment system and the nearest foul sewer and/or private sewer.

2500

Multiply the number of properties served by the sewage treatment system by 30 metres.

	Number of domestic properties served by the sewage treatment system	Multiplied by 30 metres
Domestic properties	5	150

Is this distance you've calculated greater than the distance to the nearest foul sewer you've provided above?

No

Provide evidence why you cannot connect to the foul sewer

You must explain why you cannot connect to the foul sewer:

There is no public sewer in the area

What is the maximum volume of effluent you will discharge in a day (in cubic metres)?

Tell us the maximum volume of effluent you will discharge in a day (in cubic metres)?

8.3m³

If your discharge comes from a single domestic property, use the table below to work this out. Number of bedrooms in your house Daily volume (m³ per day) 1 to 3 1 4 to 6 1.5 7 to 8 2

If you are discharging sewage from premises other than a single domestic property (for example, from a group of houses, a guest house or a very large house), the volume should be worked out using the Code of Practice: 'Flows and Loads 4 – Sizing Criteria, Treatment Capacity for Small Wastewater Treatment Systems which is published by British Water. (opens in new window)

Show how you calculated the figure given in the box below or upload below:

Domestic 24 people @ 150 litres per day = 3.6m³
20 Touring caravans @ 100 litres per day = 2.0m³
20 Tents @ 75 litres per day = 1.5m³
40 showers @ 40 litres per day = 1.6m³

Upload how you calculated the figure given in the box below:

- File: Sizing sheet.xls - [Download](#)

What type of sewage treatment system will you be using to treat your effluent?

All sewage effluent must be treated before it can be discharged into the environment and new systems must conform to the relevant standards For new systems the supplier or manufacturer should be able to provide details For existing systems please provide any information you do have on the system If you tick 'other' please give us more details about the system in the box provided or on a separate sheet and upload it. Tick one box to show what sewage treatment plant you will be using to treat your effluent.

Other (please specify):
DMC 9 upgraded

Please upload details of the sewage treatment system you'll be using

- File: WPL-Diamond-UK-Brochure-Digital.pdf - [Download](#)

Your sample point

You must provide a sample point where a sample of your discharge can be safely taken before it has mixed with any other discharges.

This sample point is used to assess compliance with any water quality emission limits on your permit.

You must ensure that it allows a representative sample of the discharge to be obtained. You must ensure that your discharge passes through the sampling point at all times.

Please give the 12 character national grid reference for the sample point. This consists of two letters followed by 10 numbers (for example AB 12345 67890)

To find out the 12 character grid reference, you can search on the UK grid reference finder website.

SO 45765 12411

Your discharge point

Tell us where effluent is discharged into the environment.

For discharges into surface water (i.e. rivers, streams, lakes, ponds etc) - this is the location where the discharge is made from the outlet pipe to the surface water. On some occasions discharges are made via surface water sewers owned by someone else before they discharge into a receiving water. Where this is the case the outlet will be the point where the surface water sewer meets the river, stream, ditch or canal.

For discharge into or onto land - this is the location where the effluent from the treatment system enters the infiltration system.

Please give the 12 character national grid reference for the discharge point. This consists of two letters followed by 10 numbers (for example AB 12345 67890).

To find out the 12 character grid reference, you can search on the UK grid reference finder website.

SO 45765 12411

Where will your treated effluent discharge to?

Sewage effluents are usually discharged to one location in one receiving environment.

If you are proposing to discharge multiple effluents, you must complete a separate application form for each effluent and submit the form, along with the correct application fee, for assessment.

Where will your treated effluent discharge to?

Into land (drainage field)

Discharges into land (drainage field)

A drainage field is a restricted and well defined area of ground designed to allow liquid to drain into the surrounding soil. It typically includes a system of sub surface perforated pipe.

When was your drainage field installed?

On or after 1 April 2010 (new)

Discharges into land (drainage field)

New infiltration systems (which means those installed after 1 April 2010) must be built to British Standard 6297:2007 + A1:2008. This ensures that the size of the drainage field is appropriate to the rate of discharge and the infiltration capacity of the ground, minimising the risk of pollution to groundwater.

Note that Building Research Establishment (BRE) 365 'soakaway design' guidance is not appropriate for the design of drainage fields to dispose of wastewater from septic tanks and packaged treatment works. BRE 365 guidance is used to design soakaways to dispose of storm water and to discharge the water sufficiently quickly to provide capacity to receive run-off from subsequent storms.

Does your drainage field meet the requirements of British Standard 6297:2007 + A1:2008?

Yes

Discharges into land (drainage field) after 1 April 2010

On what date did you carry out a percolation test and dig a trial hole in line with British Standard 6297:2007 + A1:2008?

* 24/07/2024

What is your percolation value (Vp) result (seconds per millimetre)?

Drainage field disposals should only be used when percolation tests indicate average values of Vp between 15 and 100 and the preliminary assessment of the trial hole tests has been favourable. The minimum value of 15 ensures that untreated effluent cannot percolate too rapidly into groundwater. Where Vp is above the limit of 100 effective treatment is unlikely to take place in a drainage field as there will be inefficient soakage in this location which may lead to sewage ponding on the surface.

30m2 This is an existing system and drainage field

Discharges into land (drainage field)

Is any part of your infiltration system within 50 metres of a well, spring or borehole?

No (please skip the next question)

Is the well spring or borehole you have identified used to supply water?

No

Is any part of your infiltration system within 10 metres of a watercourse?

Yes (Identify the location of the watercourse on the plan you have provided)

Your site plan

Please upload your plan here

- File: Marked up plan.pdf - [Download](#)

Your management system

Your permit requires you (as the operator) to ensure that you manage and operate your activities in accordance with a written management system. This management systems identifies and reduces the risk of pollution.

You can find guidance on management systems and what to include in one on our website (opens in new window).

I confirm that I have read the guidance and that my management system will meet NRW requirements

When will you want to discharge?

What date do you want the permit for this effluent to start?

You cannot discharge your effluent prior to this start date on your permit. This is the date that your annual subsistence charges will start, even if you have not started to discharge.

* 01/10/2024

Will the discharge take place all year?

For seasonal discharges which only occur for part of the year, tells us when the discharge will take place.

Yes

If no, please give details of the months when you will make the discharge

The cottages all year round

The camp site is only open from April 1st to October 1st

How do you want to pay?

Who can we talk to you about your billing or invoice?

Same as application contact

How do you want to pay for your application fee?

Electronic transfer (e.g. BACS)

Paying by electronic transfer

Please provide your reference for the payment.

BACS reference: EPRHendr0001A

Amount paid: £3508.00 - £785.00 already paid

How we collect your personal data

We will process the information provided by you in line with the Data Protection legislation. For more information on how we manage, store and use your data, see our [Privacy Notice](#) (opens in new tab)

I have read and understood this information

Freedom of Information

Under the Freedom of Information Act 2000, anybody may request information from a public authority. The Act grants two statutory rights: to be told if the public authority holds that information; and if so, to have that information communicated to you.

Find out how to request information under the Freedom of Information Act.

I have read and understood this information

Confidentiality and National Security

We will normally put all the information in your application on a public register of environmental information. However, we may not include certain information in the public register if this is in the interests of national security, or because the information is confidential. Confidential information is information that is commercially or industrially confidential in relation to any person and is unlikely to be applicable for small-scale sewage discharges.

You can ask for information in the public register to be made confidential or withheld in the interests of national security by answering the question below and provide information on the next page giving your reasons. If we agree with your request, we will tell you and not include the information in the public register. If we do not agree with your request, we will let you know how to appeal against our decision, or you can withdraw your application.

Do you believe that for reasons of confidentiality or national security your details should not be included on the public register?

No

Declaration

A relevant person should make the declaration. You must be a relevant person or have the authority of a relevant person to sign this application on their behalf. An agent acting on behalf of an applicant is NOT a relevant person.

Each individual (or individual trustee) who is applying for their name to appear on the permit must complete this declaration. You can send a separate document with the relevant information if there are not enough spaces to sign below.

Relevant people means each applicant, and in the case of a company, a director, manager, company secretary or any similar officer or employee listed on current appointments in Companies House. In the case of a Limited Liability Partnership (LLP), it includes any partner. If the permit holder is an organisation of individuals, each individual (or individual trustee) must complete the declaration.

To simplify and speed up the application process, we recommend that the declaration is filled in by an officer of a company or one of the partners in a Limited Liability Partnership (LLP).

If you wish a manager, employee or consultant etc. to sign the declaration on behalf of a relevant person, we will need written confirmation from a relevant person; that is, an officer of the company, a partner in the LLP or the individual, confirming that the person has the authority to fill in the declaration.

If you are joint permit holders, you should each fill in your own declaration. We have provided extra spaces for this below. Please upload a separate sheet with your application if you need more room for signatories.

Where the operator is the subject of any insolvency procedure, the declaration must be filled in by the official receiver/appointed insolvency practitioner.

I have included written confirmation from a relevant person to confirm I can sign on their behalf

Upload written confirmation here

- File: Permission to apply.pdf - [Download](#)

If you knowingly or recklessly make a statement which is false or misleading to help you get an environmental permit (for yourself or another person), you are committing an offence under the Environmental Permitting (England and Wales) Regulations 2016.

I declare that the information in this application is true to the best of my knowledge and belief. I understand that this application may be refused or approval withdrawn if I give false or incomplete information.

I understand that if I knowingly or recklessly make a false or misleading statement: I may be prosecuted; and if convicted, I may have to pay a fine and/or go to prison.

By signing below, you are confirming that you understand and agree with the declaration above.

Title	Mr
First name	Steven
Last name	Hole
On behalf of (if applicable)	Mr Ron Baker
Date (DD/MM/YYYY)	03.09.24

If additional signatories are required, please complete the sections below.

If you knowingly or recklessly make a statement which is false or misleading to help you get an environmental permit (for yourself or another person), you are committing an offence under the Environmental Permitting (England and Wales) Regulations 2016.

I declare that the information in this application is true to the best of my knowledge and belief. I understand that this application may be refused or approval withdrawn if I give false or incomplete information.

I understand that if I knowingly or recklessly make a false or misleading statement: I may be prosecuted; and if convicted, I may have to pay a fine and/or go to prison.

By signing below, you are confirming that you understand and agree with the declaration above.

Title	-
First name	Steven
Last name	Hole
On behalf of (if applicable)	-
Date (DD/MM/YYYY)	-

Submit your application

Enter the email address you'd like a copy of your application sent to:

steven@ridgewaycontractors.co.uk