

## Compliance Assessment Report CAR\_NRW0046593

**Permit being assessed:** DB3399FA

**For:** Hochtief UK Construction Ltd, **held by:** Hochtief UK Construction Ltd,

**At:** Site Office, Minffordd, Gwynedd, LL48 6HP.

**Type of assessment:** Site Inspection,

**Reason:** Routine.

**On:** 26/02/2025 between 10:00 and 12:00.

**Parts of permit assessed:** 1. General Management and Infrastructure.

**NRW Lead Officer:** Anthony Roberts.

**Report sent to:** David Grantham, Environment Manager, on 13/03/2025.

### 1. Summary of our findings (full details in section 4)

Part of permitted activity assessed (compliance criteria)	Assessment result	Permit condition
MCP1A - MCP - Management - General management	Assessed (A)	
MCP3A - MCP - Emissions and monitoring - Emissions to water, air or land	Assessed (A)	

Result types are explained in more detail in the 'Important Information' section below.

Total non-compliances recorded
0

### 2. What action is required?

No action required.

### 3. What will happen next?

Any non-compliance we have identified and recorded on this form is an offence. It can result in criminal prosecution and/or suspension or revocation of your permit.

**At this time, we do not intend to take any further action.**

This statement does not stop us from taking additional enforcement action if further relevant information comes to light or offences continue.

## 4. Details of our assessment

### HOCHTEIF SVIP PROJECT - MINFORDD COMPOUND PRE - OPERATIONAL SITE INSPECTION

26/02/25 @10.00hrs

#### Pre-Operational Infrastructure and Management:

Site is currently pre-operational. Inspection of the engines and housing took place along with the foundations for the combined effluent stacks to air. Infrastructure should be completed in April with the possibility of the engines running by the end of April/early May

#### Monitoring

The following condition of the permit regarding monitoring of engine emissions requires that:

**3.2.3** The first monitoring measurements shall be carried out (a) For new MCP within four months of the issue date of the permit or the date when the MCP is first put into operation, whichever is later.

**3.2.4** The operator shall maintain records of all monitoring including records of the taking and analysis of samples, instrument measurements (periodic and continual), calibrations, examinations, test and surveys and any assessment or evaluation made on the basis of such data.

Once the stacks are erected, a further pre operational site inspection will take place followed by an operational inspection during the emissions testing phase as specified above.

If you have any queries about this report, or to discuss completion of any actions, please contact the NRW Officer named above.

## Important information

### Legal status of this report

Your permit is issued to you under the Environmental Permitting Regulations. You have a responsibility to comply with the conditions of your permit and prevent pollution/harm of the environment. You must also ensure that you comply with any other relevant legislation that may apply to your site's operations.

This report explains the findings of our assessment and any action you are required to take. We categorise non-compliance using our guidance for assessing non-compliance at regulated sites.

When we find potential non-compliance/s we will normally give you advice on how to maintain compliance.

To correct non-compliance, we may:

- require you to take specific actions
- issue a notice
- review the conditions of your permit.

Any advice and guidance we give will be without prejudice to any other enforcement response that we consider may be required.

### Assessment results and non-compliance categories (used in section 1):

Assessment result	Description
Assessed (A)	Assessed or assessed in part, no evidence of non-compliance found
Action only (X)	Action only relating to the activity assessment
Ongoing (O)	Ongoing non-compliance, not scored

Non-compliance category	Description
C1 Major	Potential to have a major, serious, persistent and/or extensive impact or effect on the environment, people and/or property
C2 Significant	Potential to have a significant impact or effect on the environment, people and/or property
C3 Minor	Potential to have a minor or minimal impact or effect on the environment, people and/or property
C4 No environmental impact	Non-compliance at a regulated site that cannot foreseeably have any impact on the environment, people and/or property

**Full list of Medium Combustion Plant and Specified Generator compliance criteria**  
(used in section 1 and 2):**1. Management**

- MCP1A – General management
- MCP1B – Energy efficiency
- MCP1C - Avoidance, recovery and disposal of wastes produced by the activities

**2. Operations**

- MCP2A – Permitted activities
- MCP2B – The site
- MCP2C – Operating techniques
- MCP2D – Improvement programme
- MCP2E – Pre-operational conditions

**3. Emission and Monitoring**

- MCP3A – Emissions to water, air or land
- MCP3B – Emissions of substances not controlled by emission limits
- MCP3C – Odour
- MCP3D – Noise and vibration
- MCP3E – Monitoring
- MCP3F – Fire

**4. Information**

- MCP4A – Records
- MCP4B – Reporting
- MCP4C – Notification

**Enforcement response**

Any non-compliance with a permit condition is an offence and we may take legal action against you. Action we take can include prosecution, serving a notice on you and/or suspension or revocation of your permit. See our Enforcement and Sanctions Guidance for further information.

**Data protection notice**

You should make sure that anyone named in this report knows that the information it contains will be processed by Natural Resources Wales to fulfil its regulatory and monitoring functions and to maintain the relevant public register(s).

We may also use and/or disclose the report in connection with:

- offering or providing you with our literature or services relating to environmental matters
- consulting with the public, public bodies and other organisations (e.g. Health and Safety Executive, local authorities) on environmental issues
- carrying out statistical analysis, research and development on environmental issues
- providing public register information to enquirers
- investigating possible breaches of environmental law
- assessing customer service satisfaction and improving our service
- Freedom of Information Act or Environmental Information Regulations requests.

We may also pass it on to our agents or representatives to do these things on our behalf.

**Disclosure of information – this report will be available to view on-line**

If you think this report contains commercially confidential information that should not be placed on our public register, you must contact your local Natural Resources Wales office within **fifteen working days** of receiving this report, using the contact details in the accompanying email or letter. You must give a full explanation of why it should not be added to our public register, including specifying which information is commercially confidential. We will assess your request and respond to you within twenty working days to let you know if we agree to your request.

**What do I do if I disagree with the report or have a complaint?**

If you disagree with this compliance assessment report, you should contact the lead officer without delay to discuss your concerns.

If you are unable to resolve the issue with the lead officer or their line manager you should contact our Customer Contact team on 0300 065 3000 (Monday to Friday 08:00 to 18:00), or email [enquiries@naturalresourceswales.gov.uk](mailto:enquiries@naturalresourceswales.gov.uk) for details of how to raise your dispute further through our Complaints and Commendations procedure.

If you are dissatisfied with our response, you can contact the Public Services Ombudsman for Wales by phone on 0300 7900203 or by email at [ask@ombudsman.wales](mailto:ask@ombudsman.wales)

**Welsh Language Standards**

We are committed to establishing Natural Resources Wales as a naturally bilingual organisation. We will provide compliance reports in your preferred language.