

## Compliance Assessment Report CAR\_NRW0045783

**Permit being assessed:** CG0342901

For: Beaumaris and Llanfaes Wastewater Treatment Works, held by DWR CYMRU CYFYNGEDIG

At: Ffordd Eglwys, Beaumaris, Anglesey, LL58 8LE.

**Type of assessment carried out:** Site Inspection, Reason: Routine.

On 04/12/2024, between 13:05 and 13:55.

Parts of permit assessed: All

**NRW Lead Officer:** Ceris Evans, accompanied by: Euryrn Roberts.

**Report sent to:** Dwr Cymru Cyf., CARS@dwrwymru.com, on 02/04/2025.

### 1. Summary of our findings (full details in section 4)

Part of permitted activity assessed (criteria)	Assessment result	Permit condition
WQ-A1 - Water Quality - Management - General management	C4 No impact	1.1 General Management
WQ-A1 - Water Quality - Management - General management	C4 No impact	1.1 General Management

Result types are explained in more detail in the 'Important Information' section below.

### 2. What action is required?

Criteria	Action needed	Complete by
WQ-A1	Repair required. NRW representatives were informed a job card had already been raised.	29/05/2025
WQ-A1	Install a safety barrier to stop anyone from falling into the final settlement tank.	29/05/2025

Action criteria codes are listed in the 'Important information' section below.

### 3. What will happen next?

Any non-compliance we have identified and recorded on this form is an offence. It can result in criminal prosecution and/or suspension or revocation of your permit.

**You are non-compliant with your permit.**

**We are currently considering taking enforcement action against you for the non-compliance recorded above. We will contact you in due course.**

### 4. Details of our assessment

Dear Dwr Cymru Cyf.

Firstly, I would like to thank Dwr Cymru Cyf. staff for their time for the duration of the audit.

The two actions and ,,,,,, observations. Photos are in the attached document.

**Action 1)** Damaged switch gear for the outfall (photo 1). This needs to be repaired.

**Action 2)** Steps up into the final settlement tank cause a health and safety issue (photo 2). A handrail is present, however, a safety barrier is required to protect individuals on site.

**Observation 1)** The de sludge pumps for the final settlement tank was being worked on whilst on site (photo 3). An e-mail confirmation has been received by Dwr Cymru Cyf. on the 06.12.24 that the de sludge pump has been repaired.

**Observation 2)** There was splashing over from the aeration lane (photos 4 & 5). Dwr Cymru Cyf. staff explained that the pressure relieve pipe had broken and snapped off due to it becoming brittle. The air being pumped that cause the bubbles on the surface. Dwr Cymru Cyf. staff did say that this does not affect the treatment process, however, it does a bit of mess on the site. The intention was to undertake work to rectify the problem in 2025.

**Observation 3)** Lose pipework was seen (photos 6 & 7). It is unclear if the pipework is part of an operational part of the site or not. If it is, this pipework will need to be repaired.

Diolch yn fawr/Thank you

NRW

If you have any queries about this report, or to discuss completion of any actions, please contact the NRW Officer named above.

## Important information

### Legal status of this report

Your permit is issued to you under the Environmental Permitting Regulations. You have a responsibility to comply with the conditions of your permit and prevent pollution/harm to the environment. You must also ensure that you comply with any other relevant legislation that may apply to your site's operations.

This report explains the findings of our assessment and any action you are required to take. We categorise non-compliance using our guidance for assessing non-compliance at regulated sites.

When we find potential non-compliance/s we will normally give you advice on how to maintain compliance.

To correct non-compliance, we may:

- require you to take specific actions
- issue a notice
- review the conditions of your permit.

Any advice and guidance we give will be without prejudice to any other enforcement response that we consider may be required.

### Assessment results and non-compliance categories (used in section 1):

Assessment result	Description
Assessed (A)	Assessed or assessed in part, no evidence of non-compliance found
Action only (X)	Action only relating to the activity assessment
Ongoing (O)	Ongoing non-compliance, not scored

Non-compliance category	Description
C1 Major	Potential to have a major, serious, persistent and/or extensive impact or effect on the environment, people and/or property
C2 Significant	Potential to have a significant impact or effect on the environment, people and/or property
C3 Minor	Potential to have a minor or minimal impact or effect on the environment, people and/or property
C4 No environmental impact	Non-compliance at a regulated site that cannot foreseeably have any impact on the environment, people and/or property

### If your assessment result in Section 1 is suspended, what does this mean?

In line with our guidance, we may suspend non-compliance for up to six months to allow time for remedial action to be taken. These will be re-instated if the action is not completed.

**Full list of water quality action criteria (used in section 1 and 2):****WQ A: Management**

- WQ-A1 General management

**WQ B: Operations**

- WQ-B1 Permitted activities
- WQ-B2 The site
- WQ-B3 Operating techniques
- WQ-B4 Improvement programme
- WQ-B5 Pre-operational conditions

**WQ C: Emissions and monitoring**

- WQ-C1 Emissions to water
- WQ-C2 Emissions to land
- WQ-C3 Emissions of substances not controlled by emission limits
- WQ-C4 Installation of monitoring boreholes

**WQ D: Information**

- WQ-D1 Records
- WQ-D2 Reporting
- WQ-D3 Notifications

**Enforcement response**

Any permit condition non-compliance is an offence and we may take legal action against you. Action we take can include prosecution, serving a notice on you and/or suspension or revocation of your permit. See our Enforcement and Sanctions Guidance for further information.

**Data protection notice**

You should make sure that anyone named in this report knows that the information it contains will be processed by Natural Resources Wales to fulfil its regulatory and monitoring functions and to maintain the relevant public register(s).

We may also use and/or disclose the report in connection with:

- offering or providing you with our literature or services relating to environmental matters
- consulting with the public, public bodies and other organisations (e.g. Health and Safety Executive, local authorities) on environmental issues
- carrying out statistical analysis, research and development on environmental issues
- providing public register information to enquirers
- investigating possible breaches of environmental law
- assessing customer service satisfaction and improving our service
- Freedom of Information Act or Environmental Information Regulations requests.

We may also pass it on to our agents or representatives to do these things on our behalf.

**Disclosure of information – this report will be available to view on-line**

If you think this report contains commercially confidential information that should not be placed on our public register, you must contact your local Natural Resources Wales office within **fifteen working days** of receiving this report, using the contact details in the accompanying email or letter. You must give a full explanation of why it should not be

added to our public register, including specifying which information is commercially confidential. We will assess your request and respond to you within 20 working days to let you know if we agree to your request.

**What do I do if I disagree with the report or have a complaint?**

If you disagree with this compliance assessment report, you should contact the lead officer without delay to discuss your concerns.

If you are unable to resolve the issue with the lead officer or their line manager you should contact our Customer Contact team on 0300 065 3000 (Monday to Friday 08:00 – 18:00), or email [enquiries@naturalresourceswales.gov.uk](mailto:enquiries@naturalresourceswales.gov.uk) for details of how to raise your dispute further through our Complaints and Commendations procedure.

If you are dissatisfied with our response, you can contact the Public Services Ombudsman for Wales by phone on 0300 7900203 or by email at [ask@ombudsman.wales](mailto:ask@ombudsman.wales)

**Welsh Language Standards**

We are committed to establishing Natural Resources Wales as a naturally bilingual organisation. We will provide compliance reports in your preferred language.