

Compliance Assessment Report CAR_NRW0046605

Permit being assessed: AC0091501

For: Cwmillery Water Treatment Works, held by DWR CYMRU CYFYNGEDIG
At: Cwmillery Water Treatment Works, Reservoir House, Cwmillery, UNKNOWN, NP13 1LR.

Type of assessment carried out: Check Monitoring/Sampling, Reason: Other.

On 21/11/2024.

Parts of permit assessed: Consent Limits

NRW Lead Officer: Elis Nuttall.

Report sent to: DCWW, Water Industry, on 24/03/2025.

1. Summary of our findings (full details in section 4)

Part of permitted activity assessed (criteria)	Assessment result	Permit condition
WQ-C1 - Water Quality - Emissions and monitoring - Emissions to water	C3 Minor	3.1.1 - Emissions to water
WQ-D1 - Water Quality - Information - Records	Action only (X)	

Result types are explained in more detail in the 'Important Information' section below.

2. What action is required?

Criteria	Action needed	Complete by
WQ-C1	Bring emissions under regulatory control.	31/03/2025
WQ-D1	Provide evidence that the site's emissions have returned to within the permitted range	31/03/2025

Action criteria codes are listed in the 'Important information' section below.

3. What will happen next?

Any non-compliance we have identified and recorded on this form is an offence. It can result in criminal prosecution and/or suspension or revocation of your permit.

You are non-compliant with your permit.

At this time, we are issuing you with a warning for the non-compliance recorded above. Warnings may influence future enforcement response for continued or further non-compliance.

This statement does not stop us from taking additional enforcement action if further relevant information comes to light or offences continue.

4. Details of our assessment

This report details the OSM numeric exceedance/failure notification made by Dŵr Cymru Welsh Water (DCWW) on the 26/11/2024 for Cwmtillery WTW, permit reference number EPR- AC0091501.

No Natural Resources Wales (NRW) attendance was undertaken regarding this notification.

Site details and conditions

This site is a Water Treatment Works located in Cwmtillery, NP13 1LR. The site is permitted to discharge treated water to the Afon Tilleri at SO2206206711. The emissions limits listed in the permit are as follows:

Maximum daily discharge volume: 150m³/day

Maximum rate of discharge: 30l/s

Suspended solids: 100mg/l

Total available chlorine: 0.05mg/l (listed in permit as 50µg/l).

pH: 6 to 9

Total Aluminium: 1000µg/l

The site was operational at the time of the visit.

Report Details

On the 26/11/2024, DCWW submitted a OSM numeric exceedance/failure notification to NRW for chlorine concentration at Cwmtillery WTW on 21/11/2024. The measured concentration of 0.12mg/l is 0.07mg/l higher than the permitted limit of 0.05mg/l (listed in permit as 50µg/l).

This is a clear exceedance in the permit's emissions limits. Please see below for the breach scoring and actions.

Breaches of permit condition:

CATEGORY C3 BREACH – PERMIT CONDITION 3.1.1 – Emissions to water

The limits given in schedule 3 table S3.1 shall not be exceeded.

The recorded concentration of Chlorine on the 21/11/2024 was 0.12mg/l, ~2.4 times the permitted limit. This is a breach of the site's permitted emissions and as a result NRW have assessed this as a Category 3 breach.

Action required by dates specified:

1. Bring the site emissions back into the permitted range.

Deadline: 31/03/2025.

2. Provide evidence that the site's emissions have returned to within the permitted range.

Deadline: 31/03/2025.

Contact details:

If you have any queries regarding this CAR form or to provide an update on any actions above, please contact me using the following details: Elis Nuttall, Environment Officer, elis.nuttall@naturalresourceswales.gov.uk, 03000 65 4651.

Thank you,

Elis Nuttall.

If you have any queries about this report, or to discuss completion of any actions, please contact the NRW Officer named above.

Important information

Legal status of this report

Your permit is issued to you under the Environmental Permitting Regulations. You have a responsibility to comply with the conditions of your permit and prevent pollution/harm to the environment. You must also ensure that you comply with any other relevant legislation that may apply to your site's operations.

This report explains the findings of our assessment and any action you are required to take. We categorise non-compliance using our guidance for assessing non-compliance at regulated sites.

When we find potential non-compliance/s we will normally give you advice on how to maintain compliance.

To correct non-compliance, we may:

- require you to take specific actions
- issue a notice
- review the conditions of your permit.

Any advice and guidance we give will be without prejudice to any other enforcement response that we consider may be required.

Assessment results and non-compliance categories (used in section 1):

Assessment result	Description
Assessed (A)	Assessed or assessed in part, no evidence of non-compliance found
Action only (X)	Action only relating to the activity assessment
Ongoing (O)	Ongoing non-compliance, not scored

Non-compliance category	Description
C1 Major	Potential to have a major, serious, persistent and/or extensive impact or effect on the environment, people and/or property
C2 Significant	Potential to have a significant impact or effect on the environment, people and/or property
C3 Minor	Potential to have a minor or minimal impact or effect on the environment, people and/or property
C4 No environmental impact	Non-compliance at a regulated site that cannot foreseeably have any impact on the environment, people and/or property

If your assessment result in Section 1 is suspended, what does this mean?

In line with our guidance, we may suspend non-compliance for up to six months to allow time for remedial action to be taken. These will be re-instated if the action is not completed.

Full list of water quality action criteria (used in section 1 and 2):**WQ A: Management**

- WQ-A1 General management

WQ B: Operations

- WQ-B1 Permitted activities
- WQ-B2 The site
- WQ-B3 Operating techniques
- WQ-B4 Improvement programme
- WQ-B5 Pre-operational conditions

WQ C: Emissions and monitoring

- WQ-C1 Emissions to water
- WQ-C2 Emissions to land
- WQ-C3 Emissions of substances not controlled by emission limits
- WQ-C4 Installation of monitoring boreholes

WQ D: Information

- WQ-D1 Records
- WQ-D2 Reporting
- WQ-D3 Notifications

Enforcement response

Any permit condition non-compliance is an offence and we may take legal action against you. Action we take can include prosecution, serving a notice on you and/or suspension or revocation of your permit. See our Enforcement and Sanctions Guidance for further information.

Data protection notice

You should make sure that anyone named in this report knows that the information it contains will be processed by Natural Resources Wales to fulfil its regulatory and monitoring functions and to maintain the relevant public register(s).

We may also use and/or disclose the report in connection with:

- offering or providing you with our literature or services relating to environmental matters
- consulting with the public, public bodies and other organisations (e.g. Health and Safety Executive, local authorities) on environmental issues
- carrying out statistical analysis, research and development on environmental issues
- providing public register information to enquirers
- investigating possible breaches of environmental law
- assessing customer service satisfaction and improving our service
- Freedom of Information Act or Environmental Information Regulations requests.

We may also pass it on to our agents or representatives to do these things on our behalf.

Disclosure of information – this report will be available to view on-line

If you think this report contains commercially confidential information that should not be placed on our public register, you must contact your local Natural Resources Wales office within **fifteen working days** of receiving this report, using the contact details in the accompanying email or letter. You must give a full explanation of why it should not be

added to our public register, including specifying which information is commercially confidential. We will assess your request and respond to you within 20 working days to let you know if we agree to your request.

What do I do if I disagree with the report or have a complaint?

If you disagree with this compliance assessment report, you should contact the lead officer without delay to discuss your concerns.

If you are unable to resolve the issue with the lead officer or their line manager you should contact our Customer Contact team on 0300 065 3000 (Monday to Friday 08:00 – 18:00), or email enquiries@naturalresourceswales.gov.uk for details of how to raise your dispute further through our Complaints and Commendations procedure.

If you are dissatisfied with our response, you can contact the Public Services Ombudsman for Wales by phone on 0300 7900203 or by email at ask@ombudsman.wales

Welsh Language Standards

We are committed to establishing Natural Resources Wales as a naturally bilingual organisation. We will provide compliance reports in your preferred language.