

Compliance Assessment Report CAR_NRW0048128

Permit being assessed: DP3333TA.

For: Pembroke Power Station , **held by:** RWE Generation UK plc

At: Pembroke Power Station , Pembroke, PEMBROKE, Dyfed, SA71 5SS.

Type of assessment: Report/Data Review,

Reason: Routine.

On: 08/04/2025 - 29/04/2025.

Parts of permit assessed: Emissions & Monitoring, Reporting, Management.

NRW Lead Officer: Rhydian Cox.

Report sent to: Environmental Engineer, Environmental Engineer, on 29/04/2025.

1. Summary of our findings (full details in section 4)

Part of permitted activity assessed (compliance criteria)	Assessment result	Permit condition
IR3A(1) - Installations - Emissions and monitoring - Emissions to water	Assessed (A)	
IR3A(2) - Installations - Emissions and monitoring - Emissions to air	Assessed (A)	
IR3E - Installations - Emissions and monitoring - Monitoring	Assessed (A)	
IR4B - Installations - Information - Reporting	Assessed (A)	
IR1C - Installations - Management - Energy Efficiency	Assessed (A)	

Result types are explained in more detail in the 'Important Information' section below.

Total non-compliances recorded	Total non-compliance score
0	0

How we use the non-compliance score to calculate your annual fee is explained in the 'Important Information' section below.

2. What action is required?

No action required.

3. What will happen next?

Any non-compliance we have identified and recorded on this form is an offence. It can result in criminal prosecution and/or suspension or revocation of your permit.

At this time, we do not intend to take any further action.

This statement does not stop us from taking additional enforcement action if further relevant information comes to light or offences continue.

4. Details of our assessment

This Compliance Assessment Report (CAR) has been issued in response to the submission of the Q1 (January - March) 2025 monitoring returns by RWE Generation UK plc (the operator) for activities at Pembroke Power Station, West Pennar, Pembroke, Pembrokeshire, SA71 5SS under permit EPR-DP3333TA.

Q1 2025 Monitoring Returns

The returns for reporting of sampling and analysis of emissions to water (other than sewer) and the returns for reporting of emissions to air for Q1 2025 were submitted to NRW on 08 April 2025. The data was submitted for review within the Q1 reporting period, which is compliant with permit condition 4.3.2. All data was submitted in the correct reporting format.

Releases to Water - *Water 1 (10/11/11)*

The data submitted by the operator for the reporting of sampling and analysis of emissions to water (other than sewer) for emission points W1, W1(a), W1(b), W1(c), W2 is compliant with emission limit values specified within the permit. No breaches or non-compliances reported.

Releases to Air - *IED/LCPBREF CON2 (Gas Turbines)*

The data submitted by the operator for the reporting of sampling and analysis of emissions to air for emission points LCP Unit 11 A1, LCP Unit 21 A2, LCP 31 A3, LCP Unit 41 A4, LCP Unit 51 A5 is compliant with emission limit values specified within the permit. No breaches or non-compliances reported.

Combined Heat and Power (CHP) Review

Condition 1.2.2 of the environmental permit outlines the following;

The operator shall review the viability of Combined Heat and Power (CHP) implementation at least every 4 years, or in response to any of the following factors, whichever comes sooner:

- (a) new plans for significant developments within 15 km of the installation;
- (b) changes to the Local Plan;
- (c) changes to the UK CHP Development Map or similar; and
- (d) new financial or fiscal incentives for CHP.

The results shall be reported to Natural Resources Wales within 2 months of each review, including where there has been no change to the original assessment in respect of the above factors.

In response to this condition the operator submitted a report titled '*Review of the practicality of Combined Heat and Power (CHP) implementation at Pembroke Power Station*' dated 08

April 2025. This report was submitted to NRW on 08 April 2025. The operator has stated; *This report documents RWE Generation UK plc's response to this condition through a review of the assumptions made in the initial application and of any new opportunities as a result of new technologies or developments in the area.*

This report has been reviewed and assessed by NRW against compliance criteria IR1C - energy efficiency. NRW concludes that this review is sufficiently detailed and satisfies the permit condition.

END

If you have any queries about this report, or to discuss completion of any actions, please contact the NRW Officer named above.

Important information

Legal status of this report

Your permit is issued to you under the Environmental Permitting Regulations. You have a responsibility to comply with the conditions of your permit and prevent pollution/harm of the environment. You must also ensure that you comply with any other relevant legislation that may apply to your site's operations.

This report explains the findings of our assessment and any action you are required to take. We categorise non-compliance using our guidance for assessing non-compliance at regulated sites.

When we find potential non-compliance/s we will normally give you advice on how to maintain compliance.

To correct non-compliance, we may:

- require you to take specific actions
- issue a notice
- review the conditions of your permit.

Any advice and guidance we give will be without prejudice to any other enforcement response that we consider may be required.

Assessment results and non-compliance categories (used in section 1):

Assessment result	Description
Assessed (A)	Assessed or assessed in part, no evidence of non-compliance found
Action only (X)	Action only relating to the activity assessment
Ongoing (O)	Ongoing non-compliance, not scored

Non-compliance category	Description	Score
C1 Major	Potential to have a major, serious, persistent and/or extensive impact or effect on the environment, people and/or property	60
C2 Significant	Potential to have a significant impact or effect on the environment, people and/or property	31
C3 Minor	Potential to have a minor or minimal impact or effect on the environment, people and/or property	4
C4 No environmental impact	Non-compliance at a regulated site that cannot foreseeably have any impact on the environment, people and/or property	0.1

How we use assessment scores

The number and severity of non-compliances recorded in a year will affect your annual subsistence fee the following year. A non-compliance factor is added to your site's Operator

Performance Risk Appraisal (OPRA) score when we calculate your fee to reflect the additional resource we use to assess permit compliance.

If your assessment result in Section 1 is suspended, what does this mean?

In line with our guidance, we may suspend scores for up to six months to allow time for remedial action to be taken. Suspended scores will be re-instated if the action is not completed.

Full list of Industry compliance criteria (used in section 1 and 2):

1. Management

- IR1A – General management
- IR1B – Finance (only applicable to Landfill)
- IR1C – Energy efficiency
- IR1D - Efficient use of raw materials
- IR1E - Avoidance, recovery and disposal of wastes produced by the activities
- IR1F - Multiple operator installations

2. Operations

- IR2A – Permitted activities
- IR2B – The site
- IR2C – Operating techniques
- IR2D – Technical requirements
- IR2E – Improvement programme
- IR2F – Pre-operational conditions
- IR2G – Landfill engineering (only applicable to Landfill)
- IR2H – Waste acceptance (only applicable to Landfill)
- IR2I – Leachate levels (only applicable to Landfill)
- IR2J – Closure and aftercare (only applicable to Landfill)
- IR2K – Landfill gas management (only applicable to Landfill)

3. Emission and Monitoring

- IR3A – Emissions to water, air or land
- IR3B – Emissions of substances not controlled by emission limits
- IR3C – Odour
- IR3D – Noise and vibration
- IR3E – Monitoring
- IR3F – Pests
- IR3G – Air quality management plans
- IR3H – Monitoring for the purposes of the Industrial Emissions Directive (this heading includes Large Combustion Plants)
- IR3I – Fire

4. Information

- IR4A – Records
- IR4B – Reporting
- IR4C – Notification

Enforcement response

Any non-compliance with a permit condition is an offence and we may take legal action against you. Action we take can include prosecution, serving a notice on you and/or

suspension or revocation of your permit. See our Enforcement and Sanctions Guidance for further information.

Data protection notice

You should make sure that anyone named in this report knows that the information it contains will be processed by Natural Resources Wales to fulfil its regulatory and monitoring functions and to maintain the relevant public register(s).

We may also use and/or disclose the report in connection with:

- offering or providing you with our literature or services relating to environmental matters
- consulting with the public, public bodies and other organisations (e.g. Health and Safety Executive, local authorities) on environmental issues
- carrying out statistical analysis, research and development on environmental issues
- providing public register information to enquirers
- investigating possible breaches of environmental law
- assessing customer service satisfaction and improving our service
- Freedom of Information Act or Environmental Information Regulations requests.

We may also pass it on to our agents or representatives to do these things on our behalf.

Disclosure of information – this report will be available to view on-line

If you think this report contains commercially confidential information that should not be placed on our public register, you must contact your local Natural Resources Wales office within **fifteen working days** of receiving this report, using the contact details in the accompanying email or letter. You must give a full explanation of why it should not be added to our public register, including specifying which information is commercially confidential. We will assess your request and respond to you within twenty working days to let you know if we agree to your request.

What do I do if I disagree with the report or have a complaint?

If you disagree with this compliance assessment report, you should contact the lead officer without delay to discuss your concerns.

If you are unable to resolve the issue with the lead officer or their line manager you should contact our Customer Contact team on 0300 065 3000 (Monday to Friday 08:00 to 18:00), or email enquiries@naturalresourceswales.gov.uk for details of how to raise your dispute further through our Complaints and Commendations procedure.

If you are dissatisfied with our response, you can contact the Public Services Ombudsman for Wales by phone on 0300 7900203 or by email at ask@ombudsman.wales

Welsh Language Standards

We are committed to establishing Natural Resources Wales as a naturally bilingual organisation. We will provide compliance reports in your preferred language.