

Compliance Assessment Report CAR_NRW0046692

Permit being assessed: BN0266801

For: EMERGENCY DISCHARGE FROM LLANG, held by DWR CYMRU CYFYNGEDIG
At: EMERGENCY DISCHARGE FROM LLANG, UNKNOWN, UNKNOWN, UNKNOWN,
UNKNOWN.

Type of assessment carried out: Audit, Reason: Other.

On 20/03/2025, between 14:20 and 14:50.

Parts of permit assessed: Monitoring and Reporting Conditions

NRW Lead Officer: Rod Thomas, accompanied by: Caryl Brace.

Report sent to: Cars@dwrcymru.com, CARS Mailbox, on 12/06/2025.

1. Summary of our findings (full details in section 4)

Part of permitted activity assessed (criteria)	Assessment result	Permit condition
WQ-C1 - Water Quality - Emissions and monitoring - Emissions to water	Assessed (A)	
WQ-C1 - Water Quality - Emissions and monitoring - Emissions to water	C3 Minor	Condition 3 EO operating as an SO

Result types are explained in more detail in the 'Important Information' section below.

2. What action is required?

Criteria	Action needed	Complete by
WQ-C1	Comply with the requirements of Guidance Note GN021	30/09/2025

Action criteria codes are listed in the 'Important information' section below.

3. What will happen next?

Any non-compliance we have identified and recorded on this form is an offence. It can result in criminal prosecution and/or suspension or revocation of your permit.

You are non-compliant with your permit.

At this time, we are issuing you with a warning for the non-compliance recorded above. Warnings may influence future enforcement response for continued or further non-compliance.

This statement does not stop us from taking additional enforcement action if further relevant information comes to light or offences continue.

4. Details of our assessment

During the audit it was confirmed that the pumping station has two pumps. The only permit we are aware of is for an emergency overflow. Please confirm that this pumping station

does not have the ability to discharge during storm conditions. The stream below the pumping station was inspected and there was no evidence of any impact, however, the outfall could not be located.

Please could DCWW locate and inspect the outfall to ensure everything is in order.

In addition please confirm whether or not the pumping station has EDM data and if so, if it has operated in 2024.

Deadline for response 30 April 2025

This Pumping Station was previously considered compliant but upon receipt of the information below, NRW now consider this not to be the case, hence the re issue of this CAR form.

Email received from DCWW on 4 June 2025

'Action 1: Is the Asset part of the GN021 programme and an EO operating as an SO.'

Llangwm SPS is on the EO acting in rainfall programme. An asset survey has already been completed, and an infiltration study is planned for Sept (during wetter months). The aim will be to identify infiltration and remove it so the site operates as an EO only again.

Action 2: Locate and inspect the outfall to ensure everything is in order.

Access to the outfall is difficult due to its location on the estuary, attempts have been made since issue of this CAR form and another attempt is scheduled in the coming weeks. The SW pollution technician is overseeing this, we will update NRW of any findings.

Action 3: Does the SPS have EDM and did it operate in 2024.

Yes the asset has EDM, it operated for 885hrs in 2024.'

Please comply with the requirements of GN021. Please update the DCWW/NRW shared tracker for unpermitted SO's,

Further to our email to DCWW on 5 June 2025, please can you confirm how this illegal discharge will impact any local development?

Deadline for response 30 September 2025

If you have any queries about this report, or to discuss completion of any actions, please contact the NRW Officer named above.

Important information

Legal status of this report

Your permit is issued to you under the Environmental Permitting Regulations. You have a responsibility to comply with the conditions of your permit and prevent pollution/harm to the environment. You must also ensure that you comply with any other relevant legislation that may apply to your site's operations.

This report explains the findings of our assessment and any action you are required to take. We categorise non-compliance using our guidance for assessing non-compliance at regulated sites.

When we find potential non-compliance/s we will normally give you advice on how to maintain compliance.

To correct non-compliance, we may:

- require you to take specific actions
- issue a notice
- review the conditions of your permit.

Any advice and guidance we give will be without prejudice to any other enforcement response that we consider may be required.

Assessment results and non-compliance categories (used in section 1):

Assessment result	Description
Assessed (A)	Assessed or assessed in part, no evidence of non-compliance found
Action only (X)	Action only relating to the activity assessment
Ongoing (O)	Ongoing non-compliance, not scored

Non-compliance category	Description
C1 Major	Potential to have a major, serious, persistent and/or extensive impact or effect on the environment, people and/or property
C2 Significant	Potential to have a significant impact or effect on the environment, people and/or property
C3 Minor	Potential to have a minor or minimal impact or effect on the environment, people and/or property
C4 No environmental impact	Non-compliance at a regulated site that cannot foreseeably have any impact on the environment, people and/or property

If your assessment result in Section 1 is suspended, what does this mean?

In line with our guidance, we may suspend non-compliance for up to six months to allow time for remedial action to be taken. These will be re-instated if the action is not completed.

Full list of water quality action criteria (used in section 1 and 2):**WQ A: Management**

- WQ-A1 General management

WQ B: Operations

- WQ-B1 Permitted activities
- WQ-B2 The site
- WQ-B3 Operating techniques
- WQ-B4 Improvement programme
- WQ-B5 Pre-operational conditions

WQ C: Emissions and monitoring

- WQ-C1 Emissions to water
- WQ-C2 Emissions to land
- WQ-C3 Emissions of substances not controlled by emission limits
- WQ-C4 Installation of monitoring boreholes

WQ D: Information

- WQ-D1 Records
- WQ-D2 Reporting
- WQ-D3 Notifications

Enforcement response

Any permit condition non-compliance is an offence and we may take legal action against you. Action we take can include prosecution, serving a notice on you and/or suspension or revocation of your permit. See our Enforcement and Sanctions Guidance for further information.

Data protection notice

You should make sure that anyone named in this report knows that the information it contains will be processed by Natural Resources Wales to fulfil its regulatory and monitoring functions and to maintain the relevant public register(s).

We may also use and/or disclose the report in connection with:

- offering or providing you with our literature or services relating to environmental matters
- consulting with the public, public bodies and other organisations (e.g. Health and Safety Executive, local authorities) on environmental issues
- carrying out statistical analysis, research and development on environmental issues
- providing public register information to enquirers
- investigating possible breaches of environmental law
- assessing customer service satisfaction and improving our service
- Freedom of Information Act or Environmental Information Regulations requests.

We may also pass it on to our agents or representatives to do these things on our behalf.

Disclosure of information – this report will be available to view on-line

If you think this report contains commercially confidential information that should not be placed on our public register, you must contact your local Natural Resources Wales office within **fifteen working days** of receiving this report, using the contact details in the accompanying email or letter. You must give a full explanation of why it should not be

added to our public register, including specifying which information is commercially confidential. We will assess your request and respond to you within 20 working days to let you know if we agree to your request.

What do I do if I disagree with the report or have a complaint?

If you disagree with this compliance assessment report, you should contact the lead officer without delay to discuss your concerns.

If you are unable to resolve the issue with the lead officer or their line manager you should contact our Customer Contact team on 0300 065 3000 (Monday to Friday 08:00 – 18:00), or email enquiries@naturalresourceswales.gov.uk for details of how to raise your dispute further through our Complaints and Commendations procedure.

If you are dissatisfied with our response, you can contact the Public Services Ombudsman for Wales by phone on 0300 7900203 or by email at ask@ombudsman.wales

Welsh Language Standards

We are committed to establishing Natural Resources Wales as a naturally bilingual organisation. We will provide compliance reports in your preferred language.