

Compliance Assessment Report CAR_NRW0048933

Permit being assessed: BL1096IB.

For: Padeswood Cement Works , **held by:** Castle Cement Limited

At: PADESWOOD WORKS , PADESWOOD, MOLD, MOLD, CLWYD, CH7 4HB.

Type of assessment: Site Inspection,

Reason: Routine.

On: 23/07/2025 between 10:00 and 12:30.

Parts of permit assessed: various.

NRW Lead Officer: Rebecca Harwood, accompanied by Philip Harper.

Report sent to: Plant Manager, Plant Manager, on 01/08/2025.

1. Summary of our findings (full details in section 4)

Part of permitted activity assessed (compliance criteria)	Assessment result	Permit condition
IR2A - Installations - Operations - Permitted activities	Assessed (A)	
IR2C - Installations - Operations - Operating techniques	Action only (X)	
IR3D - Installations - Emissions and monitoring - Noise and vibration	Action only (X)	

Result types are explained in more detail in the 'Important Information' section below.

Total non-compliances recorded	Total non-compliance score
0	0

How we use the non-compliance score to calculate your annual fee is explained in the 'Important Information' section below.

2. What action is required?

Criteria	Action needed	Complete by
IR2C	see Action 1 below	30/09/2025
IR3D	see Action 2 below	30/09/2025

Compliance criteria codes are listed in the 'Important information' section below.

3. What will happen next?

Any non-compliance we have identified and recorded on this form is an offence. It can result in criminal prosecution and/or suspension or revocation of your permit.

At this time, we do not intend to take any further action.

This statement does not stop us from taking additional enforcement action if further relevant information comes to light or offences continue.

4. Details of our assessment

This Compliance Assessment Report (CAR) follows an inspection of Padeswood Cement Works on the 23rd July 2025. NRW Officers met with the Plant Manager and Sustainability Analyst.

The site was not operational at the time of the inspection as a result of the ID fan failure in June. The Operator is still completing their investigation and root cause analyse of the failure, a Failure Mode and Effects Analysis (FMEA) is being undertaken. The Operator should submit the Part B of the schedule notification to NRW once the investigation is completed.

Officers visited the new SRF building that is under construction. The Operator anticipated that commissioning would start mid August with an aim to be fully operational by the end of September. Improvement Condition 9a requires a noise impact assessment to be completed once the building is in routine steady operation. This is scheduled for October 2025.

Officers also visited the location of the proposed carbon capture plant. The permit for the carbon capture plant is currently with NRW's permitting team for determination.

Further discussions were held regarding the bypass dust trial. The trial's aim is to dilute the bypass dust when the chloride levels reach a certain level as it becomes sticky, as yet the shift operatives have managed to control the chloride levels within the bypass dust and therefore the trial has not yet taken place. The Operator should keep NRW informed of any developments in relation to the trial.

In relation to start up and shut down and in response to previous actions relating to this, the Operator indicated that they consider start up to have ended when alternative fuels are added or after 24 hours of operation. **Action 1:** The start up methodology should be formally submitted to NRW with evidence of how a decision is made as when to add alternative fuels and when the plant is considered to be in steady state and out of start up. This should be submitted to NRW by 30/09/2025. This action supersedes previous start up actions in previous CARs.

The Operator stated that they wished to trial wood chip, EWC 19-12-07, using the 121 feed system. Further information is to be submitted to NRW in relation to this proposal.

A discussion was held relating to the works required to reduce the noise impact of the shell cooling fans as identified by the Operator's noise consultants. **Action 2:** The Operator should submit a proposal to NRW as to how they are going to address the

recommendations. An action plan with associated timescales should be submitted to NRW by 30/09/2025.

If you have any queries about this report, or to discuss completion of any actions, please contact the NRW Officer named above.

Important information

Legal status of this report

Your permit is issued to you under the Environmental Permitting Regulations. You have a responsibility to comply with the conditions of your permit and prevent pollution/harm of the environment. You must also ensure that you comply with any other relevant legislation that may apply to your site's operations.

This report explains the findings of our assessment and any action you are required to take. We categorise non-compliance using our guidance for assessing non-compliance at regulated sites.

When we find potential non-compliance/s we will normally give you advice on how to maintain compliance.

To correct non-compliance, we may:

- require you to take specific actions
- issue a notice
- review the conditions of your permit.

Any advice and guidance we give will be without prejudice to any other enforcement response that we consider may be required.

Assessment results and non-compliance categories (used in section 1):

Assessment result	Description
Assessed (A)	Assessed or assessed in part, no evidence of non-compliance found
Action only (X)	Action only relating to the activity assessment
Ongoing (O)	Ongoing non-compliance, not scored

Non-compliance category	Description	Score
C1 Major	Potential to have a major, serious, persistent and/or extensive impact or effect on the environment, people and/or property	60
C2 Significant	Potential to have a significant impact or effect on the environment, people and/or property	31
C3 Minor	Potential to have a minor or minimal impact or effect on the environment, people and/or property	4
C4 No environmental impact	Non-compliance at a regulated site that cannot foreseeably have any impact on the environment, people and/or property	0.1

How we use assessment scores

The number and severity of non-compliances recorded in a year will affect your annual subsistence fee the following year. A non-compliance factor is added to your site's Operator

Performance Risk Appraisal (OPRA) score when we calculate your fee to reflect the additional resource we use to assess permit compliance.

If your assessment result in Section 1 is suspended, what does this mean?

In line with our guidance, we may suspend scores for up to six months to allow time for remedial action to be taken. Suspended scores will be re-instated if the action is not completed.

Full list of Industry compliance criteria (used in section 1 and 2):

1. Management

- IR1A – General management
- IR1B – Finance (only applicable to Landfill)
- IR1C – Energy efficiency
- IR1D - Efficient use of raw materials
- IR1E - Avoidance, recovery and disposal of wastes produced by the activities
- IR1F - Multiple operator installations

2. Operations

- IR2A – Permitted activities
- IR2B – The site
- IR2C – Operating techniques
- IR2D – Technical requirements
- IR2E – Improvement programme
- IR2F – Pre-operational conditions
- IR2G – Landfill engineering (only applicable to Landfill)
- IR2H – Waste acceptance (only applicable to Landfill)
- IR2I – Leachate levels (only applicable to Landfill)
- IR2J – Closure and aftercare (only applicable to Landfill)
- IR2K – Landfill gas management (only applicable to Landfill)

3. Emission and Monitoring

- IR3A – Emissions to water, air or land
- IR3B – Emissions of substances not controlled by emission limits
- IR3C – Odour
- IR3D – Noise and vibration
- IR3E – Monitoring
- IR3F – Pests
- IR3G – Air quality management plans
- IR3H – Monitoring for the purposes of the Industrial Emissions Directive (this heading includes Large Combustion Plants)
- IR3I – Fire

4. Information

- IR4A – Records
- IR4B – Reporting
- IR4C – Notification

Enforcement response

Any non-compliance with a permit condition is an offence and we may take legal action against you. Action we take can include prosecution, serving a notice on you and/or

suspension or revocation of your permit. See our Enforcement and Sanctions Guidance for further information.

Data protection notice

You should make sure that anyone named in this report knows that the information it contains will be processed by Natural Resources Wales to fulfil its regulatory and monitoring functions and to maintain the relevant public register(s).

We may also use and/or disclose the report in connection with:

- offering or providing you with our literature or services relating to environmental matters
- consulting with the public, public bodies and other organisations (e.g. Health and Safety Executive, local authorities) on environmental issues
- carrying out statistical analysis, research and development on environmental issues
- providing public register information to enquirers
- investigating possible breaches of environmental law
- assessing customer service satisfaction and improving our service
- Freedom of Information Act or Environmental Information Regulations requests.

We may also pass it on to our agents or representatives to do these things on our behalf.

Disclosure of information – this report will be available to view on-line

If you think this report contains commercially confidential information that should not be placed on our public register, you must contact your local Natural Resources Wales office within **fifteen working days** of receiving this report, using the contact details in the accompanying email or letter. You must give a full explanation of why it should not be added to our public register, including specifying which information is commercially confidential. We will assess your request and respond to you within twenty working days to let you know if we agree to your request.

What do I do if I disagree with the report or have a complaint?

If you disagree with this compliance assessment report, you should contact the lead officer without delay to discuss your concerns.

If you are unable to resolve the issue with the lead officer or their line manager you should contact our Customer Contact team on 0300 065 3000 (Monday to Friday 08:00 to 18:00), or email enquiries@naturalresourceswales.gov.uk for details of how to raise your dispute further through our Complaints and Commendations procedure.

If you are dissatisfied with our response, you can contact the Public Services Ombudsman for Wales by phone on 0300 7900203 or by email at ask@ombudsman.wales

Welsh Language Standards

We are committed to establishing Natural Resources Wales as a naturally bilingual organisation. We will provide compliance reports in your preferred language.