

Compliance Assessment Report CAR_NRW0045976

Licence being assessed: 21/57/11/0022.

For: Underground Strata Blaen Rhymney, held by Dwr Cymru Cyfyngedig.

At: NP22 5QU, Nr Blaen Rhymney Farm, Blaen Rhymney Farm Lane, Llechryd, NP22 5QU.

Type of assessment: Site Inspection, Reason: Routine.

On 14/01/2025, between 09:00 and 12:00.

Parts of licence assessed: Site operations

NRW Lead Officer: Gavin Dodd.

Report sent to: Kevin Betts, Water Resources Technician, on 19/08/2025.

1. Summary of our findings (full details in section 4)

Part of licenced activity assessed (criteria)	Assessment result	Licence condition
WR-B1 - Water Abstraction - Abstraction measurement and records - Means of measurement	C3 Minor	Condition 8- Means of Measurement of Water Abstracted: The licence holder shall provide and install a meter or meters to measure the quantities abstracted from the Rhymney Bridge reservoirs to Shon Sheffrey.

Result types are explained in more detail in the 'Important Information' section below.

2. What action is required?

Criteria	Action needed	Complete by
WR-B1	Provide access to the meter and provide a reading	28/02/2025

Action criteria codes are listed in the 'Important Information' section below.

3. What will happen next?

Any non-compliance we have identified and recorded on this form is an offence. It can result in criminal prosecution or civil sanctions being imposed depending on the circumstances of the offence.

At this time, we do not intend to take any further action.

This statement does not stop us from taking additional enforcement action if further relevant information comes to light or offences continue.

4. Details of our assessment

I (Environment Officer Gavin Dodd) arrived at the Rhymney River, near Reservoir Bungalow on Tuesday 14th January 2025 at 09:00 to conduct an inspection regarding a licence to abstract water. (Permit Number 21/57/11/0022). Water Resources Technician Kevin Betts was also in attendance.

The source of supply was underground strata near Rhymney. The means of abstraction were from a borehole and a well. Both of these points were inspected.

The borehole was the first inspected. The grid reference was accurate to that specified in the permit. It was not possible to determine the depth of the borehole as the covering on it had not been moved for sometime and the tools to achieve this were not available. The borehole was artesian and the flow from it to the reservoir downstream could be observed.

The well was next inspected. The grid reference was accurate to that specified in the permit. This well was not being used to abstract water and there was no flow entering the reservoir from it that could be observed.

The purpose of the abstraction was transfer of water to Shon Sheffrey reservoir, with the means of measurement being a meter or meters. The meter(s) were kept in a Dwr Cymru pumping station, but it was not possible to get a reading as the meter cabinet was locked and it was not clear if the meter head was kept there or somewhere else.



Figure 1: Borehole and flow to reservoir



Figure 2: View of well



Figure 3: View of flow from well- dry



Figure 4: Interior of Dwr Cymru pumping station showing locked meter cabinet

Breaches

1.) Condition 8- Means of Measurement of Water Abstracted: The licence holder shall provide and install a meter or meters to measure the quantities abstracted from the Rhymney Bridge reservoirs to Shon Sheffrey.

Justification: The meter was not accessible during the inspection for a reading to be taken.


Actions required by date specified

1.) Provide access to the meter and provide a meter reading

The deadline for this action is 28th February 2025

Contact details:

If you have any queries regarding this CAR form or to provide an update on any actions above, please contact me using the following details: Gavin Dodd, Environment Officer, gavin.dodd@cyfoethnaturiolcymru.gov.uk, 07929 749861.



If you have any queries about this report, or to discuss completion of any actions, please contact the NRW Officer named above.

Important information

Legal status of this report

Your licence is issued to you under the Water Resources Act 1991 as amended by the Water Act 2003. You have a responsibility to comply with the conditions of your licence and prevent pollution/harm to the environment. You must also ensure that you comply with any other relevant legislation that may apply to your site's operations.

This report explains the findings of our assessment and any action you are required to take. We categorise non-compliance using our guidance for assessing non-compliance at regulated sites.

When we find potential non-compliance/s we will normally give you advice on how to maintain compliance.

To correct non-compliance, we may:

- require you to take specific actions
- issue a notice.

Any advice and guidance we give will be without prejudice to any other enforcement response that we consider may be required.

Assessment results and non-compliance categories (used in section 1):

Assessment result	Description
Assessed (A)	Assessed or assessed in part, no evidence of non-compliance found
Action only (X)	Action only relating to the activity assessment
Ongoing (O)	Ongoing non-compliance, not scored

Non-compliance category	Description
C1 Major	Potential to have a major, serious, persistent and/or extensive impact or effect on the environment, people and/or property
C2 Significant	Potential to have a significant impact or effect on the environment, people and/or property
C3 Minor	Potential to have a minor or minimal impact or effect on the environment, people and/or property
C4 No environmental impact	Non-compliance at a regulated site that cannot foreseeably have any impact on the environment, people and/or property

If your assessment result in Section 1 is suspended, what does this mean?

In line with our guidance, we may suspend non-compliance for up to six months to allow time for remedial action to be taken. These will be re-instated if the action is not completed.

Full list of Water resource action criteria (used in section 1 and 2):**WR A: Abstraction specified by Licence**

- WR-A1 Source of supply
- WR-A2 Points of abstraction
- WR-A3 Means of abstraction
- WR-A4 Purposes of abstraction
- WR-A5 Period of abstraction
- WR-A6 Quantities
- WR-A7 Land
- WR-A8 Other specified on licence

WR B: Abstraction measurement and records

- WR-B1 Means of measurement
- WR-B2 Recording
- WR-B3 Reporting

WR C: Surface / Groundwater level and protected flow

- WR-C1 Minimum hands-off flow/level requirements
- WR-C2 Flow/level measurement devices
- WR-C3 Recording
- WR-C4 Reporting

WR D: Environmental monitoring and information

- WR-D1 Recording
- WR-D2 Reporting
- WR-D3 Notifications

WR E: Fish and eel passage

- WR-E1 Infrastructure specified by licence
- WR-E2 Maintenance and records

WR F: Discharge

- WR-F1 Point of discharge
- WR-F2 Infrastructure
- WR-F3 Measurement
- WR-F4 Recording
- WR-F5 Reporting

WR G: Impoundment specified by licence

- WR-G1 Inland water to be impounded
- WR-G2 Manner and extent of impoundment
- WR-G3 Point(s) of impoundment
- WR-G4 Construction and removal requirements
- WR-G5 Other specified on licence

WR H: Borehole infrastructure

- WR-H1 Infrastructure and accessibility
- WR-H2 Maintenance and calibration

Enforcement response

Any licence condition non-compliance is an offence and we may take legal action against you. Action we take can include prosecution or civil sanctions. See our Enforcement and Sanctions Guidance for further information.

Data protection notice

You should make sure that anyone named in this report knows that the information it contains will be processed by Natural Resources Wales to fulfil its regulatory and monitoring functions and to maintain the relevant public register(s).

We may also use and/or disclose the report in connection with:

- offering or providing you with our literature or services relating to environmental matters
- consulting with the public, public bodies and other organisations (e.g. Health and Safety Executive, local authorities) on environmental issues
- carrying out statistical analysis, research and development on environmental issues
- providing public register information to enquirers
- investigating possible breaches of environmental law
- assessing customer service satisfaction and improving our service
- Freedom of Information Act or Environmental Information Regulations requests.

We may also pass it on to our agents or representatives to do these things on our behalf.

Disclosure of information – this report will be available to view on-line

If you think this report contains commercially confidential information that should not be placed on our public register, you must contact your local Natural Resources Wales office within **fifteen working days** of receiving this report, using the contact details in the accompanying email or letter. You must give a full explanation of why it should not be added to our public register, including specifying which information is commercially confidential. We will assess your request and respond to you within 20 working days to let you know if we agree to your request.

What do I do if I disagree with the report or have a complaint?

If you disagree with this compliance assessment report, you should contact the lead officer without delay to discuss your concerns.

If you are unable to resolve the issue with the lead officer or their line manager you should contact our Customer Contact team on 0300 065 3000 (Mon to Fri 08:00 – 18:00), or email enquiries@naturalresourceswales.gov.uk for details of how to raise your dispute further through our Complaints and Commendations procedure.

If you are dissatisfied with our response, you can contact the Public Services Ombudsman for Wales by phone on 0300 7900203 or by email at ask@ombudsman.wales

Welsh Language Standards

We are committed to establishing Natural Resources Wales as a naturally bilingual organisation. We will provide compliance reports in your preferred language.