

**Water Resources Act 1991**  
as amended by the Environment Act 1995  
**Consent to Discharge**  
**Certificate of Holder**



**ENVIRONMENT  
AGENCY**

**Part A**

**To:** RMC ROADSTONE LTD (SOUTH WALES)  
DIRECTOR/GENERAL MANAGER  
WENVOE QUARRY  
WENVOE  
CARDIFF CF5 6XE

The Environment Agency ("the Agency") hereby confirm that the above named person is a/the registered holder of consent BB4012201

Nature of Discharge(s): TRADE EFF/SITE DRAINAGE/RAINFALL  
at  
GILFACH QUARRY, GILFACH ROAD, NEATH

Note: This certificate should be kept with the consent document for future reference. If you transfer responsibility for the discharge to somebody else you must pass the consent to them and tell the Agency within 21 days. **Responsibility for the consent cannot be disclaimed by the holder but the registration of holder may be transferred to a successor.** To do this please complete the form below, then tear it off and return it to the address shown. If you fail to transfer the consent, even though you are no longer on the site, you may still be liable for prosecution for pollution. If you transfer the consent but do not tell us, you will be committing an offence. In case of any queries please contact your local Environment Agency office.

**Part B Please complete in block capitals or type.**

**To:**

**Water Resources Act 1991: Notice of transfer of consent to discharge**

**Consent:**

**Name:**

**Address:**

I/We\* hereby serve notice on the Agency that I/we\* am/are\* no longer a/the\* Holder of the above consent which will be/was\* transferred to:

\* delete as appropriate

**Name(s) of new holder(s):**

**Address:**

**Post Code:**

**Date of Transfer to new Holder(s);** .....

**Signed:**.....

**Dated:**.....

**Name (block capitals):** .....


**Position:**.....





→ Jy.

17 MAR 1994



**WOTTON ROADSTONE LIMITED**

Head Office, Wenvoe Quarry,  
Wenvoe, Cardiff,  
CF5 6XE  
Tel: 0222 593378  
Fax: 0222 595840

BB40122 01

reg

16 March 1994

National Rivers Authority  
Llys Afon  
Hawthorn Rise  
Haverfordwest  
Dyfed  
SA61 2BQ

For the attention of Mr S J Brown  
Area Environmental Quality Manager

Dear Sir,

We are in receipt of your letter dated 8th March 1994 related to the review of consent to discharge for our Gilfach Quarry.


Would you please note a change of address for all future correspondence:-

Wotton Roadstone Limited  
Wenvoe Quarry  
Wenvoe  
Cardiff  
CF5 6XE

Should you have any queries please do not hesitate to contact the Wenvoe office.

Yours faithfully,  
for WOTTON ROADSTONE LIMITED

M EWINGTON (MRS)





*Awdurdod Afonydd Cenedlaethol  
Rhanbarth Cymru*

*National Rivers Authority  
Welsh Region*

Wotton Roadstone Limited  
RMC House  
Bristol Road  
Gloucester

Enquiries: Helen Williams  
Tel: 0792 645300

Date: 8 March 1994  
Our Ref: 2/EQ/BB4012201/HW

Dear Sirs

RE: WATER RESOURCES ACT 1991 SECTION 88 SCHEDULE 10  
REVIEW OF CONSENT TO DISCHARGE

Further to our recent correspondence concerning the consent to discharge trade effluent from Gilfach Quarry, Gilfach Road, Neath, I enclose the Authority's formal notice of the modifications made to the conditions of the consent.

Under the present Scheme of Charges for Discharges to Controlled Waters an annual charge will be made for all consents to discharge, except where the discharge is of sewage effluent of five cubic metres or less per day. This charge is based on information derived from the conditions attached to the consent to discharge, as outlined in the enclosed leaflet. A change in conditions may therefore result in a change in annual charge, you may therefore receive a revised bill in due course.

Where there is a change of ownership of the discharge, the Authority should be informed in writing in order that an apportioned charge may be raised.

If you are not satisfied with the new conditions of the consent you may appeal against the decision to the Secretary of State for Wales at the Welsh Office, Cathays Park, Cardiff CF1 3NQ.

Yours faithfully,

*SP* S J Brown  
Area Environmental Quality Manager

Customer  
Reference

DR 0586 8709 2GB


Rheolwr Rhanbarth Cyllfredinol  
Dr John Stoner

Llys Alon  
Hawthorn Rise  
Hwllfordd  
Dyled SA61 2BQ  
Ffôn: Hwllfordd (0437) 760081  
Ffacs: (0437) 760881

Regional Board Member  
Professor Ron Edwards

Regional General Manager  
Dr John Stoner

Llys Alon  
Hawthorn Rise  
Haverfordwest  
Dyled SA61 2BQ  
Tel: Haverfordwest (0437) 760081  
Fax: (0437) 760881





Awdurdod Afonydd Cenedlaethol  
Rhanbarth Cymru



National Rivers Authority  
Welsh Region

|             |           |
|-------------|-----------|
| Consent No. | BB4012201 |
|-------------|-----------|

WATER RESOURCES ACT 1991

Under Section 88 and Schedule 10 of the Water Resources Act 1991 and all other enabling powers the National Rivers Authority hereby serves this Notice

R E V I E W   O F   C O N S E N T

Page 2 of 2

To:     Wotton Roadstone Limited

Of:     RMC House, Bristol Road, Gloucester

In respect of the previous Consent No. BB4012201 issued on: 29 November 1976

For:    A discharge of trade effluent

To:     An un-named tributary of the River Clydach

From:   Gilfach Quarry, Gilfach Road, Neath

This Consent shall not be taken as providing a statutory defence against a charge of pollution in respect of any poisonous, noxious or polluting constituents not specified herein.

THE FOLLOWING REPLACE ALL PREVIOUS CONDITIONS

1. The discharge shall consist only of site drainage.
2. The discharge shall be made in the manner and at the place specified as follows:

Discharging via : Concrete channel

Discharging to : Un-named tributary of the River Clydach

At OS Grid Ref. : SS 7480 9950


As shown marked : Consent Point 'A' on the attached plan no. BB4012201

3. Adequate facilities, approved in writing by the Authority, shall be provided to enable representative samples of the discharge to be safely and conveniently obtained at any time at outlet from lagoon, as shown marked 'Sampling Point' on the attached plan no. BB4012201.

Continued.....

Dr JOHN STONER Rheolwr Cyffredinol Rhanbarthol / Regional General Manager

Glan Tawe, 154-156 Ffordd Sant Helen, Abertawe, Gorllewin Morgannwg, SA1 4DF. Ffôn: (0792) 645300, Ffacs: (0792) 648652  
Glan Tawe, 154-156 St. Helens Road, Swansea, West Glamorgan, SA1 4DF. Tel: (0792) 645300, Fax: (0792) 648652





AAC

Awdurdod Afonydd Cenedlaethol  
Rhanbarth Cymru



NRA

National Rivers Authority  
Welsh Region

Consent No. BB4012201

WATER RESOURCES ACT 1991  
Continuation Sheet

Page 2 of 2


4. The quality of the effluent discharged shall not be inferior to the following numerical limits:
  - a) The pH value shall not be less than 6.0 nor greater than 9.0 pH units.
  - b) The suspended solids concentration (dried at 105 degrees Celsius) shall not exceed 100 milligrammes per litre.
5. The discharge shall at no time contain any visible oil or grease.
6. The effluent shall at no time contain any matter other than matters specifically authorised or limited by numerical conditions in this consent, to such an extent as to cause the receiving waters to be poisonous or injurious to fish or the spawning ground, spawn or food of fish.

This Notice is given on: 8<sup>th</sup> March 1994 on behalf of the Authority  
by: *[Signature]* Area Environmental Quality Manager


During the period ending with the 7<sup>th</sup> March 1996 the terms of this Notice will not be altered without the written agreement of the person making the discharge.

Dr JOHN STONER Rheolwr Cyffredinol Rhanbarthol / Regional General Manager

Glan Tawe, 154-156 Ffordd Sant Helen, Abertawe, Gorllewin Morgannwg, SA1 4DF. Ffôn: (0792) 645300, Ffacs: (0792) 648652  
Glan Tawe, 154-156 St. Helens Road, Swansea, West Glamorgan, SA1 4DF. Tel: (0792) 645300, Fax: (0792) 648652







# REGISTER OF CONDITIONS AND OTHER TERMS

IMPOSED UNDER SECTION 7 OF THE RIVERS (PREVENTION OF POLLUTION) ACT, 1951  
(AS APPLIED BY THE CLEAN RIVERS (ESTUARIES AND TIDAL WATERS) ACT, 1960)  
AND THE RIVERS (PREVENTION OF POLLUTION) ACT, 1961.

Bd40122 01  
No. 122

5/346  
CAT. No. R.B.12 SHEET 8 SONS LTD., FETTER LANE, E.C.4.

| DATE ON WHICH CONDITION<br>CAME INTO FORCE AND PERIOD OF EFFECT  | FULL ADDRESS OR OTHER SUFFICIENT DESCRIPTION OF<br>LAND OR PREMISES TO WHICH THE TERM OR CONDITION RELATES  | DISCHARGE OF TRADE OR SEWAGE EFFLUENT             |    |                              |    |                       |    |          |     |                        |     |                           |    |     |    |
|--|---|---|----|------------------------------|----|-----------------------|----|----------|-----|------------------------|-----|---------------------------|----|-----|----|
| <p>27th November, 1974.</p>  | <p style="text-align: center;">H.O.:-<br/>Wotton Roadstone Limited,<br/>R.M.C. House,<br/>Bristol Road,<br/>Gloucester.</p>   | <p style="text-align: center;">File No. 3012.</p> |    |                              |    |                       |    |          |     |                        |     |                           |    |     |    |
| <p><b>USE OF NEW OR ALTERED OUTLET</b></p> <p>CONDITIONS IMPOSED WITH RESPECT TO:-</p> <p>(i) PRECISE LOCATION OF OUTLET</p> <p>Discharge of quarry drainage at Gilfach Quarry,<br/>Gilfach Road, Neath into an unnamed tributary of<br/>the River Clydach at point marked 'C'.<br/> §§ 74&amp;O 9950.</p> <p>(ii) CONSTRUCTION OF OUTLET<br/>(OTHER THAN CONDITIONS TO BE SATISFIED<br/>BEFORE OUTLET IS BROUGHT INTO USE)</p> <p>Concrete channel with Weir boards.</p> <p>(iii) USE OF OUTLET</p> <p>to control level of water in settling tank</p> <p>(iv) USE OF ANY OTHER OUTLET FOR TRADE OR SEWAGE<br/>EFFLUENT FROM THE SAME LAND OR PREMISES</p> | <p><b>DISCHARGE OF TRADE OR SEWAGE EFFLUENT</b></p> <p>CONDITIONS IMPOSED WITH RESPECT TO:-</p> <p>(i) NATURE AND COMPOSITION OF DISCHARGE</p> <table style="width: 100%; border: none;"> <tr> <td>Max daily flow of discharge</td> <td style="text-align: right;">NA</td> </tr> <tr> <td>Max hourly rate of discharge</td> <td style="text-align: right;">NA</td> </tr> <tr> <td>Max temp. of effluent</td> <td style="text-align: right;">NA</td> </tr> <tr> <td>pH range</td> <td style="text-align: right;">6-9</td> </tr> <tr> <td>Total suspended solids</td> <td style="text-align: right;">100</td> </tr> <tr> <td>Biochemical Oxygen Demand</td> <td style="text-align: right;">NA</td> </tr> <tr> <td>Oil</td> <td style="text-align: right;">10</td> </tr> </table> <p>(ii) TEMPERATURE OF DISCHARGE</p> <p style="text-align: center;">-</p> <p>(iii) VOLUME OR RATE OF DISCHARGE OF<br/>EFFLUENT FROM LAND OR PREMISES</p> <p style="text-align: center;">-</p> <p>(iv) PROVISION OF FACILITIES FOR TAKING SAMPLES</p> <p style="text-align: center;">At Outlet</p> <p>(v) DATE OF EXPIRATION OF PERIOD SPECIFIED<br/>UNDER S-5(2) OF 1961 ACT</p> | Max daily flow of discharge                       | NA | Max hourly rate of discharge | NA | Max temp. of effluent | NA | pH range | 6-9 | Total suspended solids | 100 | Biochemical Oxygen Demand | NA | Oil | 10 |
| Max daily flow of discharge  | NA  |   |    |                              |    |                       |    |          |     |                        |     |                           |    |     |    |
| Max hourly rate of discharge   | NA  |   |    |                              |    |                       |    |          |     |                        |     |                           |    |     |    |
| Max temp. of effluent  | NA  |   |    |                              |    |                       |    |          |     |                        |     |                           |    |     |    |
| pH range   | 6-9   |   |    |                              |    |                       |    |          |     |                        |     |                           |    |     |    |
| Total suspended solids   | 100   |   |    |                              |    |                       |    |          |     |                        |     |                           |    |     |    |
| Biochemical Oxygen Demand  | NA  |   |    |                              |    |                       |    |          |     |                        |     |                           |    |     |    |
| Oil  | 10  |   |    |                              |    |                       |    |          |     |                        |     |                           |    |     |    |
| <p>REMARKS-</p>  | <p style="text-align: right;">29th November, 1976</p>   |   |    |                              |    |                       |    |          |     |                        |     |                           |    |     |    |

