



CM0044801



ASiantaeth Yr
Amgylchedd Cymru
ENVIRONMENT
AGENCY WALES

ENVIRONMENT AGENCY WALES
NORTHERN AREA
CONSENT REVIEW 2004

UWWTD

[URBAN WASTE WATER TREATMENT DIRECTIVE 1991]

FILE NOTE

A snapshot of WRA 91 Discharge Consents qualifying for review under UWWTD was extracted from WIMS (EA electronic Public Register) on the 21st April 2004. All details shown on this file note are based on the permission extant as of this date.

CONSENT REF :	CM0044801	VERSION :	3		
OPERATOR :	DWR CYMRU CYFYNGEDIG				
DISCHARGE SITE :	ISYCOED MARSHLEA STW				
EXTANT CONSENT ISSUE DATE :	21/01/2002	EFFECTIVE DATE :	22/01/2002		
DWF (m ³ /day) :	1.8	MAX DAILY VOL. (m ³ /day) :	UNSPECIFIED	RATE (l/s) :	

Records held on WIMS show ISYCOED MARSHLEA STW (CM0044801) to be extant under version 3 issued 21/01/2002 with descriptive consent conditions, effective 22/01/2002. The works is currently consented to discharge a max daily volume of UNSPECIFIEDm³/day effluent to the TRIB OF RIVER DEE at NGR SJ3982050820.

UWWTD directive aims to deliver a standard level of sewage treatment throughout EC member states. This has been interpreted as prescribing a minimum of secondary biological treatment (package plant or equivalent) on all discharges made to a controlled surface water; or a minimum of primary (septic tank or equivalent) treatment on all discharges made to ground.

The discharge of UNSPECIFIEDm³/day effluent to 'TRIB OF RIVER DEE', for the purposes of this review, is described as 'secondary treated effluent to surface waters'. This treatment / receiving water combination has been assessed* as APPROPRIATE under the UWWTD review. This consent is reviewed as APPROPRIATE under UWWTD as of 01/09/2005.

* NB: the assessment of this Discharge Consent to meet UWWTD 'appropriate treatment' criteria is based solely on provision of the appropriate 'threshold' level of minimum treatment for the receiving medium. This review does not assess appropriateness in terms of the specific river needs of the receiving water stretch.

Iwan Williams
Regulatory Team Leader (Water Quality)

Water Resources Act 1991
as amended by the Environment Act 1995
Consents to Discharge
Certificate of Holder



ASiantaeth Yr
Amgylchedd Cymru
Environment
Agency Wales

COPY

Part A DWR CYMRU CYFYNGEDIG

To: PLAS-Y-FFYNNON
CAMBRIAN WAY
BRECON
POWYS LD3 7HP

DS: I gorff corfforedig mae teitl y swydd yn bwynt cysylltu.
Dyddiad Cychwyn Daliwr: 21/02/02

The Environment Agency ("the Agency") hereby confirm that the above named person is a/the registered holder of consent CM0044801 Cyhoeddwyd Caniatâd: 21/01/2002

Nature of Discharge(s); STEC Treated sewage Effluent - Continuous
at SJ3982050820 ISYCOED MARSHLEA STW

Note: This certificate should be kept with the consent document for future reference. If you transfer responsibility for the discharge to somebody else you must pass the consent to them and tell the Agency within 21 days. Responsibility for the consent cannot be disclaimed by the holder but the registration of holder may be transferred to a successor. To do this please complete the form below, then tear it off and return it to the address shown. If you fail to transfer the consent, even though you are no longer on the site, you may still be liable for prosecution for pollution. If you transfer the consent but do not tell us, you will be committing an offence. In case of any queries please contact your local Environment Agency office.

cut here

Part B Please complete in block capitals or type.

To:

Water Resources Act 1991: Notice of transfer of consent to discharge

Consent CM0044801

Name:

DWR CYMRU CYFYNGEDIG

Address:

Cyhoeddwyd Caniatâd: 21/01/2002

PLAS-Y-FFYNNON

CAMBRIAN WAY

BRECON

POWYS LD3 7HP

I/We* hereby serve notice on the Agency that I/we* am/are* no longer a/the* Holder of the above consent which will be/was* transferred to:

* delete as appropriate

Name(s) of new holder(s):

Address:

Post Code:

Date of Transfer to new Holder(s);

Signed: **Dated:**

Name (block capitals): **Position:**

Deddf Adnoddau Dwr 1991

fel y'i diwygiwyd gan Ddeddf yr Amgylchedd 1995

Caniatâd Gollwng

Tystysgrif Daliwr



ASiantaeth yr
AMGYLCHEDD

Rhan A

At:

DWR CYMRU CYFYNGEDIG

PLAS-Y-FFYNNON

CAMBRIAN WAY

BRECON

POWYS LD3 7HP

NB: For a body corporate the job title is a point of contact.

Holder Start Date: 21/02/02

Mae Asiantaeth yr Amgylchedd ("yr Asiantaeth") yn cadarnhau drwy hyn mai/bod y sawl a enwyd uchod yw/yn ddaliwr cofrestredig uy caniatâd

CM0044801

Consent Issued: 21/01/2002

Natur y gollwng:

STEC Treated sewage Effluent - Continuous

yn

SJ3982050820 ISYCOED MARSHLEA STW

Nodyn: Dylid cadw'r dystysgrif hon gyda'r ddogfen ganiatâd i gyfeirio ati yn y dyfodol. Os byddwch yn trosglwyddo cyfrifoldeb y gollwng i rywun arall, rhaid i chi gyflwyno'r caniatâd iddo ef neu hi a dweud wrth yr Asiantaeth cyn pen 21 diwrnod. Ni all y daliwr wadu cyfrifoldeb y gollwng, ond gall cofrestriad y daliwr gael ei drosglwyddo i olynnydd. I wneud hynny, byddwch cystal â llenwi'r ffurflen isod, ei datgysylltu a'i dychwelyd i'r cyfeiriad a nodir. Os methwch drosglwyddo'r caniatâd, hyd yn oed os nad ydych ar y safle mwyach, gallwch fod yn agored yr un fath i gael eich erlyn am lygru. Os trosglwyddwch y caniatâd ond heb ddweud wrthom, byddwch yn cyflawni trosedd. Os bydd gennych ymholiadau, byddwch cystal â chysylltu â swyddfa Asiantaeth yr Amgylchedd yn lleol.

Rhan B

Llenwch mewn priflythrennau bras neu deipio.

At:

Deddf Adnoddau Dwr 1991: Hysbysiad am drosglwyddo caniatâd gollwng

Caniatâd: CM0044801

Consent Issued: 21/01/2002

Enw:

DWR CYMRU CYFYNGEDIG

Cyfeiriad:

PLAS-Y-FFYNNON

CAMBRIAN WAY

BRECON

POWYS LD3 7HP

Yr wyf fi/Yr ydym ni* drwy hyn yn hysbysu'r Asiantaeth nad fi/ni/nad wyf/ydym mwyach yw/yn*. Ddeiliad y caniatâd uchod. Caiff/Cafodd hwnnw ei drosglwyddo i:

*dilewch yn ôl yr angen

Enw(au) y Daliwr/Dalwyr newydd:

Cyfeiriad:

Cod Post:

Dyddiad Trosglwyddo i'r Daliwr/Dalwyr newydd:

Llofnodwyd:..... Dyddiedig:

Enw Enw (priflythrennau bras):..... Safle:



Water Resources Act 1991
as amended by the Environment Act 1995
Consents to Discharge
Certificate of Holder



ASiantaeth Yr
AMGylchedd Cymru
ENVIRONMENT
AGENCY WALES

COPY

Part A DWR CYMRU CYFYNGEDIG
To: PENTWYN ROAD
NELSON
TREHARRIS
CF46 6LY

DS: I gorff corfforedig mae teitl y swydd yn bwynt cysylltu.
Dyddiad Cychwyn Daliwr: 21/01/01

The Environment Agency ("the Agency") hereby confirm that the above named person is a/the registered holder of consent CM0044801 Cyhoeddwyd Caniatâd: 21/01/2002

Nature of Discharge(s); STEC Treated sewage Effluent - Continuous
at SJ3982050820 ISYCOED MARSHLEA STW

Note: This certificate should be kept with the consent document for future reference. If you transfer responsibility for the discharge to somebody else you must pass the consent to them and tell the Agency within 21 days. Responsibility for the consent cannot be disclaimed by the holder but the registration of holder may be transferred to a successor. To do this please complete the form below, then tear it off and return it to the address shown. If you fail to transfer the consent, even though you are no longer on the site, you may still be liable for prosecution for pollution. If you transfer the consent but do not tell us, you will be committing an offence. In case of any queries please contact your local Environment Agency office.

cut here

Part B Please complete in block capitals or type.

To:

Water Resources Act 1991: Notice of transfer of consent to discharge

Consent CM0044801 **Name:** DWR CYMRU CYFYNGEDIG
Address:
Cyhoeddwyd Caniatâd: 21/01/2002 PENTWYN ROAD
NELSON
TREHARRIS
CF46 6LY

I/We* hereby serve notice on the Agency that I/we* am/are* no longer a/the* Holder of the above consent which will be/was* transferred to:

* delete as appropriate

Name(s) of new holder(s):

Address:

Post Code:

Date of Transfer to new Holder(s);

Signed: **Dated:**

Name (block capitals): **Position:**

Deddf Adnoddau Dwr 1991
fel y'i diwygiwyd gan Ddeddf yr Amgylchedd 1995
Caniatâd Gollwng
Tystysgrif Daliwr



ASiantaeth YR
AMGYLCHEDD

Rhan A

At:
DWR CYMRU CYFYNGEDIG
PENTWYN ROAD
NELSON
TREHARRIS
CF46 6LY

NB: For a body corporate the job title is a point of contact.

Holder Start Date: 21/01/01

Mae Asiantaeth yr Amgylchedd ("yr Asiantaeth") yn cadarnhau drwy hyn mai/bod y sawl a enwyd uchod yw/yn ddaliwr cofrestredig y caniatâd.
CM0044801 Consent Issued: 21/01/2002

Natur y gollwng: STEC Treated sewage Effluent - Continuous
yn SJ3982050820 ISYCOED MARSHLEA STW

Nodyn: Dylid cadw'r dystysgrif hon gyda'r ddogfen ganiatâd i gyfeirio ati yn y dyfodol. Os byddwch yn trosglwyddo cyfrifoldeb y gollwng i rywun arall, rhaid i chi gyflwyno'r caniatâd iddo ef neu hi a dweud wrth yr Asiantaeth cyn pen 21 diwrnod. Ni all y daliwr wadu cyfrifoldeb y gollwng, ond gall cofrestriad y daliwr gael ei drosglwyddo i olynnydd. I wneud hynny, byddwch cystal â llenwi'r ffurflen isod, ei datgysylltu a'i dychwelyd i'r cyfeiriad a nodir. Os methwch drosglwyddo'r caniatâd, hyd yn oed os nad ydych ar y safle mwyach, gallwch fod yn agored yr un fath i gael eich erlyn am lygru. Os trosglwyddwch y caniatâd ond heb ddweud wrthom, byddwch yn cyflawni trosedd. Os bydd gennych ymholiadau, byddwch cystal â chysylltu â swyddfa Asiantaeth yr Amgylchedd yn lleol.

Rhan B Llenwch mewn priflythrennau bras neu deipio.

At:

Deddf Adnoddau Dwr 1991: Hysbysiad am drosglwyddo caniatâd gollwng

Caniatâd: CM0044801

Consent Issued: 21/01/2002

Enw: DWR CYMRU CYFYNGEDIG

Cyfeiriad:
PENTWYN ROAD
NELSON
TREHARRIS
CF46 6LY

Yr wyf fi/Yr ydym ni* drwy hyn yn hysbysu'r Asiantaeth nad fi/ni/nad wyf/ydym mwyach yw/yn*. Ddeiliad y caniatâd uchod. Caiff/Cafodd hwnnw ei drosglwyddo i:

*dilewch yn ôl yr angen

Enw(au) y Daliwr/Dalwyr newydd:

Cyfeiriad:

Cod Post:

Dyddiad Trosglwyddo i'r Daliwr/Dalwyr newydd:

Llofnodwyd:..... **Dyddiedig:**

Enw Enw (priflythrennau bras):..... **Safle:**



Water Resources Act 1991
as amended by the Environment Act 1995
Consents to Discharge
Certificate of Holder



ASiantaeth Yr
AMGYLCHEDD CYMRU
ENVIRONMENT
AGENCY WALES

Part A DWR CYMRU CYFYNGEDIG

To: PENTWYN ROAD

NELSON

TREHARRIS

CF46 6LY

NB: For a body corporate the job title is a point of contact.

Holder Start Date: 21/01/01

The Environment Agency ("the Agency") hereby confirm that the above named person is a/the registered holder of consent CM0044801 Consent issued: 21/01/2002

Nature of Discharge(s); STEC Treated sewage Effluent - Continuous
at SJ3982050820 ISYCOED MARSHLEA STW

Note: This certificate should be kept with the consent document for future reference. If you transfer responsibility for the discharge to somebody else you must pass the consent to them and tell the Agency within 21 days. Responsibility for the consent cannot be disclaimed by the holder but the registration of holder may be transferred to a successor. To do this please complete the form below, then tear it off and return it to the address shown. If you fail to transfer the consent, even though you are no longer on the site, you may still be liable for prosecution for pollution. If you transfer the consent but do not tell us, you will be committing an offence. In case of any queries please contact your local Environment Agency office.

cut here

Part B Please complete in block capitals or type.

To:

Water Resources Act 1991: Notice of transfer of consent to discharge

Consent CM0044801

Name: DWR CYMRU CYFYNGEDIG

Consent Issued: 21/01/2002

Address: PENTWYN ROAD

NELSON

TREHARRIS

CF46 6LY

I/We* hereby serve notice on the Agency that I/we* am/are* no longer a/the* Holder of the above consent which will be/was* transferred to:

* delete as appropriate

Name(s) of new holder(s):

Address:

Post Code:

Date of Transfer to new Holder(s);

Signed:..... Dated:

Name (block capitals):..... Position:

Deddf Adnoddau Dwr 1991
fel y'i diwygiwyd gan Ddeddf yr Amgylchedd 1995
Caniatâd Gollwng
Tystysgrif Daliwr



ASiantaeth YR
AMGYLCHEDD

Rhan A

At: DWR CYMRU CYFYNGEDIG
PENTWYN ROAD
NELSON
TREHARRIS
CF46 6LY

DS: I gorff corfforedig mae teitl y swydd yn bwynt cysylltu.

Dyddiad Cychwyn Daliwr: 21/01/01

Mae **Asiantaeth yr Amgylchedd** ("yr Asiantaeth") yn cadarnhau drwy hyn mai/bod y sawl a enwyd uchod yw/yn ddaliwr cofrestredig uy caniatâd

CM0044801

Cyhoeddwyd Caniatâd: 21/01/2002

Natur y gollwng:
yn

STEC Treated sewage Effluent - Continuous

SJ3982050820 ISYCOED MARSHLEA STW

Nodyn: Dylid cadw'r dystysgrif hon gyda'r ddogfen ganiatâd i gyfeirio ati yn y dyfodol. Os byddwch yn trosglwyddo cyfrifoldeb y gollwng i rywun arall, rhaid i chi gyflwyno'r caniatâd iddo ef neu hi a dweud wrth yr Asiantaeth cyn pen 21 diwrnod. Ni all y daliwr wadu cyfrifoldeb y gollwng, ond gall cofrestriad y daliwr gael ei drosglwyddo i olynnydd. I wneud hynny, byddwch cystal â llenwi'r ffurflen isod, ei datgysylltu a'i dychwelyd i'r cyfeiriad a nodir. Os methwch drosglwyddo'r caniatâd, hyd yn oed os nad ydych ar y safle mwyach, gallwch fod yn agored yr un fath i gael eich erlyn am lygru. Os trosglwyddwch y caniatâd ond heb ddsweud wrthom, byddwch yn cyflawni trosedd. Os bydd gennych ymholiadau, byddwch cystal â chysylltu â swyddfa Asiantaeth yr Amgylchedd yn lleol.

Rhan B Llenwch mewn priflythrennau bras neu deipio.

At:

Deddf Adnoddau Dwr 1991: Hysbysiad am drosglwyddo caniatâd gollwng

Caniatâd:

CM0044801

Enw:

Cyfeiriad: DWR CYMRU CYFYNGEDIG

Cyhoeddwyd Caniatâd: 21/01/2002

PENTWYN ROAD

NELSON

TREHARRIS

CF46 6LY

Yr wyf fi/Yr ydym ni* drwy hyn yn hysbysu'r Asiantaeth nad fi/ni/nad wyf/ydym mwyach yw/yn* Ddeiliad y caniatâd uchod. Caiff/Cafodd hwnnw ei drosglwyddo i:

*dilewch yn ôl yr angen

Enw(au) y Daliwr/Dalwyr newydd:

Cyfeiriad:

Cod Post:

Dyddiad Trosglwyddo i'r Daliwr/Dalwyr newydd:

Llofnodwyd:..... **Dyddiedig:**

Enw Enw (priflythrennau bras):..... **Safle:**



Water Resources Act 1991
as amended by the Environment Act 1995
Consents to Discharge
Certificate of Holder



ASiantaeth Yr
AMGYLCHEDD CYMRU
ENVIRONMENT
AGENCY WALES

Part A DWR CYMRU CYFYNGEDIG

To: PLAS-Y-FFYNNON
CAMBRIAN WAY
BRECON
POWYS LD3 7HP

NB: For a body corporate the job title is a point of contact.
Holder Start Date: 21/02/02

The Environment Agency ("the Agency") hereby confirm that the above named person is a/the registered holder of consent CM0044801 Consent Issued: 21/01/2002

Nature of Discharge(s); STEC Treated sewage Effluent - Continuous
at SJ3982050820 ISYCOED MARSHLEA STW

Note: This certificate should be kept with the consent document for future reference. If you transfer responsibility for the discharge to somebody else you must pass the consent to them and tell the Agency within 21 days. Responsibility for the consent cannot be disclaimed by the holder but the registration of holder may be transferred to a successor. To do this please complete the form below, then tear it off and return it to the address shown. If you fail to transfer the consent, even though you are no longer on the site, you may still be liable for prosecution for pollution. If you transfer the consent but do not tell us, you will be committing an offence. In case of any queries please contact your local Environment Agency office.

cut here

Part B Please complete in block capitals or type.

To:

Water Resources Act 1991: Notice of transfer of consent to discharge

Consent CM0044801

Consent Issued: 21/01/2002

Name: DWR CYMRU CYFYNGEDIG

Address: PLAS-Y-FFYNNON
CAMBRIAN WAY
BRECON
POWYS LD3 7HP

I/We* hereby serve notice on the Agency that I/we* am/are* no longer a/the* Holder of the above consent which will be/was* transferred to:

* delete as appropriate

Name(s) of new holder(s):

Address:

Post Code:

Date of Transfer to new Holder(s);

Signed:..... Dated:

Name (block capitals):..... Position:

Deddf Adnoddau Dwr 1991
fel y'i diwygiwyd gan Ddeddf yr Amgylchedd 1995
Caniatâd Gollwng
Tystysgrif Daliwr



ASiantaeth YR
AMGYLCHEDD

Rhan A

At: DWR CYMRU CYFYNGEDIG
PLAS-Y-FFYNNON
CAMBRIAN WAY
BRECON
POWYS LD3 7HP

DS: I gorff corfforedig mae teitl y swydd yn bwynt cysylltu.

Dyddiad Cychwyn Daliwr: 21/02/02

Mae **Asiantaeth yr Amgylchedd** ("yr Asiantaeth") yn cadarnhau drwy hyn mai/bod y sawl a enwyd uchod yw/yn ddaliwr cofrestredig uy caniatâd

CM0044801

Cyhoeddwyd Caniatâd: 21/01/2002

Natur y gollwng:
yn

STEC Treated sewage Effluent - Continuous

SI3982050820 ISYCOED MARSHLEA STW

Nodyn: Dylid cadw'r dystysgrif hon gyda'r ddogfen ganiatâd i gyfeirio ati yn y dyfodol. Os byddwch yn trosglwyddo cyfrifoldeb y gollwng i rywun arall, rhaid i chi gyflwyno'r caniatâd iddo ef neu hi a dweud wrth yr Asiantaeth cyn pen 21 diwrnod. Ni all y daliwr wadu cyfrifoldeb y gollwng, ond gall cofrestrïad y daliwr gael ei drosglwyddo i olynnydd. I wneud hynny, byddwch cystal â llenwi'r ffurflen isod, ei datgysylltu a'i dychwelyd i'r cyfeiriad a nodir. Os methwch drosglwyddo'r caniatâd, hyd yn oed os nad ydych ar y safle mwyach, gallwch fod yn agored yr un fath i gael eich erlyn am lygru. Os trosglwyddwch y caniatâd ond heb ddweud wrthom, byddwch yn cyflawni trosedd. Os bydd gennych ymholiadau, byddwch cystal â chysylltu â swyddfa Asiantaeth yr Amgylchedd yn lleol.

Rhan B Llenwch mewn priflythrennau bras neu deipio.

At:

Deddf Adnoddau Dwr 1991: Hysbysiad am drosglwyddo caniatâd gollwng

Caniatâd:

CM0044801

Enw:

Cyfeiriad: DWR CYMRU CYFYNGEDIG

Cyhoeddwyd Caniatâd: 21/01/2002

PLAS-Y-FFYNNON

CAMBRIAN WAY

BRECON

POWYS LD3 7HP

Yr wyf fi/Yr ydym ni* drwy hyn yn hysbysu'r Asiantaeth nad fi/ni/nad wyf/ydym mwyach yw/yn* Ddeiliad y caniatâd uchod. Caiff/Cafodd hwnnw ei drosglwyddo i:

*dilewch yn ôl yr angen

Enw(au) y Daliwr/Dalwyr newydd:

Cyfeiriad:

Cod Post:

Dyddiad Trosglwyddo i'r Daliwr/Dalwyr newydd:

Llofnodwyd:..... **Dyddiedig:**

Enw Enw (priflythrennau bras):..... **Safle:**



Water Resources Act 1991
as amended by the Environment Act 1995
Consents to Discharge
Certificate of Holder



ASiantaeth Yr
AMGYLCHEDD CYMRU
ENVIRONMENT
AGENCY WALES

Part A DWR CYMRU CYFYNGEDIG

To: PENTWYN ROAD

NELSON

TREHARRIS

CF46 6LY

DS: I gorff corfforedig mae teiti y swydd yn bwynt cysylltu.

Dyddiad Cychwyn Daliwr: 21/01/01

The Environment Agency ("the Agency") hereby confirm that the above named person is a/the registered holder of consent

CM0044801

Cyhoeddwyd Caniatâd: 21/01/2002

Nature of Discharge(s);

STEC Treated sewage Effluent - Continuous

at

SJ3982050820 ISYCOED MARSHLEA STW

Note: This certificate should be kept with the consent document for future reference. If you transfer responsibility for the discharge to somebody else you must pass the consent to them and tell the Agency within 21 days. Responsibility for the consent cannot be disclaimed by the holder but the registration of holder may be transferred to a successor. To do this please complete the form below, then tear it off and return it to the address shown. If you fail to transfer the consent, even though you are no longer on the site, you may still be liable for prosecution for pollution. If you transfer the consent but do not tell us, you will be committing an offence. In case of any queries please contact your local Environment Agency office.

cut here

Part B Please complete in block capitals or type.

To:

Water Resources Act 1991: Notice of transfer of consent to discharge

Consent CM0044801

Name:

DWR CYMRU CYFYNGEDIG

Address:

Cyhoeddwyd Caniatâd: 21/01/2002

PENTWYN ROAD

NELSON

TREHARRIS

CF46 6LY

I/We* hereby serve notice on the Agency that I/we* am/are* no longer a/the* Holder of the above consent which will be/was* transferred to:

* delete as appropriate

Name(s) of new holder(s):

Address:

Post Code:

Date of Transfer to new Holder(s);

Signed:..... Dated:

Name (block capitals):..... Position:

Deddf Adnoddau Dwr 1991
fel y'i diwygiwyd gan Ddeddf yr Amgylchedd 1995
Caniatâd Gollwng
Tystysgrif Daliwr



ASiantaeth YR
AMGYLCHEDD

Rhan A

At: DWR CYMRU CYFYNGEDIG
PENTWYN ROAD
NELSON
Treharris
CF46 6LY

NB: For a body corporate the job title is a point of contact.

Holder Start Date: 21/01/01

Mae Asiantaeth yr Amgylchedd ("yr Asiantaeth") yn cadarnhau drwy hyn mai/bod y sawl a enwyd uchod yw/yn ddaliwr cofrestredig yw caniatâd Consent Issued: 21/01/2002

Natur y gollwng: STEC Treated sewage Effluent - Continuous
yn SJ3982050820 ISYCOED MARSHLEA STW

Nodyn: Dylid cadw'r dystysgrif hon gyda'r ddogfen ganiatâd i gyfeirio ati yn y dyfodol. Os byddwch yn trosglwyddo cyfrifoldeb y gollwng i rywun arall, rhaid i chi gyflwyno'r caniatâd iddo ef neu hi a dweud wrth yr Asiantaeth cyn pen 21 diwrnod. Ni all y daliwr wadu cyfrifoldeb y gollwng, ond gall cofrestriad y daliwr gael ei drosglwyddo i olynnydd. I wneud hynny, byddwch cystal â llenwi'r ffurflen isod, ei datgysylltu a'i dychwelyd i'r cyfeiriad a nodir. Os methwch drosglwyddo'r caniatâd, hyd yn oed os nad ydych ar y safle mwyach, gallwch fod yn agored yr un fath i gael eich erlyn am lygru. Os trosglwyddwch y caniatâd ond heb ddweud wrthom, byddwch yn cyflawni trosedd. Os bydd gennych ymholiadau, byddwch cystal â chysylltu â swyddfa Asiantaeth yr Amgylchedd yn lleol.

Rhan B Llenwch mewn priflythrennau bras neu delpio.

At:

Deddf Adnoddau Dwr 1991: Hysbysiad am drosglwyddo caniatâd gollwng

Caniatâd: CM0044801

Consent Issued: 21/01/2002

Enw: DWR CYMRU CYFYNGEDIG

Cyfeiriad: PENTWYN ROAD
NELSON
Treharris
CF46 6LY

Yr wyf fi/Yr ydym ni* drwy hyn yn hysbysu'r Asiantaeth nad fi/ni/nad wyf/ydym mwyach yw/yn*. Ddeiliad y caniatâd uchod. Caiff/Cafodd hwnnw ei drosglwyddo i:

*dilewch yn ôl yr angen

Enw(au) y Daliwr/Dalwyr newydd:

Cyfeiriad:

Cod Post:

Dyddiad Trosglwyddo i'r Daliwr/Dalwyr newydd:

Llofnodwyd: **Dyddiedig:**

Enw Enw (priflythrennau bras): **Safle:**



Water Resources Act 1991
as amended by the Environment Act 1995
Consents to Discharge
Certificate of Holder



ASiantaeth Yr
AMGYLCHEDD CYMRU
ENVIRONMENT
AGENCY WALES

Part A DWR CYMRU CYFYNGEDIG

To PLAS-Y-FFYNNON

CAMBRIAN WAY

BRECON

POWYS LD3 7HP

DS: I gorff corfforedig mae teitl y swydd yn bwynt cysylltu.
Dyddiad Cychwyn Daliwr: 21/02/02

The Environment Agency ("the Agency") hereby confirm that the above named person is a/the registered holder of consent
CM0044801 Cyhoeddwyd Caniatâd: 21/01/2002

Nature of Discharge(s);

STEC Treated sewage Effluent - Continuous

at SJ3982050820 ISYCOED MARSHLEA STW

Note: This certificate should be kept with the consent document for future reference. If you transfer responsibility for the discharge to somebody else you must pass the consent to them and tell the Agency within 21 days. Responsibility for the consent cannot be disclaimed by the holder but the registration of holder may be transferred to a successor. To do this please complete the form below, then tear it off and return it to the address shown. If you fail to transfer the consent, even though you are no longer on the site, you may still be liable for prosecution for pollution. If you transfer the consent but do not tell us, you will be committing an offence. In case of any queries please contact your local Environment Agency office.

cut here

Part B Please complete in block capitals or type.

To:

Water Resources Act 1991: Notice of transfer of consent to discharge

Consent CM0044801

Name:

DWR CYMRU CYFYNGEDIG

Address:

Cyhoeddwyd Caniatâd: 21/01/2002

PLAS-Y-FFYNNON

CAMBRIAN WAY

BRECON

POWYS LD3 7HP

I/We* hereby serve notice on the Agency that I/we* am/are* no longer a/the* Holder of the above consent which will be/was* transferred to:

* delete as appropriate

Name(s) of new holder(s):

Address:

Post Code:

Date of Transfer to new Holder(s);

Signed: **Dated:**

Name (block capitals): **Position:**

(to be completed when signing on behalf of corporate bodies)

Deddf Adnoddau Dwr 1991
fel y'i diwygiwyd gan Ddeddf yr Amgylchedd 1995
Caniatâd Gollwng
Tystysgrif Daliwr



ASiantaeth YR
AMGYLCHEDD

Rhan A

At: DWR CYMRU CYFYNGEDIG
PLAS-Y-FFYNNON
CAMBRIAN WAY
BRECON
POWYS LD3 7HP

NB: For a body corporate the job title is a point of contact.
Holder Start Date: 21/02/02

Mae Asiantaeth yr Amgylchedd ("yr Asiantaeth") yn cadarnhau drwy hyn mai/bod y sawl a enwyd uchod yw/yn ddaliwr cofrestredig y caniatâd. Consent Issued: 21/01/2002

Natur y gollwng: STEC Treated sewage Effluent - Continuous
yn SJ3982050820 ISYCOED MARSHLEA STW

Nodyn: Dylid cadw'r dystysgrif hon gyda'r ddogfen ganiatâd i gyfeirio ati yn y dyfodol. Os byddwch yn trosglwyddo cyfrifoldeb y gollwng i rywun arall, rhaid i chi gyflwyno'r caniatâd iddo ef neu hi a dweud wrth yr Asiantaeth cyn pen 21 diwrnod. Ni all y daliwr wadu cyfrifoldeb y gollwng, ond gall cofrestrriad y daliwr gael ei drosglwyddo i olynnydd. I wneud hynny, byddwch cystal â llenwi'r ffurflen isod, ei datgysylltu a'i dychwelyd i'r cyfeiriad a nodir. Os methwch drosglwyddo'r caniatâd, hyd yn oed os nad ydych ar y safle mwyach, gallwch fod yn agored yr un fath i gael eich erlyn am lygru. Os trosglwyddwch y caniatâd ond heb ddweud wrthom, byddwch yn cyflawni trosedd. Os bydd gennych ymholiadau, byddwch cystal â chysylltu â swyddfa Asiantaeth yr Amgylchedd yn lleol.

Rhan B Llenwch mewn priflythrennau bras neu deipio.

At:

Deddf Adnoddau Dwr 1991: Hysbysiad am drosglwyddo caniatâd gollwng

Caniatâd: CM0044801

Consent Issued: 21/01/2002

Enw: DWR CYMRU CYFYNGEDIG

Cyfeiriad: PLAS-Y-FFYNNON
CAMBRIAN WAY
BRECON
POWYS LD3 7HP

Yr wyf fi/Yr ydym ni* drwy hyn yn hysbysu'r Asiantaeth nad fi/ni/nad wyf/ydym mwyach yw/yn*. Ddeiliad y caniatâd uchod. Caiff/Cafodd hwnnw ei drosglwyddo i:

*dilewch yn ôl yr angen

Enw(au) y Daliwr/Dalwyr newydd:

Cyfeiriad:

Cod Post:

Dyddiad Trosglwyddo i'r Daliwr/Dalwyr newydd:

Llofnodwyd:..... **Dyddiedig:**

Enw Enw (priflythrennau bras):..... **Safle:**



PK

Eich cyf/Your ref.
Ein cyf/Our ref. GW/LM/CM0044801
Dyddiad/Date: 22nd January 2002



ASiantaeth YR
AMGYLCHEDD CYMRU
ENVIRONMENT
AGENCY WALES

Tony Andrews
Environmental Quality Scientist
Dwr Cymru Cyf
Pentwyn Road
Nelson
Treharris CF46 6LY

COPY

Dear Mr Andrews,

RE: WATER RESOURCES ACT 1991, SCHEDULE 10 (AS AMENDED BY THE ENVIRONMENT ACT 1995) MODIFICATION OF CONSENT TO DISCHARGE NO. CM0044801.

Further to our recent correspondence concerning the consent to discharge sewage effluent from Isycoed Marshlea Sewage Treatment Works, I enclose the Agency's formal notice of the modifications made to the conditions of the consent.

Under the present Scheme of Charges for Discharges to Controlled Waters an annual charge will be made for all consents to discharge, except where the discharge is of sewage effluent of five cubic metres or less per day. The charge is based on information derived from the conditions attached to the consent to discharge, as outlined in the enclosed leaflet. A change in conditions may therefore result in a change in annual charge, you may therefore receive a revised bill in due course.

If you are not satisfied with the new conditions of the consent you may appeal against the decision to the National Assembly for Wales at Cathays Park, Cardiff CF10 3NQ.

Please take careful note that if the holder of the consent changes, you must inform the Agency IN WRITING as soon as possible of the name of the new holder. This is to ensure that the rights and charges associated with the Consent are transferred to the holder. A Certificate of Holder notice will be sent to you shortly which is designed for this purpose, and should be kept safely with the Consent until required.

If you have any queries regarding the enforcement of this consent, please do not hesitate to contact Owen Thomas, Team Leader Environment Protection, Environment Agency, Chester Road, Buckley, Flintshire, CH7 3AJ.

Yours sincerely,

Jackie Williams
Team Leader Customer Contact & Authorisations

Asiantaeth yr Amgylchedd Cymru
Ffordd Caer, Bwcle, Sir y Fflint CH7 3AJ
Ffon 01244 550124 Ffacs 01244 550144

Environment Agency Wales
Chester Road, Buckley, Flintshire CH7 3AJ
Tel 01244 550124 Fax 01244 550144



CONSENT NO.	CM0044801
-------------	-----------



ASiantaeth YR
AMGYLCHEDD CYMRU
ENVIRONMENT
AGENCY WALES

WATER RESOURCES ACT 1991

SECTION 88 - SCHEDULE 10

(AS AMENDED BY THE ENVIRONMENT ACT 1995)

NOTICE OF MODIFICATION OF CONSENT TO DISCHARGE

TO: Environmental Quality Scientist
Dŵr Cymru Cyfyngedig
Pentwyn Road
Nelson, Treharris
CF46 6LY

COPY

Following a review of the conditions of its consent, the **ENVIRONMENT AGENCY** ("The Agency") in pursuance of its powers under the Water Resources Act 1991 **HEREBY MODIFIES ITS CONSENT** to the making of a discharge **OF SEWAGE EFFLUENT**, as follows:

Biologically treated sewage effluent

with respect to Variation of Consent No. CM0044801 issued on the 24th day of February 1983

FROM: Isycoed Marshlea Sewage Treatment Works

AT: Marshlea

TO: An un-named tributary of the River Dee


HEREAFTER SUBJECT TO the conditions set out in the following schedule(s):

Biologically treated sewage effluent

Schedule No. CM0044801 01

Subject to the provisions of Paragraphs 7 and 8 of Schedule 10 of the Water Resources Act 1991, no notice shall be served by the Agency, which alters the effect of modifications made by this notice, without the agreement in writing of the consent holder, during a period of 4 years from the date this notice is served, other than for the purposes described in Condition 11 of the attached Schedule.

Dated this 21st day of January 2002

Signed.....

SIÂN OWENS
Team Leader Water Quality Consents

Asiantaeth yr Amgylchedd
Ffordd Caer, Bwcle, Sir Fflint CH7 3AJ Ffôn 01244 550124 Ffacs 01244 550144

Environment Agency
Chester Road, Buckley, Flintshire CH7 3AJ Tel 01244 550124 Fax 01244 550144



CONSENT NO.	CM0044801
SCHEDULE NO.	CM0044801 01
DATED	21st January 2002



**ASiantaeth yr
Amgylchedd Cymru
Environment
Agency Wales**

CONDITIONS OF CONSENT TO DISCHARGE

BIOLOGICALLY TREATED SEWAGE EFFLUENT ("the Discharge")

FROM: Isycoed, Marshlea

NATURE

1. The Discharge shall consist solely of biologically treated sewage effluent containing no trade effluent.

LOCATION

2. The Discharge shall be made in the manner and at the place specified as:
 - (a) discharging via a 100 millimetre diameter pipe;
 - (b) discharging to an un-named tributary of the River Dee;
 - (c) at National Grid Reference SJ 3982 5082;
 - (d) shown marked 'Consent Point' on Plan CM0044801 attached as Annex 1.

SAMPLE POINT

3. The outlet to controlled waters shall be maintained and appropriately labelled so that a representative sample of the Discharge may be obtained at National Grid Reference SJ 3982 5082 as shown marked Consent Point on Plan CM 00448801

VOLUME

4. The Dry Weather Flow of the Discharge shall not exceed 1.8 cubic metres per day.

For the purpose of this condition Dry Weather Flow shall mean the average daily flow to the treatment works during seven consecutive days without rain (excluding a period which includes public holidays) following seven days during which the rainfall did not exceed 0.25 millimetres on any one day.



CONSENT NO.	CM0044801
SCHEDULE NO.	CM0044801 01



**ASiantaeth Yr
Amgylchedd Cymru
Environment
Agency Wales**

WORKS OPERATION

5. The works shall be operated and the effluent shall be treated in a manner which, so far as reasonably practicable, minimises the polluting effects of the discharge made from the works on controlled waters.

This condition does not require any alteration of the works or a change in the type of treatment used.

MAINTENANCE

6. The works shall be operated and maintained in accordance with good operational practice such that:
- (a) it remains fully operational except at times of unavoidable mechanical or electrical breakdown which shall be attended to, and the Agency informed of the failure, as soon as practicable after the failure;
 - (b) following a failure all equipment shall be returned to normal operation as soon as practicable;
 - (c) tanks shall be desludged at sufficient frequency and in such a manner to prevent excessive carryover of suspended solids.

UNUSUAL WEATHER CONDITIONS

7. (a) No inspection of the sewage treatment works, made at a time when unusual weather conditions are adversely affecting the operation of the sewage treatment works, shall be taken into account in deciding whether or not the conditions contained in paragraph(s) 5. and 6. of this consent have been complied with.





ASiantaeth Yr
Amgylchedd Cymru
Environment
Agency Wales

CONSENT NO.	CM0044801
SCHEDULE NO.	CM0044801 01

- (b) For the purpose of this condition “unusual weather conditions” shall include:
- (i) low ambient temperatures as evidenced by effluent temperatures of 5°C or less, or by the freezing of mechanical equipment in the works;
 - (ii) significant snow deposits;
 - (iii) tidal or fluvial flooding;
 - (iv) weather conditions causing unforeseen loss of power supply to the sewage treatment which could not be ameliorated by the reasonable provision and operation of standby generation facilities.
- (c) On any occasion where unusual weather conditions adversely affect the operation of the sewage treatment works, the Consent Holder shall use its best endeavours to mitigate that adverse effect.
- (d) For an inspection of the sewage treatment works to be considered for the purposes of (a) above, the Consent Holder shall notify the Agency by telefax or telephone as soon as unusual weather conditions are known to have adversely affected operations and shall confirm the circumstances in writing as soon as possible thereafter (and in any event within 14 days of the occurrence of such conditions). That notification shall include a full description of the unusual weather conditions and their impact on the operation of the works.

RECORDING AND REPORTING

8. (a) The Consent Holder shall establish and operate a documented maintenance programme and record all non-routine actions undertaken that may have adversely affected effluent quality. Copies of the programme shall be made available for inspection by the Agency's officers at all reasonable times.
- (b) On request the Consent Holder shall supply the Agency with a written report on the maintenance and all non-routine actions that may have adversely affected effluent quality.
- (c) The Consent Holder shall supply the Agency with an annual written summary report confirming the operation of the maintenance programme.
- (d) The Consent Holder shall as soon as reasonably practicable report all non-routine actions that may have adversely affected effluent quality.



CONSENT NO.	CM0044801
SCHEDULE NO.	CM0044801 01



ASiantaeth Yr
Amgylchedd Cymru
Environment
Agency Wales

SUBSTANTIAL CHANGE

9.
 - (a) A discharge shall not be made from the works if it would cause a significant increase in the polluting effects of the discharge on controlled waters as a result of a new or altered discharge of trade effluent into the works.
 - (b) A discharge of trade effluent into the works is new if -
 - (i) it is made by the sewerage undertaker and is of a kind not made into the works by the undertaker immediately before the date of effect of this consent; or
 - (ii) it is made by a third party and the discharge is authorised on or after that date;
 - (c) A discharge of trade effluent into the works is altered if -
 - (i) it is made by the sewerage undertaker and its composition or quantity changes significantly on or after the date of effect of this consent; or
 - (ii) it is made by a third party and the alteration of the discharge is authorised on or after that date.
 - (d) An increase in the polluting effects of the discharge on controlled waters is not significant for the purposes of this condition if it relates to any characteristic of the discharge which is specifically regulated by conditions in this consent but it may be significant if it is caused by a change in some other characteristic of the discharge.
 - (e) For the purposes of this condition "trade effluent" means -
 - (i) any discharge by the sewerage undertaker other than
 - (1) domestic sewage from premises connected directly or indirectly to the works; or
 - (2) surface water run-off;
 - (ii) any discharge by a third party which is authorised under Chapter III of Part IV of the Water Industry Act 1991 or which is only accepted as a result of a contract with the sewerage undertaker.





ASiantaeth Yr
Amgylchedd Cymru
ENVIRONMENT
AGENCY WALES

CONSENT NO.	CM0044801
SCHEDULE NO.	CM0044801 01

UNAUTHORISED DISCHARGES

10. (a) A discharge made from the works shall not contain any poisonous, noxious or polluting matter or solid waste matter which is attributable to any unauthorised discharge into the works.
- (b) A discharge into the works is unauthorised if it is made by a third party and either there is no obligation to receive it or conditions subject to which there is an obligation to receive it are not observed.
- (c) Nothing in this, or any other, condition of this consent prevents anyone from relying on any evidence available to them under section 87 of the Water Resources Act 1991.

HABITATS DIRECTIVE "EARLY REVIEW"

11. The Agency may alter any of the conditions of this Consent at any time within 4 years of the date of issue for the purposes of the Conservation (Natural Habitats & c.) Regulations 1994 as amended.




CONSENT NO. CM0044801



ASiantaeth yr
Amgylchedd Cymru
Environment
Agency Wales

ANNEX 1
Plan CM 0044801





DŴR CYMRU
WELSH WATER

Pentwyn Road
Nelson
Treharris
Mid Glamorgan
CF46 6LY

RECEIVED
10 JAN 2002

+44 (0)1443 452300
Fax: +44 (0)1443 452323
Web site: www.dwrcymru.com

Heol Pentwyn
Nelson
Treharris
Morgannwg Ganol
CF46 6LY

Ffôn: +44 (0)1443 452300
Ffacs: +44 (0)1443 452323
Safle gwe: www.dwrcymru.com

BUCKLEY

Mr G Williams
Consents Officer,
Environment Agency
Chester Road
Buckley
Flintshire
CH7 4AJ

Dyddiad/Date:
9th January 2002

Ymholiadau/Enquiries:
A R Andrews
Tel: 01286 832283

Ein Cyf./Our Ref:

Eich Cyf./Your Ref:

Dear Mr Williams

Re: Sarnau, Pentre Coed and Isycoed Marshlea STWs

I apologise for the delay in responding to your letter dated 12th November. However, I now have the information you requested.

1. The correct name for Marshlea is Isycoed Marshlea
2. The diameter of the discharge pipe at Isycoed Marshlea is 100mm and that at Sarnau 150mm.
3. The location of the discharge on the map you forwarded is not correct. The discharge is approximately 1 metre from the works boundary discharging to a small water course at SH97111 39343. I enclose a new map indicating the correct point of discharge in comparison to the point on the map you supplied. Our files show that the incorrect grid reference was recognised when refurbishment works were carried out in 1990/1, but it appears that the mistake was never corrected.

Yours sincerely

Tony Andrews

Tony Andrews
Environment Quality Scientist

glas
Glas Cymru Cyfyngedig



We welcome correspondence in Welsh and English.
Rydym yn croesawu gohebiaeth yn y Gymraeg neu yn Saesneg.



ASiantaeth YR
AMGYLCHEDD CYMRU
ENVIRONMENT
AGENCY WALES

Ein cyf/Our ref. Consents for sewage works

Dyddiad/Date 12th November 2001

Enquiries: Glyn Williams

Mr. Tony Andrews,
Environmental Quality Scientist,
Dŵr Cymru, Welsh Water,
Dinas, LLanwnda
Caernarfon
Gwynedd LL54 5UD

*Include copy of
response from Dŵr
on file.*

Dear Mr. Andrews

In an earlier letter sent to Angela Roberts of the Environment Agency you agreed to the modification of the following consents from numeric conditions to descriptive conditions.

Sarnau STW	CM 0094501
Pentre coed STW	CM 0109001
Marshlea STW	CM 0044801

I am in the process of modifying these consents, however in order to complete these modifications some additional information is required. I would be very grateful if you could provide me with the following:

- The diameter (mm) of the discharge pipe from Marshlea STW and Sarnau STW
- Could you confirm whether the correct name is Marshlea STW as shown on the original consent or Marshley STW as shown on the O.S. map
- The discharge point for Sarnau STW is shown on the attached map. Could you confirm that the location is correct.

Thank you for your time and assistance.

Yours sincerely,

Glyn Williams
Water Quality Consents Officer

Asiantaeth yr Amgylchedd
Ffordd Caer, Bwcle, Sir Fflint CH7 3AJ Ffon 01244 550124 Ffacs 01244 550144

Environment Agency
Chester Road, Buckley, Flintshire CH7 3AJ Tel 01244 550124 Fax 01244 550144





ASiantaeth Yr
AMGYLCHEDD CYMRU
ENVIRONMENT
AGENCY WALES

Eich cyf/Your ref.

Ein cyf/Our ref. Consents/sewageworks

Dyddiad/Date: 28th February 2001

Mr Tony Andrews
DCWW
Plas y Ffynnon
Cambrian Way
Brecon
LD3 7HP

28th February 2001

Dear Mr Andrews

I am writing to you concerning a number of Welsh Water discharge consents for sewage works in the Upper Dee catchment.

Four sewage works have been identified as having volumes of less than 5 cubic metres per day and associated numeric conditions. These sites are as follows:-

Abenbury STW (CM0110201)
Pentrecoed STW (CM0109001)
Isycoed STW (CM0044801)
Sarnau STW (CM0094501)

It is our intention to modify these consents, providing descriptive conditions as opposed to numeric conditions. However in order to this, please can you confirm in writing (by the end of March 2001) that Welsh Water have no objection to this alteration.

I look forward to hearing from you in due course.

Yours sincerely

ANGELA ROBERTS
Water Quality Consents Officer





DŴR CYMRU
WELSH WATER

Dinas
Llanwnda
Caernarfon
Gwynedd LL54 5UD

Ffôn: 0800 052 0130
Ffacs: +44 (0)1286 832 923
www.hyder.com

Dinas
Llanwnda
Caernarfon
Gwynedd LL54 5UD

Tel: 0800 052 0130
Fax: +44 (0)1286 832 923
www.hyder.com

Angela Roberts,
Water Quality consents Officer,
Environment Agency,
Chester Rd.
Bulkley,
Flintshire.
CH7 3AJ

14 March 2001

MR A. R. Andrews

Dear Ms Roberts

Modification of Numeric Consents

Thank you for your letter dated 28th February 2001

I can confirm that we have no objection to the discharge consents mentioned in your letter namely:

Abenbury	CM 0110201;
* Pentrecoed	CM 0109001;
Isycoed	CM 0044801; and
Sarnau	CM 0094501

0.9 ✓
1.8 ✓
3.95 ✓

being modified to replace the existing numeric conditions with descriptive conditions.

Yours sincerely,

A. R. Andrews

A R Andrews
Environment Quality Scientist

RECEIVED
15 MAR 2001
PUSH



Dee & Clwyd River Authority
RIVERS (PREVENTION OF POLLUTION) ACTS, 1951 to 1961

Notice

TO:—

WREXHAM RURAL DISTRICT COUNCIL,
IMPERIAL BUILDINGS,
REGENT STREET,
WREXHAM,
DEMDIGHSHIRE.

The Dee and Clwyd River Authority pursuant to Section 7(4) of the Rivers (Prevention of Pollution) Act, 1951, HEREBY GIVE NOTICE that the discharge of sewage effluent from Marshlea, Leyceod, Sewage Disposal Works into an unnamed tributary of the River Dee,

being a stream/~~controlled waters~~ in the Dee and Clwyd River Authority Area shall be subject to the following conditions:—

1. The effluent discharged to the stream shall have a Biochemical Oxygen Demand in 5 days at 20°C of not more than 50 milligrams per litre.
2. The volume of effluent discharged under dry weather conditions shall not exceed 1.8 cubic metres (400 gallons) in any period of twenty-four hours.

NOTE: The official sampling point shall be the outlet pipe to the stream at N.C.R. 3987 5082.

The terms of this Notice will not, without the consent in writing of the person to whom this Notice is given (or his successor), be altered before the expiration of the period ending with the **31st day of December, 1969.**

2 Vicar's Lane
Chester

(signed) H. H. CRANN.

Chief Officer

Date 30 OCT 1967

LOCAL GOVERNMENT ACT 1972 WATER ACT 1973
RIVERS (PREVENTION OF POLLUTION) ACTS 1951-1961
WATER AUTHORITIES (CONTROL OF DISCHARGES) ORDER 1978

NOTIFICATION OF VARIATION OF CONSENT
for a discharge of treated sewage effluent

To : WELSH WATER AUTHORITY

This Notice is issued under the above-mentioned Acts and Order and all other enabling powers as a NOTICE DEEMED TO HAVE BEEN GIVEN BY THE SECRETARY OF STATE FOR WALES, in respect of the existing discharge of treated sewage effluent from the Authority's :

MARSHLEA, ISYCOED SEWAGE TREATMENT WORKS

via an existing outlet and subject hitherto to a previous consent as specified below.

THE EXISTING OUTLET is to : Un-named tributary of the River Dee

at National Grid Reference : SJ 3982 5082

and has been shown marked : Discharge Point

on the attached Plan, No. : RW/0781/1/1

THE PREVIOUS CONSENT was : the Notice Reference No. 448

granted on : 30th October 1967

1951

by : Dee and Clwyd River Authority

to : Wrexham Rural District Council

The Authority submitted this Notification of Variation on : 24th November 1982 to the Secretary of State for Wales in the form of a draft and the Secretary of State has NOT, within the relevant period, given notice of his intention to determine this matter. This discharge is therefore (in substitution for all the conditions hitherto in force) subject only to the following conditions as from : 24th February 1983

CONDITIONS

1. The discharge shall consist only of treated sewage effluent from the above works.
2. The quality and quantity of effluent shall not exceed the following maximum values:

<u>Determinand</u>	<u>Value</u>	<u>Unit</u>
Biochemical Oxygen Demand (+ATU) over 5 days at 20°C	150	milligrams per litre
Suspended Solids dried at 105°C	250	milligrams per litre

- | | | |
|--|-----|-------------------|
| Rate of discharge | - | litres per second |
| Volume during any period of 24 consecutive hours | - | cubic metres |
| Volume discharged under 'dry weather conditions' during any period of 24 consecutive hours | 1.8 | cubic metres |
3. Adequate facilities shall be provided for the taking of samples of the effluent at: outlet to un-named tributary of the River Dee

The terms of this Notice will not, without the consent in writing of the person to whom this Notice is given, (or his successor), be altered before the expiration of the period ending with the Twenty-fourth day of February 1985 .

This Notification is issued by the Directorate of Scientific Services, Headquarters,
Welsh Water Authority, Cambrian Way, Brecon, Powys

WELSH WATER AUTHORITY
PLAN NO. RW/0781/I/1
MARSH LEA, ISYCED
SEWAGE TREATMENT WORKS
This is the plan referred to in the Variation of Consent
Number RW/0781/I/1

DISCHARGE POINT 3982 5082

2025 RELEASE UNDER E.O. 14176

REGISTER OF CONDITIONS

AND OTHER TERMS

IMPOSED UNDER SECTION 7 OF THE RIVERS (PREVENTION OF POLLUTION) ACT, 1951

(AS APPLIED BY THE CLEAN RIVERS (ESTUARIES AND TIDAL WATERS) ACT, 1960)

AND THE RIVERS (PREVENTION OF POLLUTION) ACT, 1981.

No. 448

DATE ON WHICH CONDITION CAME INTO FORCE AND PERIOD OF EFFECT	FULL ADDRESS OR OTHER SUFFICIENT DESCRIPTION OF LAND OR PREMISES TO WHICH THE TERM OR CONDITION RELATES												
24th February, 1983.	Welsh Water Authority. (Marshlea, Isycoed Sewage Treatment Works.)												
USE OF NEW OR ALTERED OUTLET	DISCHARGE OF TRADE OR SEWAGE EFFLUENT												
CONDITIONS IMPOSED WITH RESPECT TO:- (i) PRECISE LOCATION OF OUTLET Discharge to an un-named tributary of the River Dee at NGR. SJ. 3982 5082. (ii) CONSTRUCTION OF OUTLET (OTHER THAN CONDITIONS TO BE SATISFIED BEFORE OUTLET IS BROUGHT INTO USE) (iii) USE OF OUTLET Discharge shall consist only of treated sewage effluent from the above works. (iv) USE OF ANY OTHER OUTLET FOR TRADE OR SEWAGE EFFLUENT FROM THE SAME LAND OR PREMISES	CONDITIONS IMPOSED WITH RESPECT TO:- (i) NATURE AND COMPOSITION OF DISCHARGE The quality and quantity of effluent shall not exceed the following maximum values :- <table border="1"> <thead> <tr> <th>Determinand</th><th>Value/Unit</th></tr> </thead> <tbody> <tr> <td>Biochemical Oxygen Demand (+ATU) over 5 days at 20°C.</td><td>150 mg/l.</td></tr> <tr> <td>Suspended Solids dried at 105°C.</td><td>250 mg/l.</td></tr> <tr> <td>Rate of discharge.</td><td>---</td></tr> <tr> <td>Volume during any period of 24 consecutive hours.</td><td>---</td></tr> <tr> <td>Volume discharged under 'dry weather conditions' during any period of 24 consecutive hours.</td><td>1.8 cu.m.</td></tr> </tbody> </table> (ii) TEMPERATURE OF DISCHARGE (iii) VOLUME OR RATE OF DISCHARGE OF EFFLUENT FROM LAND OR PREMISES * (iv) PROVISION OF FACILITIES FOR TAKING SAMPLES Adequate facilities shall be provided for the taking of samples of the effluent at : outlet to un-named tributary of the River Dee. (v) DATE OF EXPIRATION OF PERIOD SPECIFIED UNDER 5.5(2) OF 1961 ACT 24th February, 1985.	Determinand	Value/Unit	Biochemical Oxygen Demand (+ATU) over 5 days at 20°C.	150 mg/l.	Suspended Solids dried at 105°C.	250 mg/l.	Rate of discharge.	---	Volume during any period of 24 consecutive hours.	---	Volume discharged under 'dry weather conditions' during any period of 24 consecutive hours.	1.8 cu.m.
Determinand	Value/Unit												
Biochemical Oxygen Demand (+ATU) over 5 days at 20°C.	150 mg/l.												
Suspended Solids dried at 105°C.	250 mg/l.												
Rate of discharge.	---												
Volume during any period of 24 consecutive hours.	---												
Volume discharged under 'dry weather conditions' during any period of 24 consecutive hours.	1.8 cu.m.												
REMARKS-	REMARKS-												

REGI 'ER OF CONDITIONS

AND OTHER TERMS

IMPOSED UNDER SECTION 7 OF THE RIVERS (PREVENTION OF POLLUTION) ACT, 1951
(AS APPLIED BY THE CLEAN RIVERS (ESTUARIES AND TIDAL WATERS) ACT, 1960)
AND THE RIVERS (PREVENTION OF POLLUTION) ACT, 1961.

No. 448. (NOTICE).

CAT. NO. R.D. 12 SHAW & SONA LTD., FETTER LANE, E.C.4.

CM 00448-01

DATE ON WHICH CONDITION CAME INTO FORCE AND PERIOD OF EFFECT	FULL ADDRESS OR OTHER SUFFICIENT DESCRIPTION OF LAND OR PREMISES TO WHICH THE TERM OR CONDITION RELATES	
30th October, 1967.	Wrexham Rural District Council, Imperial Buildings, Regent Street, Wrexham, Denbighshire. (Marshlea, Isycoed, Sewage Disposal Works).	
USE OF NEW OR ALTERED OUTLET	DISCHARGE OF TRADE OR SEWAGE EFFLUENT	
CONDITIONS IMPOSED WITH RESPECT TO:- (i) PRECISE LOCATION OF OUTLET Discharge into an unnamed tributary of the River Dee. (Map Reference: 3987 5082). (ii) CONSTRUCTION OF OUTLET (OTHER THAN CONDITIONS TO BE SATISFIED BEFORE OUTLET IS BROUGHT INTO USE) (iii) USE OF OUTLET Discharge of sewage effluent from above-named Sewage Disposal Works. (iv) USE OF ANY OTHER OUTLET FOR TRADE OR SEWAGE EFFLUENT FROM THE SAME LAND OR PREMISES	CONDITIONS IMPOSED WITH RESPECT TO:- (i) NATURE AND COMPOSITION OF DISCHARGE Discharge shall consist of sewage effluent and shall have a Biochemical Oxygen Demand in 5 days at 20°C of not more than 50 milligrams per litre. (ii) TEMPERATURE OF DISCHARGE (iii) VOLUME OR RATE OF DISCHARGE OF EFFLUENT FROM LAND OR PREMISES The volume of effluent discharged under dry weather conditions shall not exceed 1.3 cubic metres (400 gallons) in any period of twenty-four hours. * (iv) PROVISION OF FACILITIES FOR TAKING SAMPLES (v) DATE OF EXPIRATION OF PERIOD SPECIFIED UNDER S-5(2) OF 1961 ACT 31st day of December, 1969.	
REMARKS-	REMARKS-	

* IF DISCHARGE NOT CONTROLLED UNDER S.7 OF 1951 ACT.

Water Resources Act 1991
as amended by the Environment Act 1995
Consent to Discharge
Certificate of Holder



**ENVIRONMENT
AGENCY**

Part A

To: DWR CYMRU CYFYNGEDIG
CONSENTS REGULATION OFFICER
PLAS-Y-FFYNNON
CAMBRIAN WAY
BRECON LD3 7HP

The **Environment Agency** ("the Agency") hereby confirm that the above named person is a/the registered holder of consent CM0044801

Nature of Discharge(s): SEWAGE EFF/TREATED EFF/CONTINUOUS
It ISYCOED MARSHLEA STW

Note: This certificate should be kept with the consent document for future reference. If you transfer responsibility for the discharge to somebody else you must pass the consent to them and tell the Agency within 21 days. **Responsibility for the consent cannot be disclaimed by the holder but the registration of holder may be transferred to a successor.** To do this please complete the form below, then tear it off and return it to the address shown. If you fail to transfer the consent, even though you are no longer on the site, you may still be liable for prosecution for pollution. If you transfer the consent but do not tell us, you will be committing an offence. In case of any queries please contact your local Environment Agency office.

Part B Please complete in block capitals or type.

To:

Water Resources Act 1991: Notice of transfer of consent to discharge

Consent:) **Name:**
Address:

I/We* hereby serve notice on the Agency that I/we* am/are* no longer a/the* Holder of the above consent which will be/was* transferred to:

* delete as appropriate

Name(s) of new holder(s):
Address:

Post Code:

Date of Transfer to new Holder(s);

Signed:..... **Dated:**.....

Name (block capitals): **Position:**



CONSENT NO.

CM00447-01

DATE ARCHIVED

10/3/00

ARCHIVED