

Permit Number: EPR/EP3830GH

Operator: Liberty Steel UK Ltd

Facility: Liberty Steel Newport

Form Number: Air1 / 13/11/2016

**Reporting of emissions to air for the period from 01/10/2024 to 31/0122024**

Emission Point	Emission			Reference Period	Result <sup>[1]</sup>	Test Method <sup>[2]</sup>	Sample Date and Times <sup>[3]</sup>	Uncertainty <sup>[4]</sup>
	Substance / Parameter	Limit Value						
A1	Particulate Matter	5 mg/m <sup>3</sup>	Daily Average		BS ISO 10155			
A1	VOC as Total Organic Carbon (TOC)	20 mg/m <sup>3</sup>	1 hour period		BS EN 12619			
A1	Carbon monoxide	100 mg/m <sup>3</sup>	Hourly Average		ISO 12039			
A1	Sulphur dioxide	25 mg/m <sup>3</sup>	15 minute average		BS6069:Section 4.4:1993 (ISO 7935:1992)			
A1	Oxides of nitrogen (NO and NO <sub>2</sub> expressed as NO <sub>2</sub> )	25 mg/m <sup>3</sup>	Spot sample		ISO 10849			
A1	PCDD/F	0.1ng/m <sup>3</sup>	6 – 8h random samples during steady state conditions		BS EN 1948			
A1	Mercury and its compounds	0.05 mg/m <sup>3</sup>	Spot samples for at least 4 hours		BS EN 13649			
A1	Metals				USEPA method 29 or BS EN 14385			

Emission Point	Emission				Result <sup>[1]</sup>	Test Method <sup>[2]</sup>	Sample Date and Times <sup>[3]</sup>	Uncertainty <sup>[4]</sup>
	Substance / Parameter	Limit Value	Reference Period					
A1	PAH				BS EN 1948			
A1	PCB				BS EN 1948			
A2	Particulate Matter	5 mg/m <sup>3</sup>	Daily Average		BS ISO 10155			
A2	VOC as Total Organic Carbon (TOC)	20 mg/m <sup>3</sup>	1 hour period		BS EN 12619			
A2	Carbon monoxide	100 mg/m <sup>3</sup>	Hourly Average		ISO 12039			
A2	Sulphur dioxide	25 mg/m <sup>3</sup>	15 minute average		BS6069:Section 4.4:1993 (ISO 7935:1992)			
A2	Oxides of nitrogen (NO and NO <sub>2</sub> expressed as NO <sub>2</sub> )	25 mg/m <sup>3</sup>	Spot sample		ISO 10849			
A2	PCDD/F	0.1ng/m <sup>3</sup>	6 – 8h random samples during steady state conditions		BS EN 1948			
A2	Mercury and its compounds	0.05 mg/m <sup>3</sup>	Spot samples for at least 4 hours		BS EN 13649			
A2	Metals				USEPA method 29 or BS EN			

Emission Point	Substance / Parameter	Emission		Reference Period	Result <sup>[1]</sup>	Test Method <sup>[2]</sup>	Sample Date and Times <sup>[3]</sup>	Uncertainty <sup>[4]</sup>
		Limit Value						
A2	PAH					14385		
A2	PCB					BS EN 1948		
A5	Oxides of nitrogen (NO and NO <sub>2</sub> expressed as NO <sub>2</sub> )	400 mg/m <sup>3</sup>		<b>PROCESS IDLED DURING Q4 2024 – NO EMISSIONS TO AIR</b>		BS EN 1948		
						ISO 10849		

[1] The result given is the maximum value (or the minimum value in the case of a limit that is expressed as a minimum) obtained during the reporting period, expressed in the same terms as the emission limit value. Where the emission limit value is expressed as a range, the result is given as the 'minimum – maximum' measured values.

[2] Where an internationally recognised standard test method is used the reference number is given. Where another method that has been formally agreed with Natural Resources Wales is used, then the appropriate identifier is given. In other cases the principal technique is stated, for example gas chromatography.

[3] For non-continuous measurements the date and time of the sample that produced the result is given. For continuous measurements the process operating time covered by the result is given.

[4] The uncertainty is the 95% confidence interval, unless otherwise stated.

Signed .....

.....

Date 24.01.2025