

## Compliance Assessment Report CAR\_NRW0050075

**Permit being assessed:** DB3590CB

For: Northern Gateway, held by Bellway Homes Limited

At: John Summers Way, Deeside, Flintshire, CH5 2HJ.

**Type of assessment carried out:** Site Inspection, Reason: Routine.

On 14/08/2025, between 11:30 and 13:00.

Parts of permit assessed: 3.1 Emissions to water,

**NRW Lead Officer:** Richard Smith.

**Report sent to:** Bellway Homes Limited, Development Engineer, on 04/12/2025.

### 1. Summary of our findings (full details in section 4)

Part of permitted activity assessed (criteria)	Assessment result	Permit condition
WQ-C1 - Water Quality - Emissions and monitoring - Emissions to water	Assessed (A)	

Result types are explained in more detail in the 'Important Information' section below.

### 2. What action is required?

No action required.

### 3. What will happen next?

Any non-compliance we have identified and recorded on this form is an offence. It can result in criminal prosecution and/or suspension or revocation of your permit.

**At this time, we do not intend to take any further action.**

This statement does not stop us from taking additional enforcement action if further relevant information comes to light or offences continue.

### 4. Details of our assessment

NRW Officer has attended at the Northern Gateway development site in Garden City, Deeside on 14th August 2025 to carry out a routine inspection of the Water Quality Permit issued 14th May 2025. The officer met with the Development Engineer on site.

At the time of visit, the permit was pre-operational as the discharge point was sealed up and not in use. This was due mainly to the dry weather and lack of need to discharge water from site.

Inspection was made of the headwall discharge point and whilst inspection was taking place, a small amount of water was being discharged from the headwall. This water was

discoloured and appeared to contain sediment from site. Investigation was made immediately by the Bellway Ltd representative which revealed that the surface water lines were being cleaned by contractors in the way of being jetted. It appeared that the bung in place, to prevent any contaminated water may have been allowing a small amount of water to pass. The issue was resolved expediently by having the contractors pump the contaminated water from the headwall area to a tanker. The issue of the inefficient bung was also to be investigated and addressed. The scale of the pollution was small and action taken by the permit holder was efficiently carried out once the issue was identified.

No samples were taken at the time, therefore comparison to limits set within table S3.1 of the permit is not possible. No non-compliance score can be recorded.

Pollution Prevention Advice and Guidance was provided to Bellway and checks of the discharge point will be made during any future cleaning of the lines whilst site construction is still taking place.

If you have any queries about this report, or to discuss completion of any actions, please contact the NRW Officer named above.

## Important information

### Legal status of this report

Your permit is issued to you under the Environmental Permitting Regulations. You have a responsibility to comply with the conditions of your permit and prevent pollution/harm to the environment. You must also ensure that you comply with any other relevant legislation that may apply to your site's operations.

This report explains the findings of our assessment and any action you are required to take. We categorise non-compliance using our guidance for assessing non-compliance at regulated sites.

When we find potential non-compliance/s we will normally give you advice on how to maintain compliance.

To correct non-compliance, we may:

- require you to take specific actions
- issue a notice
- review the conditions of your permit.

Any advice and guidance we give will be without prejudice to any other enforcement response that we consider may be required.

### Assessment results and non-compliance categories (used in section 1):

Assessment result	Description
Assessed (A)	Assessed or assessed in part, no evidence of non-compliance found
Action only (X)	Action only relating to the activity assessment
Ongoing (O)	Ongoing non-compliance, not scored

Non-compliance category	Description
C1 Major	Potential to have a major, serious, persistent and/or extensive impact or effect on the environment, people and/or property
C2 Significant	Potential to have a significant impact or effect on the environment, people and/or property
C3 Minor	Potential to have a minor or minimal impact or effect on the environment, people and/or property
C4 No environmental impact	Non-compliance at a regulated site that cannot foreseeably have any impact on the environment, people and/or property

### If your assessment result in Section 1 is suspended, what does this mean?

In line with our guidance, we may suspend non-compliance for up to six months to allow time for remedial action to be taken. These will be re-instated if the action is not completed.

**Full list of water quality action criteria (used in section 1 and 2):****WQ A: Management**

- WQ-A1 General management

**WQ B: Operations**

- WQ-B1 Permitted activities
- WQ-B2 The site
- WQ-B3 Operating techniques
- WQ-B4 Improvement programme
- WQ-B5 Pre-operational conditions

**WQ C: Emissions and monitoring**

- WQ-C1 Emissions to water
- WQ-C2 Emissions to land
- WQ-C3 Emissions of substances not controlled by emission limits
- WQ-C4 Installation of monitoring boreholes

**WQ D: Information**

- WQ-D1 Records
- WQ-D2 Reporting
- WQ-D3 Notifications

**Enforcement response**

Any permit condition non-compliance is an offence and we may take legal action against you. Action we take can include prosecution, serving a notice on you and/or suspension or revocation of your permit. See our Enforcement and Sanctions Guidance for further information.

**Data protection notice**

You should make sure that anyone named in this report knows that the information it contains will be processed by Natural Resources Wales to fulfil its regulatory and monitoring functions and to maintain the relevant public register(s).

We may also use and/or disclose the report in connection with:

- offering or providing you with our literature or services relating to environmental matters
- consulting with the public, public bodies and other organisations (e.g. Health and Safety Executive, local authorities) on environmental issues
- carrying out statistical analysis, research and development on environmental issues
- providing public register information to enquirers
- investigating possible breaches of environmental law
- assessing customer service satisfaction and improving our service
- Freedom of Information Act or Environmental Information Regulations requests.

We may also pass it on to our agents or representatives to do these things on our behalf.

**Disclosure of information – this report will be available to view on-line**

If you think this report contains commercially confidential information that should not be placed on our public register, you must contact your local Natural Resources Wales office within **fifteen working days** of receiving this report, using the contact details in the accompanying email or letter. You must give a full explanation of why it should not be

added to our public register, including specifying which information is commercially confidential. We will assess your request and respond to you within 20 working days to let you know if we agree to your request.

**What do I do if I disagree with the report or have a complaint?**

If you disagree with this compliance assessment report, you should contact the lead officer without delay to discuss your concerns.

If you are unable to resolve the issue with the lead officer or their line manager you should contact our Customer Contact team on 0300 065 3000 (Monday to Friday 08:00 – 18:00), or email [enquiries@naturalresourceswales.gov.uk](mailto:enquiries@naturalresourceswales.gov.uk) for details of how to raise your dispute further through our Complaints and Commendations procedure.

If you are dissatisfied with our response, you can contact the Public Services Ombudsman for Wales by phone on 0300 7900203 or by email at [ask@ombudsman.wales](mailto:ask@ombudsman.wales)

**Welsh Language Standards**

We are committed to establishing Natural Resources Wales as a naturally bilingual organisation. We will provide compliance reports in your preferred language.