

Water Resources Act 1991
as amended by the Environment Act 1995
Consent to Discharge
Certificate of Holder



**ENVIRONMENT
AGENCY**

Part A

To: DWR CYMRU CYFYNGEDIG
CONSENTS REGULATION OFFICER
PLAS-Y-FFYNNON
CAMBRIAN WAY
BRECON LD3 7HP

The Environment Agency ("the Agency") hereby confirm that the above named person is a/the registered holder of consent BP0044503

Nature of Discharge(s); SEWAGE EFF/TREATED EFF/CONTINUOUS
at LLANBOIDY SEWAGE TREATMENT WOR

Note: This certificate should be kept with the consent document for future reference. If you transfer responsibility for the discharge to somebody else you must pass the consent to them and tell the Agency within 21 days. **Responsibility for the consent cannot be disclaimed by the holder but the registration of holder may be transferred to a successor.** To do this please complete the form below, then tear it off and return it to the address shown. If you fail to transfer the consent, even though you are no longer on the site, you may still be liable for prosecution for pollution. If you transfer the consent but do not tell us, you will be committing an offence. In case of any queries please contact your local Environment Agency office.

Part B Please complete in block capitals or type.

To:

Water Resources Act 1991: Notice of transfer of consent to discharge

Consent:

Name:

Address:

I/We* hereby serve notice on the Agency that I/we* am/are* no longer a/the* Holder of the above consent which will be/was* transferred to:

* delete as appropriate

Name(s) of new holder(s):

Address:


Post Code:

Date of Transfer to new Holder(s):

Signed: **Dated:**

Name (block capitals): **Position:**







~~BP00445~~

BP00445 03

WEPD/OD/46/D7

WO REF WEP/WS 9112/9

WELSH OFFICE

CONTROL OF POLLUTION ACT 1974: SECTIONS 34 & 55
THE CONTROL OF POLLUTION (DISCHARGES BY AUTHORITIES) REGULATIONS 1984
CONSENT FOR A DISCHARGE

WHEREAS

1. The WELSH WATER AUTHORITY (hereinafter referred to as 'the Water Authority') proposes to discharge biologically treated sewage effluent from the Llanboidy Sewage Treatment Works (New Works) to the Afon Gronw at national grid reference SN 2199 2276 as shown on the attached plan.
2. The proposals require the consent of the Secretary of State for WALES in pursuance of sections 34 and 55 of the Control of Pollution Act 1974 as modified by the Control of Pollution (Discharges by Authorities) Regulations 1984 (hereinafter referred to as 'the Regulations').
3. In accordance with the provisions of Regulation 2 of the Regulations the Water Authority have submitted the proposals to the Secretary of State in the form of an application for consent dated 16 June 1986


THE SECRETARY OF STATE FOR WALES hereby consents to the proposed discharge subject to the conditions specified in the Schedule hereto attached.

Dated this
1987

20th day of March

Signed *P. R. Mander*

On behalf of the Secretary
of State for Wales




SCHEDULE

Conditions prescribed for the discharge of biologically treated sewage effluent to the Afon Gronw at Llanboidy Sewage Treatment Works

"Sewage" can mean domestic sewage alone or in admixture with industrial waste water(s).

1. The nature of the effluent shall be biologically treated sewage effluent
2. Adequate facilities shall be provided for the Secretary of State's representative so as to enable samples of the effluent to be conveniently obtained at grid reference SN 2199 2276
3. The Welsh Water Authority shall take samples of the effluent in accordance with the relevant provisions of the Authority's sampling periodicity guidelines for the time being in force and approved for this purpose by the Secretary of State (and as may be indicated below) and shall keep records of such samples and the results of analyses thereof for inspection by the Secretary of State's authorised representative.
4. The volume of effluent under dry weather conditions shall not exceed 83 cubic metres in any period of 24 hours.
5. The maximum rate of flow discharged to the river at any time shall not exceed 3.4 litres per second. All sewage flow rates up to the maximum quoted above shall receive biological treatment.
6. The analytical methods used for determining compliance or otherwise with this consent shall be assumed to be those specified in the latest edition of





"Methods for the Examination of Waters and Associated Materials" published by HMSO. Other methods of analysis may be used as alternatives to those specified in the above named publication providing that Secretary of State is satisfied that they give comparable or better performance characteristics. Such other methods shall be submitted for approval to the Secretary of State together with all necessary supporting evidence prior to their being used in connection with discharge consents.

7. The quality of the effluent discharged to the river at all flow rates up to the minimum quoted in 5 above, shall not be inferior to the following numerical quality limits (determinands) save as provided for in the Annex (by reference to the table included therein) to this Schedule.

7a. The Suspended Solids concentration (dried at 105 degrees Celsius) shall not exceed 60 milligrams per litre.

7b. The BOD (Biochemical Oxygen Demand) concentration determined in the presence of 0.5 milligrams per litre of allyl-thiourea shall not exceed 40 milligrams per litre.

7c. The ammoniacal nitrogen expressed as nitrogen shall not exceed 25 milligrams per litre.




ANNEX

Where the number of samples taken in one year (that is from the 1 April to the 31 March) falls within any of the ranges given in Column 1 of the table below, the number of samples which are inferior to a specified numerical quality limit determinand set in Paragraph 6, and where relevant, Paragraph 7 of the Schedule shall not exceed the appropriate permitted number as listed in Column 2. A sample shall only be considered as having failed in relation to the particular determinand(s) for which the specified quality limit is exceeded. A sample shall be considered to be satisfactory in relation to other determinands, the concentration of which, are equal to or lower than the specified limit.

TABLE

Column 1	Column 2
Series of samples taken in any year	Maximum number of samples in which the same numerical quality limit may be exceeded.
4-7	1
8-16	2
17-28	3
29-40	4
41-53	5
54-67	6
68-81	7
82-95	8
96-110	9
111-125	10
126-140	11
141-155	12
156-171	13
172-187	14
188-203	15
204-219	16
220-235	17
236-251	18
252-268	19
269-284	20
285-300	21
301-317	22
318-334	23
335-350	24
351-365	25



WELSH OFFICE

CONTROL OF POLLUTION ACT 1974: SECTIONS 34 & 55
THE CONTROL OF POLLUTION (DISCHARGES BY AUTHORITIES) REGULATIONS 1984
CONSENT FOR A DISCHARGE

WHEREAS

1. The WELSH WATER AUTHORITY (hereinafter referred to as 'the Water Authority') proposes to discharge biologically treated sewage effluent from the Llanboidy Sewage Treatment Works (New Works) to the Afon Gronw at national grid reference SN 2199 2276 as shown on the attached plan.
2. The proposals require the consent of the Secretary of State for WALES in pursuance of sections 34 and 55 of the Control of Pollution Act 1974 as modified by the Control of Pollution (Discharges by Authorities) Regulations 1984 (hereinafter referred to as 'the Regulations').
3. In accordance with the provisions of Regulation 2 of the Regulations the Water Authority have submitted the proposals to the Secretary of State in the form of an application for consent dated 16 June 1986

THE SECRETARY OF STATE FOR WALES hereby consents to the proposed discharge subject to the conditions specified in the Schedule hereto attached.

Dated this
1987

20th day of March

Signed P. R. Mardles


On behalf of the Secretary
of State for Wales

SCHEDULE

Conditions prescribed for the discharge of biologically treated sewage effluent to the Afon Gronw at Llanboidy Sewage Treatment Works

"Sewage" can mean domestic sewage alone or in admixture with industrial waste water(s).

1. The nature of the effluent shall be biologically treated sewage effluent
2. Adequate facilities shall be provided for the Secretary of State's representative so as to enable samples of the effluent to be conveniently obtained at grid reference SN 2199 2276
3. The Welsh Water Authority shall take samples of the effluent in accordance with the relevant provisions of the Authority's sampling periodicity guidelines for the time being in force and approved for this purpose by the Secretary of State (and as may be indicated below) and shall keep records of such samples and the results of analyses thereof for inspection by the Secretary of State's authorised representative.
4. The volume of effluent under dry weather conditions shall not exceed 83 cubic metres in any period of 24 hours.
5. The maximum rate of flow discharged to the river at any time shall not exceed 3.4 litres per second. All sewage flow rates up to the maximum quoted above shall receive biological treatment.
6. The analytical methods used for determining compliance or otherwise with this consent shall be assumed to be those specified in the latest edition of



"Methods for the Examination of Waters and Associated Materials" published by HMSO. Other methods of analysis may be used as alternatives to those specified in the above named publication providing that Secretary of State is satisfied that they give comparable or better performance characteristics. Such other methods shall be submitted for approval to the Secretary of State together with all necessary supporting evidence prior to their being used in connection with discharge consents.

7. The quality of the effluent discharged to the river at all flow rates up to the minimum quoted in 5 above, shall not be inferior to the following numerical quality limits (determinands) save as provided for in the Annex (by reference to the table included therein) to this Schedule.

7a. The Suspended Solids concentration (dried at 105 degrees Celsius) shall not exceed 60 milligrams per litre.

7b. The BOD (Biochemical Oxygen Demand) concentration determined in the presence of 0.5 milligrams per litre of allyl-thiourea shall not exceed 40 milligrams per litre.


7c. The ammoniacal nitrogen expressed as nitrogen shall not exceed 25 milligrams per litre.

ANNEX

Where the number of samples taken in one year (that is from the 1 April to the 31 March) falls within any of the ranges given in Column 1 of the table below, the number of samples which are inferior to a specified numerical quality limit determinand set in Paragraph 6, and where relevant, Paragraph 7 of the Schedule shall not exceed the appropriate permitted number as listed in Column 2. A sample shall only be considered as having failed in relation to the particular determinand(s) for which the specified quality limit is exceeded. A sample shall be considered to be satisfactory in relation to other determinands, the concentration of which, are equal to or lower than the specified limit.

TABLE

Column 1	Column 2
Series of samples taken in any year	Maximum number of samples in which the same numerical quality limit may be exceeded.
4-7	1
8-16	2
17-28	3
29-40	4
41-53	5
54-67	6
68-81	7
82-95	8
96-110	9
111-125	10
126-140	11
141-155	12
156-171	13
172-187	14
188-203	15
204-219	16
220-235	17
236-251	18
252-268	19
269-284	20
285-300	21
301-317	22
318-334	23
335-350	24
351-365	25



CONSENT NO.

BP0044503



ASiantaeth Yr
AMGYLCHEDD CYMRU
ENVIRONMENT
AGENCY WALES

WATER RESOURCES ACT 1991

SECTION 88 - SCHEDULE 10

(AS AMENDED BY THE ENVIRONMENT ACT 1995)

NOTICE OF MODIFICATION OF CONSENT TO DISCHARGE

TO: Environment Quality Scientist
Dl'r Cymru Cyfyngedig
Pentwyn Road
Nelson
Treharris
CF46 6LY

Following a review of the conditions of its consent, the **ENVIRONMENT AGENCY** ("The Agency") in pursuance of its powers under the Water Resources Act 1991 **HEREBY MODIFIES ITS CONSENT** to the making of a discharge **OF SEWAGE EFFLUENT**, as follows:

Secondary Treated Sewage Effluent

with respect to Consent No. **BP0044503** issued on the 20th day of March 1987

FROM: LLANBOIDY WASTEWATER TREATMENT WORKS

AT: LLANBOIDY, NEAR S^T. CLEARS

TO: AFON GRONW

HEREAFTER SUBJECT TO the conditions set out in the following schedule(s):

Secondary Treated Sewage Effluent

Schedule No. BP0044503 01

Subject to the provisions of Paragraphs 7 and 8 of Schedule 10 of the Water Resources Act 1991, no notice shall be served by the Agency, which alters the effect of modifications made by this notice, without the agreement in writing of the consent holder, during a period of 4 years from the date this notice is served.

Dated this 31 day of March 2003

Signed

Peter Jordan – Environment Management Team Leader



CONSENT NO.	BP0044503
SCHEDULE NO.	BP0044503 01
DATE ISSUED	31 March, 2003



**ASiantaeth yr
Amgylchedd Cymru
Environment
Agency Wales**

CONDITIONS OF CONSENT TO DISCHARGE

SECONDARY TREATED SEWAGE EFFLUENT ("the Discharge")

**FROM: LLANBOIDY WASTEWATER TREATMENT WORKS, LLANBOIDY,
NEAR S^T. CLEARS**

NATURE

1. The Discharge shall consist solely of secondary treated sewage effluent.

LOCATION

2. The Discharge shall be made in the manner and at the place specified as:
 - (a) discharging via a 150mm diameter pipe;
 - (b) discharging to the Afon Gronw;
 - (c) at National Grid Reference SN 21985 22765;
 - (d) shown marked 'Consent Point' on Plan No. BP0044503 attached as Annex 3.

SAMPLE POINT

3. The outlet to the watercourse shall be constructed and maintained so that a representative sample of the Discharge may be obtained at National Grid Reference SN 21992 22760, as shown marked 'Sampling Point' on Plan No. BP0044503 so that a representative sample of the Discharge may be obtained. The Consent Holder shall ensure that all constituents of the Discharge pass through the said sampling point at all times and in any legal proceedings it shall, for the purposes of Section 10 of the Rivers (Prevention of Pollution) Act 1961, be presumed, until the contrary is shown that any sample of the Discharge taken at the said sampling point is a sample of what was discharging into controlled waters.

VOLUME

4. The volume of the Discharge shall not exceed 295 cubic metres per day.
5. The Dry Weather Flow of the Discharge shall not exceed 65 cubic metres per day.

For the purpose of this condition Dry Weather Flow shall mean the average daily flow to the treatment works during seven consecutive days without rain (excluding a period which includes public holidays) following seven days during which the rainfall did not exceed 0.25 millimetres on any one day.



CONSENT NO.	BP0044503
SCHEDULE NO.	BP0044503 01



**ASiantaeth Yr
Amgylchedd Cymru
Environment
Agency Wales**

6. The rate of discharge shall not exceed 3.4 litres per second.

FLOW MEASUREMENT

7. A continuous flow monitoring and recording system, to a specification provided by the Agency, with on-site visual display from which readings can be readily obtained by the Agency, shall be provided and operated to record the daily volume and instantaneous flow of the discharge.
8. As soon as practicable after completion of the flow system installation the Consent Holder shall employ an independent expert to certify that the installation complies with the Agency's specification. The Consent Holder shall satisfy himself as to the professional competence of the expert. A copy of the certifier's report shall be provided to the Agency when it is available.
9. Records of the flow readings shall be maintained by the Consent Holder and shall be provided to the Agency when requested, in a format specified by the Agency.
10. The Consent Holder shall produce and maintain a quality control manual, approved by the independent expert and to the satisfaction of the Agency, specifying procedures for the calibration, operation and maintenance of the flow monitoring system. The flow system shall be calibrated, operated and maintained by the Consent Holder in accordance with the provisions of the manual. The Consent Holder shall keep a record of these procedures available for inspection by the Agency and provide a copy to the Agency on request.
11. The Consent Holder shall record all failures of the continuous flow system and any other breaks in the flow record. The reasons for these failures and breaks shall be recorded and all steps taken to prevent a re-occurrence. The Consent Holder shall ensure that as far as possible the recorder remains fully operational at all times. Any failures shall be remedied as soon as possible.
12. Flows passing forward to full treatment after the storm overflow shall be measured at the outlet channel, at National Grid Reference SN 21992 22760, or such other point(s) as agreed by the Agency.

COMPOSITION

13. (a) Subject to paragraph (b) below, the Discharge shall not contain more than:
 - (i) 20 milligrammes per litre of biochemical oxygen demand (measured after 5 days at 20°C with nitrification suppressed by the addition of allyl-thiourea);
 - (ii) 5 milligrammes per litre of ammoniacal nitrogen (expressed as N);



CONSENT NO.	BP0044503
SCHEDULE NO.	BP0044503 01



**ASiantaeth Yr
Amgylchedd Cymru
Environment
Agency Wales**

- (iii) 30 milligrammes per litre of suspended solids (measured after drying at 105°C).
- (b) The limit for any of the relevant parameters set out in paragraph (a) above may be exceeded where, in any series of samples of the Discharge taken at regular but randomised intervals in any period of twelve consecutive months as listed in Column 1 of the table at Annex 1 to this consent, no more than the relevant number of samples, as listed in Column 2 of the said table, exceed the applicable limit for that relevant parameter.

WORKS OPERATION

- 14. The works shall be operated and the effluent shall be treated in a manner which, so far as reasonable practicable, minimises the polluting effects of the discharge made from the works on controlled waters.

This condition does not require -

- (a) any higher standard to be achieved in relation to any characteristic of the discharge which is specifically regulated by condition 13, than is required by those conditions;
- (b) any alteration of the works or a change in the type of treatment used.

UNUSUAL WEATHER CONDITIONS

- 15. (a) No sample of the discharge, taken at a time when unusual weather conditions are adversely affecting the operation of the sewage treatment works, shall be taken into account in deciding whether or not the conditions 13 and 14 of this consent have been complied with.
- (b) For the purpose of this condition "unusual weather conditions" shall include:
 - (i) low ambient temperatures as evidenced by effluent temperatures of 5°C or less, or by the freezing of mechanical equipment in the works;
 - (ii) significant snow deposits;
 - (iii) tidal or fluvial flooding;
 - (iv) weather conditions causing unforeseen loss of power supply to the sewage treatment which could not be ameliorated by the reasonable provision and operation of standby generation facilities.



CONSENT NO.	BP0044503
SCHEDULE NO.	BP0044503 01



**ASiantaeth Yr
Amgylchedd Cymru
Environment
Agency Wales**

- (d) For a sample of the discharge to be considered for the purposes of (a) above, the Consent Holder shall notify the Agency by telefax or telephone as soon as unusual weather conditions are known to have adversely affected operations and shall confirm the circumstances in writing as soon as possible thereafter (and in any event within 14 days of the occurrence of such conditions). That notification shall include a full description of the unusual weather conditions and their impact on the operation of the works.

RECORDING AND REPORTING

16. (a) The Consent Holder shall establish and operate a documented maintenance programme and record all non-routine actions undertaken that may have adversely affected effluent quality. Copies of the programme shall be made available for inspection by the Agency's officers at all reasonable times.
- (b) On request the Consent Holder shall supply the Agency with a written report on the maintenance and all non-routine actions that may have adversely affected effluent quality.
17. The Consent Holder shall notify the Agency in writing if any known or planned introduction or material change in respect of discharges from trade premises to the sewerage system occurs, that may increase or introduce into the effluent any "dangerous substance" (set out in Annex 2 to this notice as updated from time to time and notified to the Consent Holder in writing), and any other substance considered by the consent holder as having or likely to have a significant effect on the receiving waters.

SUBSTANTIAL CHANGE

18. A discharge shall not be made from the works if it would cause a significant increase in the polluting effects of the discharge on controlled waters as a result of a new or altered discharge of trade effluent into the works.
- 18.1 A discharge of trade effluent into the works is new if -
- (a) it is made by the sewerage undertaker and is of a kind not made into the works by the undertaker immediately before the date of effect of this consent; or
- (b) it is made by a third party and the discharge is authorised on or after that date.
- 18.2 A discharge of trade effluent into the works is altered if -
- (a) it is made by the sewerage undertaker and its composition or quantity changes significantly on or after the date of effect of this consent; or
- (b) it is made by a third party and the alteration of the discharge is authorised on or after that date.



CONSENT NO.	BP0044503
SCHEDULE NO.	BP0044503 01



**ASiantaeth Yr
Amgylchedd Cymru
Environment
Agency Wales**

- 18.3** An increase in the polluting effects of the Discharge on controlled waters is not significant for the purposes of this condition if it relates to any characteristic of the Discharge which is specifically regulated by conditions 13 and 14 of this consent but it may be significant if it is caused by a change in some other characteristic of the Discharge.
- 18.4** For the purposes of this condition "trade effluent" means -
- (a) any discharge by the sewerage undertaker other than
 - (i) domestic sewage from premises connected directly or indirectly to the works; or
 - (ii) surface water run-off;
 - (b) any discharge by a third party which is authorised under Chapter III of Part IV of the Water Industry Act 1991 or which is only accepted as a result of a contract with the sewerage undertaker.

UNAUTHORISED DISCHARGES

- 19.** A discharge made from the works shall not contain any poisonous, noxious or polluting matter or solid waste matter which is attributable to any unauthorised discharge into the works.
- (a) A discharge into the works is unauthorised if it is made by a third party and either there is no obligation to receive it or conditions subject to which there is an obligation to receive it are not observed.
 - (b) Nothing in this, or any other, condition of this consent prevents anyone from relying on any defence available to them under section 87 of the Water Resources Act 1991.



CONSENT NO.	BP0044503
SCHEDULE NO.	BP0044503 01



ASiantaeth yr
Amgylchedd Cymru
ENVIRONMENT
AGENCY WALES

ANNEX 1

TABLE

Column 1

Column 2

Number of samples
taken in any period
of 12 months

Maximum number of samples
permitted to exceed limit
for given determinand

4-7	1
8-16	2
17-28	3
29-40	4
41-53	5
54-67	6
68-81	7
82-95	8
96-110	9
111-125	10
126-140	11
141-155	12
156-171	13
172-187	14
188-203	15
204-219	16
220-235	17
236-251	18
252-268	19
269-284	20
285-300	21
301-317	22
318-334	23
335-350	24
351-365	25



CONSENT NO.	BP0044503
SCHEDULE NO.	BP0044503 01



**ASiantaeth Yr
Amgylchedd Cymru
Environment
Agency Wales**



ANNEX 2

- | | |
|--|------------------------------|
| 1. Mercury and its compounds | 2. Cadmium and its compounds |
| 3. Hexachlorocyclohexane
(lindane and related compounds) | 4. Carbon tetrachloride |
| 5. DDT (the isomers of 1,1,1-trichloro-2,2 bis{p-chlorophenyl} ethane) | |
| 6. Pentachlorophenol (PCP) | 7. Aldrin |
| 8. Dieldrin | 9. Endrin |
| 10. Isodrin | 11. Hexachlorobenzene (HCB) |
| 12. Hexachlorobutadiene (HCBd) | 13. Chloroform |
| 14. Polychlorinated biphenyls | 15. Dichlorvos |
| 16. 1,2-Dichloroethane | 17. Trichlorobenzene |
| 18. Atrazine | 19. Simazine |
| 20. Tributyltin compounds | 21. Triphenyltin compounds |
| 22. Trifluralin | 23. Fenitrothion |
| 24. Azinphos-methyl | 25. Malathion |
| 26. Endosulfan | 27. Lead |
| 28. Chromium | 29. Zinc |
| 30. Copper | 31. Nickel |
| 32. Arsenic | 33. *Iron |
| 34. *pH outside range 5.5 to 9.0 | 35. *Boron |
| 36. Vanadium | 37. PCSD'S |
| 38. Cyfluthrin | 39. Sulcofuron |
| 40. Flucifuron | 41. Permethrin |
| 42. 4-Chloro-3-methyl-phenol | 43. 2-Chlorophenol |
| 44. 2,4-Dichlorophenol | 45. 2,4-D (ester) |
| 46. 2,4-D (non ester) | 47. 1,1,1-Trichloroethane |
| 48. 1,1,2-Trichloroethane | 49. Bentazone |
| 50. Benzene | 51. Biphenyl |
| 52. Chloronitrotoluenes | 53. Demeton |
| 54. Dimethoate | 55. Linuron |
| 56. MCPA | 57. Mecoprop |
| 58. Mevinphos | 59. Napthalene |
| 60. Omethoate | 61. Toluene |
| 62. Triazophos | 63. Xylene |
| 64. Cyanide | 65. Azinphos-ethyl |
| 66. Fenthion | 67. Parathion |
| 68. Parathion-methyl | 69. Trichloroethylene |
| 70. Tetrachloroethylene | 71. Dioxins |
| 72. PAHs | 73. Nonyl phenol |
| 74. Nonyl phenyl ethoxylate | 75. Di-ethylhexyl phthalate |
| 76. Bisphenol-A | 77. Diazinon |
| 78. Chlorfenvinphos | 79. Chlorotoluron |
| 80. Isoproturon | 81. Diuron |
| 82. Propetamphos | 83. Flumethrin |
| 84. Amitraz | 85. High-Cis Cypermethrin |
| 86. Cyromazine | 87. Deltamethrin |
| 88. Cypermethrin | |

This list is applicable as at 1 December 1998 and will be updated as and when changes to the relevant legislative requirements occur.

*Notification to the Agency by the Consent holder is only required in respect of changes to trade effluents likely to cause significant changes to the pH value, and/or iron or boron concentrations, of the crude sewage.



**LLANBOIDY STW FINAL EFFLUENT
LLANBOIDY,
NEAR S^T. CLEARS**



ASiantaeth YR
AMGYLCHEDD CYMRU
ENVIRONMENT
AGENCY WALES

Eich cyf/Your ref.

Ein cyf/Our ref. 2/CS/LL/BP0044503

Dyddiad/Date: 14th April 2003

Environment Quality Scientist,
Dwr Cymru Welsh Water,
Pentwyn Road,
Nelson,
Treharris.
CF46 6LY

Dear Sir/Madam,

**RE: WATER RESOURCES ACT 1991, SCHEDULE 10 (AS AMENDED BY THE ENVIRONMENT ACT 1995) MODIFICATION OF CONSENT TO DISCHARGE SEWAGE EFFLUENT FROM LLANBOIDY WwTW, LLANBOIDY, NEAR ST CLEARS BY DŴR CYMRU WELSH WATER
APPLICATION NO: BP0044503**

Further to our recent correspondence concerning the consent to discharge secondary treated sewage effluent from Llanboidy WwTW, Llanboidy, near St Clears, I enclose the Agency's formal notice of the modifications made to the conditions of the consent.

Under the present Scheme of Charges for Discharges to Controlled Waters an annual charge will be made for all consents to discharge, except where the discharge is of sewage effluent of five cubic metres or less per day. The charge is based on information derived from the conditions attached to the consent to discharge, as outlined in the enclosed leaflet. A change in conditions may therefore result in a change in annual charge, you may therefore receive a revised bill in due course.

If you are not satisfied with the new conditions of the consent you may appeal against the decision to the National Assembly for Wales at Cathays Park, Cardiff CF10 3NQ.

Please take careful note that if the holder of the consent changes, you must inform the Agency IN WRITING as soon as possible of the name of the new holder. This is to ensure that the rights and charges associated with the Consent are transferred to the holder. A Certificate of Holder notice will be sent to you shortly which is designed for this purpose, and should be kept safely with the Consent until required.


Asiantaeth yr Amgylchedd Cymru
Glan Tawe, 154 Ffordd Sant Helen, Abertawe, SA1 4DF
Ffon 01792 645300, Ffacs 01792 648652

Environment Agency Wales
Glan Tawe, 154 St Helen's Road, Swansea, SA1 4DF
Tel 01792 645300, Fax 01792 648652



If you have any queries regarding the enforcement of this consent, please do not hesitate to contact Peter Jordan, Team Leader Environment Management, Environment Agency Wales, Plas Gwendraeth, Heol Parc Mawr, Crosshands Business Park, Llanelli, SA14 6RE.

Yours faithfully,

A handwritten signature in black ink, appearing to read 'Barry Williams', written over a printed name.

BARRY WILLIAMS
Customer Contact & Authorisations Officer

Please ask for Mr. Barry Williams, ext. 3512

Enc.

Water Resources Act 1991

as amended by the Environment Act 1995

Consents to Discharge

Certificate of Holder



ASiantaeth Yr
Amgylchedd Cymru
Environment
Agency Wales

Part A

To: DWR CYMRU CYFYNGEDIG
PENTWYN ROAD
NELSON
TREHARRIS
MID GLAMORGAN CF46 6LY

NB: For a body corporate the job title is a point of contact.

Holder Start Date : 31 March 2003

The Environment Agency ("the Agency") hereby confirm that the above named person (or organisation) is a / the registered Holder of the Consent : BP0044503 Consent Issued : 31 March 2003

Nature of Discharge(s) STEC Sewage effluent

at SN2198522765 LLANBOIDY WWTW LLANBOIDY ST CLEARS

Note : This certificate should be kept with the consent document for future reference. If you transfer responsibility for the discharge to somebody else, you must pass the consent to them and tell the Agency within 21 days. Responsibility for the consent cannot be disclaimed by the Holder but the registration of Holder may be transferred to a successor. To do this, please complete the form below (Part B), then tear it off and return it to the address shown. If you fail to transfer the consent, even though you are no longer on the site, you will still be liable for prosecution for pollution. If you transfer the consent but do not tell us, you will be committing an offence. In case of any queries, please contact your local Environment Agency office, quoting the Consent Reference.

----- cut here -----

Part B

Please complete in block capitals or type

To: **Water Resources Act 1991 : Notice of transfer of Consent to Discharge**

Consent Reference : BP0044503

Name : DWR CYMRU CYFYNGEDIG

Consent Issued : 31 March 2003

Address : PENTWYN ROAD

NELSON

TREHARRIS

MID GLAMORGAN CF46 6LY

I / We* hereby serve notice on the Agency that I / we* am / are* no longer a / the* Holder of the above consent which will be / was* transferred to :

* delete as appropriate

Name(s) of the new Holder(s) :

Post Code :

Date of Transfer to new Holder(s)

Signed :

Dated :

Name (block capitals) :

Position (if appropriate) :

(to be completed when signing on behalf of corporate bodies)

^
Deddf Adnoddau Dŵr 1991
fel y'i diwygiwyd gan Ddeddf yr Amgylchedd 1995



**ASiantaeth yr
AMGYLCHEDD CYMRU
ENVIRONMENT
AGENCY WALES**

Caniatâd Gollwng

Tystysgrif Daliwr

Rhan A

**At : DWR CYMRU CYFYNGEDIG
PENTWYN ROAD
NELSON
TREHARRIS
MID GLAMORGAN CF46 6LY**

DS: I gorfforaeth gorfforedig mae teitl y swydd yn bwynt cysylltu.

Dyddiad Cychwyn y Daliwr : 31 Mawrth 2003

Mae Asiantaeth yr Amgylchedd ("yr Asiantaeth") yn cadarnhau drwy hyn mai / bod y sawl (neu sefydliad) a enwyd uchod yw / yn ddaliwr cofrestredig y caniatâd : BP0044503 Cyhoeddwyd y Caniatâd : 31 Mawrth 2003

Natur y Gollyngiad(au) : STEC Carthffrwd

yn SN2198522765 LLANBOIDY WWTW LLANBOIDY ST CLEARS

Noder : Dylid cadw'r dystysgrif hon gyda'r ddogfen ganiatâd i gyfeirio ati yn y dyfodol. Os byddwch yn trosglwyddo cyfrifoldeb am y gollyngiad i rywun arall, rhaid i chi drosglwyddo'r caniatâd iddo ef neu hi a dweud wrth yr Asiantaeth cyn pen 21 diwrnod. Ni all y Daliwr wadu cyfrifoldeb am y caniatâd, ond gall cofrestriad y Daliwr gael ei drosglwyddo i olynnydd. I wneud hynny, byddwch gystal â llenwi'r ffurflen isod (Rhan B), yna'i dychwelyd i'r cyfeiriad a nodir. Os fethwch â throsglwyddo'r caniatâd, hyd yn oed os nad ydych ar y safle mwyach, gallwch gael eich erlyn am achosi llygredd. Os trosglwyddwch y caniatâd ond heb ddweud wrthym, yna byddwch yn cyflawni trosedd. Os bydd gennych unrhyw ymholiadau a fydddech gystal â chysylltu â'ch swyddfa Asiantaeth yr Amgylchedd lleol, gan ddyfynnu Cyfeirnod y Caniatâd.

----- torrwch yma -----
Rhan B

Llenwch mewn priflythrennau bras neu deipio

At : Deddf Adnoddau Dŵr 1991 : Hysbysiad am drosglwyddo Caniatâd Gollwng

Cyfeirnod y Caniatâd : BP0044503

Enw : DWR CYMRU CYFYNGEDIG

Cyhoeddwyd y 31 Mawrth 2003

Cyfeiriad : PENTWYN ROAD

Caniatâd :

NELSON

TREHARRIS

MID GLAMORGAN CF46 6LY

Yr wyf fi / Yr ydym ni drwy hyn yn hysbysu'r Asiantaeth nad fi / ni mwyach yw* Daliwr / Deiliaid y caniatâd uchod a fydd yn cael / cafodd ei drosglwyddo i*

** dilêr fel yn briodol*

Enw(au) y Daliwr / Deiliaid newydd :

Côd Post :

Dyddiad Trosglwyddo i'r Daliwr / Deiliaid newydd :

Llofnodwyd :

Dyddiedig :

Enw (priflythrennau bras) :

Swydd (os yn briodol) :

(i'w llenwi pan yn llofnodi ar ran corfforaethau corfforedig)