

Permit Reference Number: EPR/NP3030BJ

Operator: EnerSys Ltd

Facility: EnerSys Newport

Form Number: A1

Reporting of Emissions to Air for the period from: 01/07/2025 – 30/09/2025

Emission Point	Substance / Parameter	Emission Limit Values [6]		Quarter Result [7]	Test Method [2]	Sample Date and Times [3]	Uncertainty [5]
A1	Lead	1.0 mg/m ³	Spot Sample	0.041	N/A	N/A – not operational	N/A
Mill 1					BS EN 14385:2004	04/08/2025	±0.003
					BS EN 14385:2004	01/09/2025	±0.001
A2	Lead	1.0 mg/m ³		0.041	N/A	N/A – not operational	N/A
Mill 2					BS EN 14385:2004	04/08/2025	±0.002
					BS EN 14385:2004	01/09/2025	±0.003
A3	Lead	<ul style="list-style-type: none"> 1.0 mg /m³ 		0.008	N/A	N/A – not operational	N/A
Mill 3					BS EN 14385:2004	05/08/2025	±0.029
					BS EN 14385:2004	01/09/2025	±0.001
A63	<ul style="list-style-type: none"> Lead 	<ul style="list-style-type: none"> 1.0 mg /m³ 		0.089	N/A BS EN 14385:2004	01/07/2025	±0.005
Mill 4					BS EN 14385:2004	04/08/2025	±0.002
					BS EN 14385:2004	02/09/2025	±0.001

Emission Point	Substance / Parameter	Emission Limit Values ^[6]	Reference Period	Quarter Result ^[7]	Test Method ^[2]	Sample Date and Times ^[3]	Uncertainty ^[5]
A4	• Lead	• 0.75 mg/m ³	Spot Sample	0.15	BS EN 14385:2004	07/08/2025	±0.012
A6	• Lead	1.0 mg/m ³		0.069	BS EN 14385:2004	05/08/2025	±0.005
A8	• Lead	1.0 mg/m ³		0.031	BS EN 14385:2004	05/08/2025	±0.003
A9	Lead	0.75 mg/m ³		0.044	BS EN 14385:2004	06/08/2025	±0.004
A10	• Lead	1.0 mg/m ³		0.034	BS EN 14385:2004	06/08/2025	±0.003
A11	Lead	1.0 mg/m ³		0.133	BS EN 14385:2004	07/08/2025	±0.010
A12	Lead	0.75 mg/m ³		0.043	BS EN 14385:2004	07/08/2025	±0.004
A13	• Lead	1.0 mg/m ³		0.195	BS EN 14385:2004	06/08/2025	±0.020

[1] The result given is the maximum value (or the minimum value in the case of a limit that is expressed as a minimum) obtained during the reporting period, expressed in the same terms as the emission limit value. Where the emission limit value is expressed as a range, the result is given as the 'minimum – maximum' measured values.

[2] Where an internationally recognised standard test method is used the reference number is given. Where another method that has been formally agreed with Natural Resources Wales is used, then the appropriate identifier is given. In other cases the principal technique is stated, for example gas chromatography.

[3] For non-continuous measurements the date and time of the sample that produced the result is given. For continuous measurements the percentage of the process operating time covered by the result is given.

[4] The uncertainty associated with the quoted result at the 95% confidence interval, unless otherwise stated.

Signed [REDACTED]
 (authorised to sign as representative of the Operator)

Date 28/10/2025.....

Facility: Enersys Newport

Form Number: W1

Reporting of Emissions to Water (other than to Sewer) for the period from: 01/07/2025 – 30/09/2025

Emissions to Water							
Emission Point	Substance / Parameter	Emission Limit Value	Result ^[1]	Test Method ^[2]	Sample Date and Times ^[3]	Accreditation/ Certification ^[4]	Uncertainty ^[5]
W1	Lead and its compounds	2.0mg/l ^[6]	0.623mg/l	WAS049	20/08/2025	ISO/IEC 17025:2005	22.26%
W1	Flow	Not applicable					
Operators comments:							

- [1] The result given is the maximum value (or the minimum value in the case of a limit that is expressed as a minimum) obtained during the reporting period, expressed in the same terms as the emission limit value. Where the emission limit value is expressed as a range, the result is given as the 'minimum – maximum' measured values.
- [2] Where an internationally recognised standard test method is used the reference number is given. Where another method that has been formally agreed with Natural Resources Wales is used, then the appropriate identifier is given. In other cases the principal technique is stated, for example gas chromatography.
- [3] For non-continuous measurements the date and time of the sample that produced the result is given. For continuous measurements the percentage of the process operating time covered by the result is given.
- [4] The accreditation status of the equipment and/or monitoring organisation, as appropriate, for the methods used for both sampling and analysis
- [5] The uncertainty associated with the quoted result at the 95% confidence interval, unless otherwise stated.
- [6] The emission limit value is expressed as a maximum individual value and corrected to 273K, 101.3kPa.

Signed [Redacted Signature] Date 28/10/2025.....
 (authorised to sign as representative of the Operator)

Permit Reference Number: ERP/NP3030BJ

Operator: Enersys Ltd

Facility: Enersys Newport

Form Number: S1

Reporting of Emissions to Sewer for the period from: 01/07/2025 – 30/09/2025

Emissions to Sewer							
Emission Point	Substance / Parameter	Emission Limit Value	Result ^[1]	Test Method ^[2]	Sample Date and Times ^[3]	Accreditation/ Certification ^[4]	Uncertainty ^[5]
S1	Lead and its compounds.	2.0mg/l ^[6]	1.18mg/l	WAS049	13/08/2025	ISO/IEC 17025:2005	22.26%
S1	pH	6-11 ^[7]	Min – 7.55 Max – 10.34	BS EN ISO 11885	18/08/2025 04/07/2025	N/A	
S1	Sulphates	not applicable	345	WAS036	10/09/2025	ISO/IEC 17025:2005	6.61%
S1	Suspended solids	not applicable	23	WAS006	17/09/2025 24/09/2025	ISO/IEC 17025:2005	11.39%
S1	Flow	150,000/day*	731518 LITRES OVER THE QUARTER	Continuous	01/07/2025-30/09/2025	MCERTS	6.29%

[1] The result given is the maximum value (or the minimum value in the case of a limit that is expressed as a minimum) obtained during the reporting period, expressed in the same terms as the emission limit value. Where the emission limit value is expressed as a range, the result is given as the 'minimum – maximum' measured values.

[2] Where an internationally recognised standard test method is used the reference, number is given. Where another method that has been formally agreed with Natural Resources Wales is used, then the appropriate identifier is given. In other cases the principal technique is stated, for example gas chromatography.

[3] For non-continuous measurements the date and time of the sample that produced the result is given. For continuous measurements the percentage of the process operating time covered by the result is given.

[4] The accreditation status of the equipment and/or monitoring organisation, as appropriate, for the methods used for both sampling and analysis

[5] The uncertainty associated with the quoted result at the 95% confidence interval, unless otherwise stated.

[6] The emission limit value is expressed as a maximum individual value and corrected to 273K, 101.3kPa.

[7] The emission limit values for pH are expressed as a maximum and minimum

Signed
(authorised to sign as representative of the Operator)

Date 28/10/2025.....