

# Form WRD: Application for a new abstraction licence or a technical variation to an abstraction licence

## Application type

Reference number (The number you generated in form WRA). Example:  
WRNATURALRESOURCESWALES1101

WRPLASCILYBEBYLL2411

For hydropower abstractions, specify the capacity (in kilowatts) of your scheme.

25kW or less

Are there any applications currently being assessed by us that are linked to this application?

No

Is the proposed abstraction going to be aggregated with another existing abstraction?

No

Are any applications, at the same site; being assessed by the Environment Agency?

No

## Abstraction details

Abstraction location name/reference

Intake

Abstraction point type

Single point

National Grid Reference

SN 75553 04360

Do you have any further points of abstraction?

No

## Means of abstraction

Provide full details of the equipment you propose to use to abstract water, such as maximum pump capacity and any relevant dimensions, e.g. pipe diameter. For groundwater abstractions, include details about the borehole (depth and diameter) and details of screening and lining.

Coanda Screen intake 1.3mm screen spacing

If necessary, continue on a separate sheet and upload below.

- File: CYBH-DWG-Intake-A-280725-ARC.pdf - [Download](#)

Please upload your drawings and calculations here. (Spreadsheet file formats need to be: .xls, .xlsx, or .ods)

- File: Cilybebyll V Notch Compensation Discharge-RevA.xls - [Download](#)

## Abstraction quantities

Abstraction location name/reference

Intake

What purpose will the water be used for?

Production of electricity

Period of abstraction

Will it be all year?

Yes

Maximum quantities (cubic metres)

**Annual** 1857120

**Daily** 5088

**Hourly** 212

Peak abstraction rate (in litres per second)

59

Number of hours of abstraction per day

24

Add quantities for another location?

No

## Calculations and supporting information

Use this section to show us how you have calculated the amount of water you require. This should include details of your operational regime (for example, number of hours and days you intend to abstract, number of units produced or area to be irrigated). We use this information to determine if the volumes you propose to abstract are appropriate for the purpose. Depending which industry you are in, you may need to provide additional information below.

If your proposal involves the provision of a residual flow via a notch or orifice, provide information on how this is being calculated. This should include details of the equation being used.

50% flow split  
Design flow of turbine is the annual mean flow

Additional document. (Spreadsheet file formats need to be: .xls, .xlsx, or .ods)

- File: Cilybebyll V Notch Compensation Discharge-RevA.xls - [Download](#)
- File: 1048\_26 - River Clydach at (275503, 204353) v2.pdf - [Download](#)

## Industry-specific requirements

	% abstraction and zone applied for	Average gradient of depleted reach (%)	Catchment size above abstraction point (kilometres squared)	Net head between abstraction and discharge points (metres)
	50	-	1.33	58

	Turbine efficiency (%)	System efficiency (%)	Maximum power output (kilowatts)	Annual capacity (kilowatt hours)
	80	70	25	65000

State the length of depleted reach (in metres)

974

Provide the flow data (in cubic metres per second) & ratios specified below:

<b>Q95</b>	0.007
<b>Q10</b>	0.137
<b>Qmean</b>	0.059
<b>What is the ratio of Q95:Qmean?</b>	0.119
<b>What is the ratio of Q10:Qmean?</b>	2.322

What low flow protection (Low flow protection is the flow rate above which abstraction can begin and is separate to the abstraction % take) do you propose to maintain in the depleted reach when the hydropower scheme is operating (in m<sup>3</sup>/s)?

0.007

## Means of measurement

State how you intend to measure the quantity of water you abstract. You do not need to do this for a temporary or transfer licence.

Power Generated

## Water efficiency

Provide details of what measures you provide or intend to implement, to ensure efficient use of water. This could include water storage, re-use or recirculation, monitoring and checking for leaks, undertaking water audits or other industry specific good practice.

Keeping system well maintained

## Fish and eel considerations (surface water abstractions only)

Does your proposal include measures to safeguard fish and eels? Only provide details of outfall screening if abstracted water is to be discharged back into a watercourse. For further guidance on appropriate screening Intake screening for fish (opens in new tab)

	<b>Intake</b>	<b>Outfall</b>
<b>Type of fish screen</b>	Coanda Screen	Vertical Bar
<b>Screen aperture size (mm)</b>	1.3	25

Confirm the fish species present at your site. If you're not proposing any measures to protect fish and eels, you must justify this. For example, we may have confirmed in our pre-application response that the intake is inaccessible to fish or you undertook a fish survey to confirm.

Resident Brown Trout

## Discharge details

If you intend to return any of the abstracted water to the environment, provide details below. Details of discharge location(s) should correspond with any maps submitted. Do not include discharges to a public sewage system.

Discharge location name / reference	National Grid Reference of discharge point (12 digit)	Total volume to be discharged (cubic metres)	Environmental Permit for Water Discharge Activity number (if applicable)
Outfall	SN 74841 03975	0.059	-
-	-	-	-
-	-	-	-
-	-	-	-

Provide a description of the structure and equipment involved in discharge.

Existing Outfall as per licenced by Plas Farm Hydro (shared powerhouse and outfall), licence number WA-058-0074-0012

## Other abstractors / water users

Provide details of nearby abstractors or users of water who could be affected by your proposal. This should include deregulated users (exempt activities or abstractions < 20 cubic metres per day), anglers and canoeists.

Your local authority's environmental health will hold details of exempt domestic abstractors.

None

## Planning application

Have you sought advice on your planning application?

No

## Declaration

By signing below, you are declaring that, to the best of your knowledge; the information given in this form, on any map and in any supporting or additional information; is true.

**Signed** Richard Bowen

**Print name** Richard Bowen

**position** Ownder

Date

\* 24/11/2025

## Submit your application

Enter your email address to get a copy of your application

adam@ellergreen.com