

Compliance Assessment Report CAR_NRW0050679

Permit being assessed: SP3537VQ.

For: Bryn Pica AD Plant EPR/SP3537VQ, **held by:** Biogen Bryn Pica Ltd

At: Bryn Pica Landfill Site , Aberdare, Rhondda-Cynon-Taff, CF44 0BX.

Type of assessment: Report/Data Review,

Reason: Routine.

On: 13/02/2026.

Parts of permit assessed: Monitoring.

NRW Lead Officer: Greg Gardner.

Report sent to: Mr. Richard HARRIS, Regional Compliance Manager, on 25/02/2026.

1. Summary of our findings (full details in section 4)

Part of permitted activity assessed (compliance criteria)	Assessment result	Permit condition
IR3A(1) - Installations - Emissions and monitoring - Emissions to water	Assessed (A)	
IR3A(2) - Installations - Emissions and monitoring - Emissions to air	Assessed (A)	
IR3A(3) - Installations - Emissions and monitoring - Emissions to land	Assessed (A)	

Result types are explained in more detail in the 'Important Information' section below.

Total non-compliances recorded	Total non-compliance score
0	0

How we use the non-compliance score to calculate your annual fee is explained in the 'Important Information' section below.

2. What action is required?

No action required.

3. What will happen next?

Any non-compliance we have identified and recorded on this form is an offence. It can result in criminal prosecution and/or suspension or revocation of your permit.

At this time, we do not intend to take any further action.

This statement does not stop us from taking additional enforcement action if further relevant information comes to light or offences continue.

4. Details of our assessment

This report details the annual emissions monitoring at the Biogen Bryn Pica Ltd AD Plant, permit reference number EPR/SP3537VQ.

As part of the sites environmental permit, under section 4.2 (reporting), the site must submit periodic reports detailing emissions from site.

EMISSIONS TO AIR

The emissions monitoring data was submitted to NRW by Biogen Bryn Pica Ltd on 28/01/26. Following review of the data, the information supplied is **compliant** with the permit.

Emission Point	Substance / Parameter	Emission Limit Value	Reference Period	Result ^[1]	Test Method ^[2]	Sample Date and Times ^[3]	Uncertainty ^[4]
A1	Oxides of nitrogen (NO and NO ₂ expressed as NO ₂)	500 mg/m ³	Hourly mean	443 mg/m ³	BS EN 14792	08/09/2025 12:20-13:20	16
A1	Carbon monoxide	1400 mg/m ³	Hourly mean	826 mg/m ³	BS EN 15058		27
A1	Total Volatile Organic Compounds (VOCs)	1000 mg/m ³	Hourly mean	681 mg/m ³	BS EN12619		36
A1	Sulphur Dioxide	350 mg/m ³	Hourly mean	0.78 mg/m ³	BS EN 14791		0.06
A2	Oxides of nitrogen (NO and NO ₂ expressed as NO ₂) ^[5]	150 mg/m ³	Hourly mean	N/A	BS EN 14792	N/A	N/A
A2	Carbon monoxide ^[5]	50 mg/m ³	Hourly mean	N/A	BS EN 15058	N/A	N/A
A2	Total Volatile Organic Compounds (VOCs) ^[5]	10 mg/m ³	Hourly mean	N/A	BS EN12619:1999 or 13526:2002	N/A	N/A
A5	Ammonia (NH ₃) ^[6]	20 mg/m ³	Every 6 months	1.42 mg/m ³	EN ISO 21877	24/04/2025 11:05-11:35	N/A
				1.60 mg/m ³		02/10/2025 10:35-11:05	

Emission Point	Substance / Parameter	Emission Limit Value	Reference Period	Result ^[1]	Test Method ^[2]	Sample Date and Times ^[3]	Uncertainty ^[4]
A5	Hydrogen sulphide (H ₂ S) ^[6]	No Set Limit	Every 6 months	<1.35 mg/m ³	US EPA Method 11 (Impinger method), and CEN TS 13649 (Charcoal tube), US EPA Method 15	24/04/2025 10:28-10:58	N/A
				2.38 mg/m ³		02/10/2025 10:00-10:30	

EMISSIONS TO WATER

The emissions monitoring data was submitted to NRW by Biogen Bryn Pica Ltd on 28/01/26. Following review of the data, the information supplied is **compliant** with the permit.

Emission Point	Substance / Parameter	Emission Limit Value	Reference Period	Result ^[1]	Test Method ^[2]	Sample Date and Times ^[3]	Uncertain ^[4]
W1	Oil and grease	None visible	Periodic (prior to discharge)	No visible oil and grease	Visual check	01/01/2025 - 31/12/2025	N/A

ANNUAL ENERGY USAGE

The monitoring data was submitted to NRW by Biogen Bryn Pica Ltd on 28/01/26. Following review of the data, the information supplied is **compliant** with the permit.

Energy Source	Energy Usage		Specific Usage (MWh/unit output)
	Quantity	Primary Energy (MWh)	
Electricity *	226.12 MWh	542.68 MWh	0.011 MWh/tonne
Natural Gas	N/A	N/A	N/A
Gas Oil	N/A	N/A	N/A
Recovered Fuel Oil	N/A	N/A	N/A
TOTAL	226.12 MWh	542.68 MWh	0.011 MWh/tonne

ANNUAL WATER USAGE

The monitoring data was submitted to NRW by Biogen Bryn Pica Ltd on 28/01/26. Following review of the data, the information supplied is **compliant** with the permit.

Water Source	Usage (m ³ /year)	Specific Usage (m ³ /unit output)
Mains water	496 m ³	0.068 m ³ /tonne
Bund Water	905 m ³	
TOTAL WATER USAGE	1401 m ³	

ANNUAL PERFORMANCE PARAMETERS

The monitoring data was submitted to NRW by Biogen Bryn Pica Ltd on 28/01/26. Following review of the data, the information supplied is **compliant** with the permit.

Parameter	Units
Total raw material used	20,555 tonnes
Total amounts of waste treated	20,555 tonnes
Biogas produced by AD Facility	2,431.342m ³
Power output - electricity	9897.60 MWh
Energy efficiency	95.28%
Electrical energy exported to the grid	9,131.8 MWh
Electrical energy drawn from the grid	2.49 MWh
Operational time of emergency flare	5.36%
Amount of gas sent to emergency flare	225,238 m ³
Generation of residue waste	740.86 Tonnes
Generation of wastewater	0 m ³
Amount of biogas combusted in the CHP unit per day	6661.21 m ³ /day

In this document 'Natural Resources Wales' means the Natural Resource Body for Wales established by Article 3 of the Natural Resources Body for Wales (Establishment) Order 2012

END.

If you have any queries about this report, or to discuss completion of any actions, please contact the NRW Officer named above.

Important information

Legal status of this report

Your permit is issued to you under the Environmental Permitting Regulations. You have a responsibility to comply with the conditions of your permit and prevent pollution/harm of the environment. You must also ensure that you comply with any other relevant legislation that may apply to your site's operations.

This report explains the findings of our assessment and any action you are required to take. We categorise non-compliance using our guidance for assessing non-compliance at regulated sites.

When we find potential non-compliance/s we will normally give you advice on how to maintain compliance.

To correct non-compliance, we may:

- require you to take specific actions
- issue a notice
- review the conditions of your permit.

Any advice and guidance we give will be without prejudice to any other enforcement response that we consider may be required.

Assessment results and non-compliance categories (used in section 1):

Assessment result	Description
Assessed (A)	Assessed or assessed in part, no evidence of non-compliance found
Action only (X)	Action required for the permit condition assessed to avoid non-compliance. No non-compliance scored at this time
Ongoing (O)	Ongoing non-compliance, not scored

Non-compliance category	Description	Score
C1 Major	Potential to have a major, serious, persistent and/or extensive impact or effect on the environment, people and/or property	60
C2 Significant	Potential to have a significant impact or effect on the environment, people and/or property	31
C3 Minor	Potential to have a minor or minimal impact or effect on the environment, people and/or property	4
C4 No environmental impact	Non-compliance at a regulated site that cannot foreseeably have any impact on the environment, people and/or property	0.1

How we use assessment scores

The number and severity of non-compliances recorded in a year will affect your annual subsistence fee the following year. A non-compliance factor is added to your site's Operator Performance Risk Appraisal (OPRA) score when we calculate your fee to reflect the additional resource we use to assess permit compliance.

If your assessment result in Section 1 is suspended, what does this mean?

In line with our guidance, we may suspend scores for up to six months to allow time for remedial action to be taken. Suspended scores will be re-instated if the action is not completed.

Full list of Industry compliance criteria (used in section 1 and 2):**1. Management**

- IR1A – General management
- IR1B – Finance (only applicable to Landfill)
- IR1C – Energy efficiency
- IR1D - Efficient use of raw materials
- IR1E - Avoidance, recovery and disposal of wastes produced by the activities
- IR1F - Multiple operator installations

2. Operations

- IR2A – Permitted activities
- IR2B – The site
- IR2C – Operating techniques
- IR2D – Technical requirements
- IR2E – Improvement programme
- IR2F – Pre-operational conditions
- IR2G – Landfill engineering (only applicable to Landfill)
- IR2H – Waste acceptance (only applicable to Landfill)
- IR2I – Leachate levels (only applicable to Landfill)
- IR2J – Closure and aftercare (only applicable to Landfill)
- IR2K – Landfill gas management (only applicable to Landfill)

3. Emission and Monitoring

- IR3A(1) – Emissions to water
- IR3A(2) – Emissions to air
- IR3A(3) – Emissions to land
- IR3B – Emissions of substances not controlled by emission limits
- IR3C – Odour
- IR3D – Noise and vibration
- IR3E – Monitoring
- IR3F – Pests
- IR3G – Air quality management plans
- IR3H – Monitoring for the purposes of the Industrial Emissions Directive (this heading includes Large Combustion Plants)
- IR3I – Fire

4. Information

- IR4A – Records
- IR4B – Reporting
- IR4C – Notification

Enforcement response

Any non-compliance with a permit condition is an offence and we may take legal action against you. Action we take can include prosecution, serving a notice on you and/or suspension or revocation of your permit. See our Enforcement and Sanctions Guidance for further information.

Data protection notice

You should make sure that anyone named in this report knows that the information it contains will be processed by Natural Resources Wales to fulfil its regulatory and monitoring functions and to maintain the relevant public register(s).

We may also use and/or disclose the report in connection with:

- offering or providing you with our literature or services relating to environmental matters
- consulting with the public, public bodies and other organisations (e.g. Health and Safety Executive, local authorities) on environmental issues
- carrying out statistical analysis, research and development on environmental issues
- providing public register information to enquirers
- investigating possible breaches of environmental law
- assessing customer service satisfaction and improving our service
- Freedom of Information Act or Environmental Information Regulations requests.

We may also pass it on to our agents or representatives to do these things on our behalf.

Disclosure of information – this report will be available to view on-line

If you think this report contains commercially confidential information that should not be placed on our public register, you must contact your local Natural Resources Wales office within **fifteen working days** of receiving this report, using the contact details in the accompanying email or letter. You must give a full explanation of why it should not be added to our public register, including specifying which information is commercially confidential. We will assess your request and respond to you within twenty working days to let you know if we agree to your request.

Disputing the Content of this Compliance Assessment Report Form

If you disagree with the content of this Compliance Assessment Report form, you should submit your concerns, in writing, to the regulating officer who issued it within **15 working days** of its issue. This will be treated as a **Stage 1 review**.

If you are not satisfied with the outcome of the stage 1 review, you may request a **Stage 2 appeal**. This request must be submitted **within 21 working days** of receiving the response from the stage 1 review.

Further details on our review and appeal process are available at: [Natural Resources Wales / Appeal a regulatory decision from Natural Resources Wales](#)

Concerns Not Related to the Content of this Compliance Assessment Report Form

If your concerns do not relate to the content of the Compliance Assessment Report form, you should first attempt to resolve the issue with the regulating officer or their line manager.

If the issue remains unresolved, please contact our **Customer Contact Team**:

- **Telephone:** 0300 065 3000 (Monday to Friday, 09:00–17:00)
- **Email:** enquiries@naturalresourceswales.gov.uk

They will provide details on how to escalate your concerns through our **Complaints and Commendations procedure**.

If you are dissatisfied with our response, you may contact the **Public Services Ombudsman for Wales**:

- **Telephone:** 0300 790 0203
- **Email:** ask@ombudsman.wales

Welsh Language Standards

We are committed to establishing Natural Resources Wales as a naturally bilingual organisation. We will provide compliance reports in your preferred language.