

## Compliance Assessment Report CAR\_NRW0050808

**Permit being assessed:** BP0159901

**For:** HAMLET 'A' PS FOREST VILLAGE (EMERG, **held by:** DWR CYMRU CYFYNGEDIG

**At:** HAMLET 'A' PS FOREST VILLAGE (EM, FOREST VILLAGE (EMERGENCY) TIRC, TIRCOED ,, TIRCOED ,, ,.

**Type of assessment carried out:** Site Inspection,

**Reason:** Routine.

**On** 10/02/2026, between 10:00 and 10:20.

**Parts of permit assessed:** Conditions of Consent - 4 (i - iv)

**NRW Lead Officer:** Gareth Martin, accompanied by: Sarah Bennett.

**Report sent to:** CARS Mailbox, CARS Mailbox, on 09/03/2026.

### 1. Summary of our findings (full details in section 4)

Part of permitted activity assessed (criteria)	Assessment result	Non-compliant permit condition
WQ-B2 - Water Quality - Operations - The site	Action only (X)	
WQ-B3 - Water Quality - Operations - Operating techniques	Assessed (A)	

Result types are explained in more detail in the 'Important Information' section below.

### 2. What action is required?

Criteria	Action needed	Complete by
WQ-B2	Please confirm if this Pumping Station has an Emergency Overflow or not. If it does, please provide the NGR for the point of overflow and the point of discharge and details of screening.	27/08/2026

Action criteria codes are listed in the 'Important information' section below.

### 3. What will happen next?

Any non-compliance we have identified and recorded on this form is an offence. It can result in criminal prosecution and/or suspension or revocation of your permit.

**At this time, we do not intend to take any further action.**

This statement does not stop us from taking additional enforcement action if further relevant information comes to light or offences continue.

#### 4. Details of our assessment

*Please note this Compliance Assessment Report is in relation to BP0159901, Tircoed Pumping Station. It is incorrectly named on our system as Hamlet 'A' PS Forest Village.*

The purpose of this Compliance Assessment Report is to:

- Record our findings from a site inspection

On the 10<sup>th</sup> February 2026 we carried out an inspection of Tircoed Pumping Station (PS). The inspection was carried out in conjunction with Dwr Cymru. There was light rainfall before our visit, it had been raining overnight and on the days preceding the inspection.

The descriptive permit for Tircoed PS allows for a discharge in an Emergency only as defined in the permit conditions. There is no permit in place to discharge storm sewage.

You told us that the wet well had a high level alarm and we observed a sensor within the chamber and you informed us that the telemetry on site was updated in 2025.

We observed two pumps at the PS, you told us that they were duty and standby. You confirmed that they were alarmed.

The permitted storage is equivalent to a total of at least 6 hours DWF. We discussed this during the inspection and you thought that the storage within the wet well could offer the storage as permitted. We did not measure the storage during the inspection.

We were unable to locate the point of overflow and could, therefore, not confirm if any discharge would be screened. The permit in place requires any discharges to be screened.

It is possible that the Emergency Overflow from this pumping station historically discharged via the EO from a nearby PS (Asset 72848 BP0159902 Hamlet 'A' PS) which was blocked up and the permit revoked in 2014.

#### **Action:**

**Please confirm if this Pumping Station has an Emergency Overflow or not. If it does, please provide the NGR for the point of overflow and the point of discharge and details of screening.**

During this inspection, we did not identify any non-compliances.

Thank you.

End

If you have any queries about this report, or to discuss completion of any actions, please contact the NRW Officer named above.

## Important information

### Legal status of this report

Your permit is issued to you under the Environmental Permitting Regulations. You have a responsibility to comply with the conditions of your permit and prevent pollution/harm to the environment. You must also ensure that you comply with any other relevant legislation that may apply to your site's operations.

This report explains the findings of our assessment and any action you are required to take. We categorise non-compliance using our guidance for assessing non-compliance at regulated sites.

When we find potential non-compliance/s we will normally give you advice on how to maintain compliance.

To correct non-compliance, we may:

- require you to take specific actions
- issue a notice
- review the conditions of your permit.

Any advice and guidance we give will be without prejudice to any other enforcement response that we consider may be required.

### Assessment results and non-compliance categories (used in section 1):

Assessment result	Description
Assessed (A)	Assessed or assessed in part, no evidence of non-compliance found
Action only (X)	Action required for the permit condition assessed to avoid non-compliance. No non-compliance scored at this time
Ongoing (O)	Ongoing non-compliance, not scored

Non-compliance category	Description
C1 Major	Potential to have a major, serious, persistent and/or extensive impact or effect on the environment, people and/or property
C2 Significant	Potential to have a significant impact or effect on the environment, people and/or property
C3 Minor	Potential to have a minor or minimal impact or effect on the environment, people and/or property
C4 No environmental impact	Non-compliance at a regulated site that cannot foreseeably have any impact on the environment, people and/or property

**Full list of water quality action criteria (used in section 1 and 2):****WQ A: Management**

- WQ-A1 General management

**WQ B: Operations**

- WQ-B1 Permitted activities
- WQ-B2 The site
- WQ-B3 Operating techniques
- WQ-B4 Improvement programme
- WQ-B5 Pre-operational conditions

**WQ C: Emissions and monitoring**

- WQ-C1 Emissions to water
- WQ-C2 Emissions to land
- WQ-C3 Emissions of substances not controlled by emission limits
- WQ-C4 Monitoring
- WQ-C5 Installation of monitoring boreholes

**WQ D: Information**

- WQ-D1 Records
- WQ-D2 Reporting
- WQ-D3 Notifications

**Enforcement response**

Any non-compliance with a permit condition is an offence and we may take legal action against you. Action we take can include prosecution, serving a notice on you and/or suspension or revocation of your permit. See our Enforcement and Sanctions Guidance for further information.

**Data protection notice**

You should make sure that anyone named in this report knows that the information it contains will be processed by Natural Resources Wales to fulfil its regulatory and monitoring functions and to maintain the relevant public register(s).

We may also use and/or disclose the report in connection with:

- offering or providing you with our literature or services relating to environmental matters
- consulting with the public, public bodies and other organisations (e.g. Health and Safety Executive, local authorities) on environmental issues
- carrying out statistical analysis, research and development on environmental issues
- providing public register information to enquirers
- investigating possible breaches of environmental law
- assessing customer service satisfaction and improving our service
- Freedom of Information Act or Environmental Information Regulations requests.

We may also pass it on to our agents or representatives to do these things on our behalf.

**Disclosure of information – this report will be available to view on-line**

If you think this report contains commercially confidential information that should not be placed on our public register, you must contact your local Natural Resources Wales office within **fifteen working days** of receiving this report, using the contact details in the accompanying email or letter. You must give a full explanation of why it should not be added to our public register, including specifying which information is commercially confidential. We will assess your request and respond to you within twenty working days to let you know if we agree to your request.

**Disputing the Content of this Compliance Assessment Report Form**

If you disagree with the content of this Compliance Assessment Report form, you should submit your concerns, in writing, to the regulating officer who issued it within **15 working days** of its issue. This will be treated as a **Stage 1 review**.

If you are not satisfied with the outcome of the stage 1 review, you may request a **Stage 2 appeal**. This request must be submitted **within 21 working days** of receiving the response from the stage 1 review.

Further details on our review and appeal process are available at: [Natural Resources Wales / Appeal a regulatory decision from Natural Resources Wales](#)

**Concerns Not Related to the Content of this Compliance Assessment Report Form**

If your concerns do not relate to the content of the Compliance Assessment Report form, you should first attempt to resolve the issue with the regulating officer or their line manager.

If the issue remains unresolved, please contact our **Customer Contact Team**:

- **Telephone:** 0300 065 3000 (Monday to Friday, 09:00–17:00)
- **Email:** [enquiries@naturalresourceswales.gov.uk](mailto:enquiries@naturalresourceswales.gov.uk)

They will provide details on how to escalate your concerns through our **Complaints and Commendations procedure**.

If you are dissatisfied with our response, you may contact the **Public Services Ombudsman for Wales**:

- **Telephone:** 0300 790 0203
- **Email:** [ask@ombudsman.wales](mailto:ask@ombudsman.wales)

**Welsh Language Standards**

We are committed to establishing Natural Resources Wales as a naturally bilingual organisation. We will provide compliance reports in your preferred language.