

WATER RESOURCES ACT 1991  
as amended by the Environment Act 1995

**Consents to Discharge  
Certificate of Holder**



ASIANTAETH YR  
AMGYLCHEDD CYMRU  
ENVIRONMENT  
AGENCY WALES

PR

**Part A**  
**To:** DENBIGHSHIRE COUNTY COUNCIL  
HOUSING SERVICES  
FRONFIATH  
R/O RUSSELL HOUSE  
CHURTON ROAD RHYL LL18 3DP

COPY  
84 JUL 2002

NB: For a body corporate the job title is a point of contact.  
Holder Start Date: 28/06/02

The Environment Agency ("the Agency") hereby confirm that the above named person is a/the registered holder of consent CM0012601 Consent Issued: 17/01/1994

Nature of Discharge(s); STEC Treated sewage Effluent - Continuous  
at SJ0720074620 HOUSING ESTATE DYFFRYN TEG RHUALLT

Note: This certificate should be kept with the consent document for future reference. If you transfer responsibility for the discharge to somebody else you must pass the consent to them and tell the Agency within 21 days. Responsibility for the consent cannot be disclaimed by the holder but the registration of holder may be transferred to a successor. To do this please complete the form below, then tear it off and return it to the address shown. If you fail to transfer the consent, even though you are no longer on the site, you may still be liable for prosecution for pollution. If you transfer the consent but do not tell us, you will be committing an offence. In case of any queries please contact your local Environment Agency office.

-----cut here-----

**Part B** Please complete in block capitals or type.

**To:**

**Water Resources Act 1991: Notice of transfer of consent to discharge**

Consent CM0012601 Name: DENBIGHSHIRE COUNTY COUNCIL  
Consent Issued: 17/01/1994 Address: HOUSING SERVICES  
FRONFIATH  
R/O RUSSELL HOUSE  
CHURTON ROAD RHYL LL18 3DP

I/We\* hereby serve notice on the Agency that I/we\* am/are\* no longer a/the\* Holder of the above consent which will be/was\* transferred to:

\* delete as appropriate

**Name(s) of new holder(s):**

**Address:**

**Post Code:**

**Date of Transfer to new Holder(s);** .....



CM0012601\_2006\_03\_07

**Signed:**..... **Dated:** .....

**Name (block capitals):**..... **Position:** .....

**Deddf Adnoddau Dwr 1991**  
fel y'i diwygiwyd gan Ddeddf yr Amgylchedd 1995  
**Caniatâd Gollwng**  
**Tystysgrif Daliwr**



**ASiantaeth YR**  
**AMGYLCHEDD**

**Rhan A**

**At:**

DENBIGHSHIRE COUNTY COUNCIL  
HOUSING SERVICES  
FRONFIATH  
R/O RUSSELL HOUSE  
CHURTON ROAD RHYL LL18 3DP

DS: I gorff corfforedig mae teitl y swydd yn bwynt cysylltu.  
Dyddiad Cychwyn Daliwr: 28/06/02

Mae **Asiantaeth yr Amgylchedd** ("yr Asiantaeth") yn hysbysu'r Cychwyniad uchod a'r hysbysu uchod yw/yn ddaliwr cofrestredig uy caniatâd

STE C Treated sewage Effluent - Continuous

Natur y gollwng: 074620 HOUSING ESTATE DYFFRYN TEG RHUALLT  
yn

Nodyn: Dylid cadw'r dystysgrif hon gyda'r ddogfen ganiatâd i gyfeirio ati yn y dyfodol. Os byddwch yn trosglwyddo cyfrifoldeb y gollwng i rywun arall, rhaid i chi gyflwyno'r caniatâd iddo ef neu hi a dweud wrth yr Asiantaeth cyn pen 21 diwrnod. **Ni all y daliwr wadu cyfrifoldeb y gollwng, ond gall cofrestriad y daliwr gael ei drosglwyddo i olynnydd.** I wneud hynny, byddwch cystal â llenwi'r ffurflen isod, ei datgysylltu a'i dychwelyd i'r cyfeiriad a nodir. Os methwch drosglwyddo'r caniatâd, hyd yn oed os nad ydych ar y safle mwyach, gallwch fod yn agored yr un fath i gael eich erlyn am lygru. Os trosglwyddwch y caniatâd ond heb ddweud wrthom, byddwch yn cyflawni trosedd. Os bydd gennych ymholiadau, byddwch cystal â chysylltu â swyddfa Asiantaeth yr Amgylchedd yn lleol.

**Rhan B Llenwch mewn priflythrennau bras neu deipio.**

**At:**

**Deddf Adnoddau Dwr 1991: Hysbysiad am drosglwyddo caniatâd gollwng**

CM0012601

DENBIGHSHIRE COUNTY COUNCIL

**Caniatâd:**

**Enw:**

Cyhoeddwyd Caniatâd: 17/01/1994

**Cyfeiriad:**

HOUSING SERVICES

FRONFIATH

R/O RUSSELL HOUSE

CHURTON ROAD RHYL LL18 3DP

Yr wyf fi/Yr ydym ni\* drwy hyn yn hysbysu'r Asiantaeth nad fi/ni/nad wyf/ydym mwyach yw/yn\* Ddeiliad y caniatâd uchod. Caiff/Cafodd hwnnw ei drosglwyddo i:

\*dilewch yn ôl yr angen

**Enw(au) y Daliwr/Dalwyr newydd:**

**Cyfeiriad:**

**Cod Post:**

**Dyddiad Trosglwyddo i'r Daliwr/Dalwyr newydd:** .....

**Llofnodwyd:**..... **Dyddiedig:** .....

**Enw Enw (priflythrennau bras):**..... **Safle:** .....

**Water Resources Act 1991**  
as amended by the Environment Act 1995  
**Consent to Discharge**  
**Certificate of Holder**



**ENVIRONMENT**  
**AGENCY**

21 April 1997

**Part A**

**To:** DENBIGHSHIRE COUNTY COUNCIL  
CHIEF EXECUTIVE OFFICER  
COUNCIL OFFICES  
WYNNSTAY ROAD  
RUTHIN LL15 1AT

The Environment Agency ("the Agency") hereby confirm that the above named person is a/the registered holder of consent CM0012601

Nature of Discharge(s); SEWAGE EFF/TREATED EFF/CONTINUOUS  
at

HOUSING ESTATE, DYFFERYN TEG, RHUALLT

Note: This certificate should be kept with the consent document for future reference. If you transfer responsibility for the discharge to somebody else you must pass the consent to them and tell the Agency within 21 days. **Responsibility for the consent cannot be disclaimed by the holder but the registration of holder may be transferred to a successor.** To do this please complete the form below, then tear it off and return it to the address shown. If you fail to transfer the consent, even though you are no longer on the site, you may still be liable for prosecution for pollution. If you transfer the consent but do not tell us, you will be committing an offence. In case of any queries please contact your local Environment Agency office.

**Part B** Please complete in block capitals or type.

**To:**

**Water Resources Act 1991: Notice of transfer of consent to discharge**

**Consent:** CM0012601

**Name:** DENBIGHSHIRE COUNTY COUNCIL  
**Address:** CHIEF EXECUTIVE OFFICER  
COUNCIL OFFICES  
WYNNSTAY ROAD  
RUTHIN LL15 1AT

I/We\* hereby serve notice on the Agency that I/we\* am/are\* no longer a/the Holder of the above consent which will be/was\* transferred to: delete as appropriate

**Name(s) of new holder(s):**

**Address:**

**Post Code:**

**Date of Transfer to new Holder(s):** .....

**Signed:** .....

**Dated:** .....

**Name (block capitals):** .....

**Position:** .....



# NOTICE TO THE ENVIRONMENT AGENCY\*

## Environment Act 1995, Schedule 23, para 21(2)(b)(ii)



\*The notes below may help in completing this notice.

WITH RESPECT TO THE FOLLOWING CONSENT [as given by the National Rivers Authority (or its predecessors)] WHICH WAS IN FORCE ON 31st MARCH 1996,

Name on former NRA Register on 31/3/96 RHUDDLAN BOROUGH COUNCIL

Consent Number CM0012601 Date consent was given 17th JANUARY 1994  
or last reviewed

for the making of a discharge/~~several discharges~~ of SEWAGE EFFLUENT  
at Discharge Site Address HOUSING ESTATE, DYFFEYN TEG., RHUALLT

I HEREBY GIVE NOTICE TO THE ENVIRONMENT AGENCY THAT I AM THE PERSON MAKING THE DISCHARGE(S) REFERRED TO ABOVE AND THAT I PROPOSE TO RELY ON this consent / the consents as on the attached signed and dated list\*\* *Delete as appropriate*  
AFTER 1st OCTOBER 1996 AND WISH TO BE REGISTERED AS THE CONSENT HOLDER.

Name of Consent Holder ('the Discharger') DENBIGHSHIRE COUNTY COUNCIL  
<If you are a body corporate please complete with the registered name/address of the body corporate - see note 2 below>

Address COUNTY OFFICES, WYNNSTAY ROAD,  
RUTHIN, DENBIGHSHIRE Post Code LL15 1AT

SIGNED J. V. Thomas DATED 25/9/96

<job title CHIEF EXECUTIVE OFFICER>  
<being the person with the delegated authority to sign of behalf of a body corporate - see note 2 below>

### NOTES TO HELP YOU TO COMPLETE THIS NOTICE

1. If you are attaching a list of consents (as prepared by us from the NRA Register as on 31/3/96) then please overwrite the top section of this notice with the words 'Consents as on attached signed and dated list'. You should thoroughly check this list and modify and initial where necessary before signing and dating each page of the list and attaching to this completed notice. You may of course use your own list of consents you propose to rely on provided that the information above is included in full and each page is signed and dated.
2. In addition to an individual, a 'person' in legal terms may refer to a 'body corporate' (e.g. public limited company ('plc'), limited company, local authority etc.). In these cases the body corporate will be registered as the consent holder. The person signing on behalf of the body corporate will be the person who has the power to do so (usually the Company Secretary for a plc or limited company, the Chief Executive for a local authority etc). The legal validity of the signatory is the responsibility of the body corporate. If you are signing with the delegated authority of the body corporate, please indicate your job title.
3. Legal advice may be advisable for some situations (e.g. grant maintained schools outside of local authority control).
4. If you are a partnership or registered charity then up to 4 partners/trustees should individually complete this notice. These partners/trustees will then be registered as joint consent holders.
5. If you share the making of the discharge(s) with another person(s) then you should all complete the notice and be registered as joint consent holders. (e.g. householders individually and severally discharging via a common private sewage treatment works).
6. If in doubt, it may help to consider the 'person' as the person, either individually or severally, who would apply for the consent if an application were in future to be made to the Environment Agency. Under the amended legislation, ONLY the registered consent holder may in future apply to the Agency for a variation of the consent.

NOTE: The responsibility for this notice rests entirely with you and the Agency cannot be held responsible in any way for mistakes made as a result of the notes above (or otherwise) which are given in good faith.

130807


Huw Roberts BSc CEng DMS FICE FIHT MIMgt  
Cyfarwyddwr Gwasanaethau Technegol  
Director of Technical Services



CYNGOR  
**Sir Ddinbych**  
**Denbighshire**  
COUNTY COUNCIL

Environment Agency  
Rivers House  
St. Mellons Business Park  
CARDIFF  
CF3 0LT

f.a.o. Becky Carrington



Eich cyf Your ref  
Ein cyf Our ref  
Dyddiad Date  
Rhif union Direct dial

11/23/SCB

26 September 1996

S. C. Biddle 01745 536403

updated 11.12.96  
flex

Dear Madam,

Further to my fax yesterday, please find enclosed the original signed 523 form for the Council's sewage treatment plants (4 No.)

Yours sincerely

R.P.

HEAD OF TECHNICAL SERVICES

MESSAGE DISPLAY FOR M.SQUIRE

To Mark

From: A.W.GRIFFITHS Host: ST.MELLONS  
Postmark: May 06,94 3:47 PM Delivered: May 06,94 3:47 PM  
Status: Previously read  
Subject: CM0012601 - Rhuddlan BC

-----  
Message:


This consent was reviewed 17-JAN-1994. Version 1 was suspended on billing so they got a new bill (£165) based on version 2, but no rebate corresponding to version 2. Version 1 should be released on a future CPR. They're going to write FAO M.Squire so don't do the amendment til then at least.  
Their contact is Mr Evason (Something like that anyway) 0745 852484 ext 246

-----X-----

*Release the suspended  
version on CFD.*

*Version 2 released 20/01/94  
Checked on CFD 22/06/94 MS*

H. E. ROBERTS, B.Sc., C.Eng., DMS,  
FICE, FIHT, MIMgt.  
Borough Engineer and Surveyor  
Tel: (0745) 852484  
Fax: (0745) 886850



MUNICIPAL OFFICES  
NANT HALL ROAD,  
PRESTATYN,  
CLWYD,  
LL19 9LL.

OUR REF. 11/23/MAE/DW

YOUR REF.

(Ext. 246 ) Please ask for MR. M. A. EVASON

9 May 1994

National Rivers Authority,  
Rivers House,  
St. Mellons Business Park,  
St. Mellons,  
CARDIFF,  
CF3 OLT.

F.a.o. Mark Squire

Dear Sirs,


DYFFRYN TEG SEWAGE TREATMENT WORKS  
DISCHARGE CM 0012601-2-1

I return herewith your bill and calculation sheets for the above discharge consent.

The Council have already paid the 1993/4 account in full and the additional charge of £165.62 is incorrect. I understand that a refund may be due to the Council for last year's monitoring account.

I should be pleased to receive your revised accounts.

Yours faithfully,

  
p.p. Borough Engineer and Surveyor.

Encs.

engdocs\sewerage\23\me0905d1

20. APRIL 94

RHUDDLAN B.C.

Dear Sirs,


RE: CHARGING FOR DISCHARGES; CUSTOMER REFERENCE - 57358

Please find enclosed an account in respect of one or more of your consents.

- This credit account has been generated due to the revocation of this Consent(s) and cancels the earlier invoice you were sent.
- This credit account has been generated due to the revocation of this Consent(s) and reduces the charge payable. The balance now outstanding is £\_\_\_\_\_.
- This account refers to charges for the period 17.1.94 to 31.2.95. CM 0012601.2.1
- ~~This credit account has been generated as a result of a variation to your Consent conditions.~~ The balance now outstanding is £ 749.12.

I trust the information enclosed is satisfactory, but should you require further details please ask for extension 4324/4322 on the number below.

Yours faithfully,

  
Hywel Tudor  
REGIONAL FINANCE MANAGER

# DISCHARGE ACCOUNT / CYFRIF GOLLWNG

NATIONAL RIVERS AUTHORITY, AWDURDOD AFONYDD CENEDLAETHOL

WELSH REGION,  
P.O. BOX 425  
ST. MELLONS BUSINESS PARK  
ST. MELLONS, CARDIFF CF3 0LT  
Telephone Cardiff (0222) 770088

RHANBARTH CYMRU  
BLWCH PO 425  
PARC BUSNES LLANEIRWG,  
LLANEIRWG, CAERDYDD CF3 0LT  
TELEFFON CAERDYDD (0222) 770088

CUSTOMER REFERENCE CYFEIRNOD Y CWSMER

DATE AND TAX POINT DYDDIAD A PHWYNT TRETH

RHIF COF TAW  
VAT REG. NO. 535 4997 06

Please quote customer reference in all communications. Where there are two instalments you may pay the second with the first. Please see over for PAYMENT METHODS

Byddwch cystal â rhoi'ch cyfeirnod cwsmer mewn pob gohebiaeth.  
Pan fydd dau randaliad, gallwch dalu'r ail gyda'r cyntaf Gweler trosodd am y DULLIAU TALU.



[Faint, illegible text in a box]

CONSENT DISCHARGE NUMBER RHIF CANIATÂD GOLLWNG	DISCHARGE LOCATION LLEOLIAD GOLLWNG	£
[Faint text]	[Faint text]	[Faint text]

Receipt Derbyn

1 stamp

2 stamp

£ [ ] £ [ ]

AMOUNT DUE £  
SWM SY'N DYLEDUS £

NRA PAYMENT SLIP

SLIP TALU AAC

Customer Reference Cyfeirnod Cwsmer

[ ]

SECOND PAYMENT/AIL DALIAD

[ ]

Invoice Number Rhif Anfoneb

[ ]

£ [ ]

Bank Giro Credit  
Credyd Giro Banc

Signature Llofnod

\_\_\_\_\_

50-00-00

Cashier's stamp and initials  
Stamp a llythrennau blaen yr ariannwr

Date Dyddiad

\_\_\_\_\_

National Westminster Bank Plc  
15 BISHOPSGATE  
ACCOUNT NO. 0342 1589

Banc National Westminster Ccc  
15 BISHOPSGATE  
RHIF CYFRIF 0342 1589

2 stamp

Items Eitemau

Fee Ffi

[ ] [ ]

Cyfanswm Arian Parod	Total Cash	[ ]	[ ]
Cyfanswm Sieciau	Total Cheques	[ ]	[ ]
CYFANSWM TOTAL £		[ ]	[ ]

Please do not write or mark below this line Peidiwch ag ysgrifennu na marcio islaw'r llinell hon


# How to pay

## AT A BANK



THIS SERVICE IS FREE IF PAYMENT IS MADE AT A BRANCH OF NATIONAL WESTMINSTER OR YOUR OWN BANK. Complete the payment slip below and present the whole account with your payment at the bank. Cheques should be payable to NATIONAL RIVERS AUTHORITY and crossed "A/c Payee". Please write your customer reference (shown overleaf) on the reverse of any cheque and obtain a receipt. If paying by this method please allow several days for payment to reach our account

## BY POST



Detach the payment slip and send with your payment to NATIONAL RIVERS AUTHORITY, Welsh Region, P.O. Box 425, St. Mellons Business Park, St. Mellons, Cardiff CF3 0LT

Cheques and Postal Orders should be payable to NATIONAL RIVERS AUTHORITY and crossed "A/c Payee". Please write your customer reference (shown overleaf) on the reverse of your cheque or Postal Order. **POST DATED CHEQUES WILL NOT BE ACCEPTED.**

You are advised NOT to send CASH through the post. If this is unavoidable please use a registered envelope.

## ACCOUNT ENQUIRIES

If you have any queries please write to us at the address above or telephone 0222 770088 and ask for Discharge Help Desk, quoting your customer reference (shown overleaf).


# SUT I DALU

## YN Y BANC



MAE'R GWASANAETH HWN YN RHAD AM DDIM OS TELIR YN UN O GANGHENNAU NATIONAL WESTMINSTER NEU'CH BANC EICH HUN. Llenwch y slip talu isod a chyflwyno'r cyfrif cyfan yn y banc gyda'ch taliad. Dylid gwneud sieciau'n daladwy i'r AWDURDOD AFONYDD CENEDLAETHOL a'u croesi "Cyfrif y Talai". Ysgrifennwch eich rhif cyfeirnod cwsmer (fel y nodwyd trosodd) ar gefn unrhyw siec a chael anfoneb. Os byddwch yn talu fel hyn, cofiwch roi sawl diwrnod i'r taliad gyrraedd eich cyfrif.

## DRWY'R POST



Datgysylltwch y slip talu hwn a'i anfon gyda'ch taliad i'r AWDURDOD AFONYDD CENEDLAETHOL, RHANBARTH CYMRU, BLWCH PO 425, PARC BUSNES LLANEIRWG, LLANEIRWG, CAERDYDD CF3 0LT.

Dylid gwneud Sieciau ac Archebion Post yn daladwy i'r AWDURDOD AFONYDD CENEDLAETHOL a'u croesi "Cyfrif y Talai". Ysgrifennwch eich rhif cyfeirnod cwsmer (fel y nodwyd trosodd) ar gefn eich siec neu Archeb Bost. NI DDERBYNNIR SIECIAU WEDI EU HOL-DDYDDIO.

Fe'ch cynghorir i BEIDIO ag anfon ARIAN PAROD drwy'r post. Os na allwch osgoi gwneud hynny, defnyddiwch amlen wedi ei chofrestru.

## YMHOLIADAU AM GYFRIFON

Os bydd gennych unrhyw ymholiadau, ysgrifennwch aton ni yn y cyfeiriad uchod neu ffoniwch 0222 770088 a gofyn am yr Adran Cymorth Gollyngiadau gan roi eich rhif cyfeirnod cwsmer (nodwyd trosodd).

DISCHARGE ACCOUNT SCHEDULE

Name: RHUDDLAN BOROUGH COUNCIL  
 Address: FAO MR R.N. BAKER  
 ENGINEERS DEPT  
 COUNCIL OFFICES  
 NANT HALL ROAD PRESTATYN  
 CLWYD

Customer Reference: 57358  
 Invoice Number: 7293  
 Annual Rate 1993/1994: 389

Consent/Vers/Discharge No      Discharge Location  
 CH0012601 / 2 / 1      DYFFRYN TEG RES DEV  
 RHUALLT

<u>From/To</u>	<u>Category</u>	<u>Band</u>	<u>Factor</u>	<u>Total</u>
17-JAN-94	Volume	B	3.00	
31-MAR-94	Content	C	1.00	
	Receiving Water	S	1.00	

TREATED SEWAGE EFFLUENT

Charge calculation:  $.70 \times 3.00 \times 1.00 \times 389 \times 74 / 365 = 165.62$

DISCHARGE ACCOUNT SCHEDULE

Name: RHUDDLAN BOROUGH COUNCIL  
Address: FAO MR R.N. BAKER  
ENGINEERS DEPT  
COUNCIL OFFICES  
NANT HALL ROAD PRESTATYN  
CLWYD

Customer Reference: 57358  
Invoice Number: 7293  
Annual Rate 1994/1995: 389

Consent/Vers/Discharge No    Discharge Location  
CR0012001 / 2 / 1    DYFFRYN TEG RES DEV  
RHUALLT  
-  
-  
TREATED SEWAGE EFFLUENT

From/To	Category	Band	Factor	Total
01-APR-94	Volume	B	.50	
31-MAR-95	Content	C	3.00	
	Receiving Water	S	1.00	

Charge calculation: .50 x 3.00 x 1.00 x 389 = 583.50



AAC

Awdurdod Afonydd Cenedlaethol  
Rhanbarth Cymru



NRA

National Rivers Authority  
Welsh Region

Consent No.	CM0012601
-------------	-----------

WATER RESOURCES ACT 1991

Under Section 88 and Schedule 10 of the Water Resources Act 1991 and all other enabling powers the National Rivers Authority hereby serves this Notice

R E V I E W   O F   C O N S E N T

Page 1 of 2

On:   The Borough Engineer & Surveyor

Of:   Engineers Dept, Rhuddlan Borough Council, Council Offices, Nant Hall Road, Prestatyn, Clwyd.

In respect of the previous Consent No. CM0012601 issued on : 8th December 1961

For:  A discharge of treated sewage effluent.

To:   Unnamed watercourse flowing into Afon Bach.

From: Housing estate at Dyffryn Teg, Rhualt, Clwyd.

This Consent shall not be taken as providing a statutory defence against a charge of pollution in respect of any poisonous, noxious or polluting constituents not specified herein.

THE FOLLOWING REPLACE ALL PREVIOUS CONDITIONS

1. The discharge shall consist only of biologically treated domestic sewage effluent.
2. The discharge shall be made in the manner and at the place specified as follows:-

Discharging via : a pipe  
 Discharging to  : unnamed watercourse  
 At OS Grid Ref  : SJ 0720 7462  
 As shown marked : "Consent Point" on the attached plan number CM0012601.

continued.....

Rheolwr Cyffredinol Rhanbarthol  
 Dr John Stoner  
 Highfield  
 Ffordd Priestley  
 Caernarfon  
 Gwynedd  
 LL55 1HR  
 Ffôn: Caernarfon (0286) 672247  
 Ffacs: (0286) 674451

Regional General Manager  
 Dr John Stoner  
 Highfield  
 Priestley Road  
 Caernarfon  
 Gwynedd  
 LL55 1HR  
 Tel: Caernarfon (0286) 672247  
 Fax: (0286) 674451



AAC

Awdurdod Afonydd Cenedlaethol  
Rhanbarth Cymru



NRA


National Rivers Authority  
Welsh Region

Consent No. CM0012601

WATER RESOURCES ACT 1991  
Continuation Sheet

page 2 of 2

3. Adequate facilities, approved in writing by the Authority, shall be provided to enable representative samples of the discharge to be safely and conveniently obtained at any time at the outfall pipe as shown marked "Sampling Point" on the attached plan number CM0012601.
4. The maximum volume of effluent discharged shall not exceed 14 cubic metres per day.
5. The quality of effluent discharged at all flow rates shall not be inferior to the following numerical limits:
  - (a) The 5 day biochemical oxygen demand (BOD ATU), determined at 20 degrees Celsius after the suppression of nitrification using allyl thiourea, shall not exceed 20 milligrammes of Oxygen per litre of sample.
  - (b) The suspended solids concentration (dried at 105 degrees Celsius) shall not exceed 30 milligrammes per litre of sample.
6. The effluent shall at no time contain any matter other than matters specifically authorised or limited by numerical conditions in this consent, to such an extent as to cause the receiving waters to be poisonous or injurious to fish or the spawning ground, spawn or food of fish.

This Notice is given on 17th January 1994 on behalf of the Authority  
by:  Area Environmental Quality Manager

During the period ending with the 16th January 1996 the terms of this Notice will not be altered without the written agreement of the person making the discharge.


Rheolwr Cyffredinol Rhanbarthol  
Dr John Stoner  
Highfield  
Ffordd Priestley  
Caernarfon  
Gwynedd  
LL55 1HR  
Ffôn: Caernarfon (0286) 672247  
Ffacs: (0286) 674451

Regional General Manager  
Dr John Stoner  
Highfield  
Priestley Road  
Caernarfon  
Gwynedd  
LL55 1HR  
Tel: Caernarfon (0286) 672247  
Fax: (0286) 674451

SAMPLING POINT → ← CONSENT POINT

Plan

CM0012601



Dee & Clwyd River Authority

CM00126-01

RIVERS (PREVENTION OF POLLUTION) ACT, 1961

Notice

TO:-

MR. JOHN HUGHES, CHIEF OFFICER,  
DEE & CLWYD RIVER AUTHORITY,  
2 VICAR'S LANE,  
CHESHAM,  
MIDWILSHIRE.

The Dee and Clwyd River Authority pursuant to Section 5(1) of the Rivers (Prevention of Pollution) Act, 1961, HEREBY GIVE NOTICE that Consent No. 126..... issued on the 14th December, 1961,

and relating to the discharge of purified domestic sewage effluent from sewage disposal works serving a housing site of twenty-nine dwellings at Giffryn Teg, Shuallt, into an unnamed tributary of the Afon Bach has been reviewed and the conditions imposed are varied so that henceforth the conditions shall be as stated hereunder:-

- 1. The effluent discharged to the stream shall :-
  - (a) have a pH not less than 5 and not more than 9;
  - (b) have a Bacterial Oxygen Demand in 5 days at 20°C of not more than 25 milligrams per litre of effluent.
- 2. The volume of effluent discharged under dry weather conditions shall not exceed 3000 gallons in any period of twenty-four hours.

The terms of this Notice will not, without the consent in writing of the person to whom this Notice is given (or his successor), be altered before the expiration of the period ending with the 31st day of March, 1962.

2 Vicar's Lane  
Chesham

(signed) H. H. CRANN.  
.....

Date. 17/12/1966.....

Chief Officer

**REGISTER OF CONDITIONS**  
 IMPOSED UNDER SECTION 7 OF THE RIVERS (PREVENTION OF POLLUTION) ACT, 1951.

126.  
 No FILE  
 ISSUED 12/1/61

CAT. No. R.B.12 SHAW & SONS LTD., FETTER LANE, E.C.4. V7/1

NAME AND ADDRESS OF APPLICANT The St. Asaph Rural District Council, Council Offices, St. Asaph.		DATE OF APPLICATION 29th November, 1961.
DATE ON WHICH CONDITIONS CAME INTO FORCE  8th December, 1961.	FULL ADDRESS OR OTHER SUFFICIENT DESCRIPTION OF LAND OR PREMISES TO WHICH THE CONDITIONS RELATE  St. Asaph Rural District Council. Housing Site of twenty-nine dwellings at Dyffryn Teg, Rhualt.	
USE OF NEW OR ALTERED OUTLET		NEW DISCHARGE
CONDITIONS IMPOSED WITH RESPECT TO:-  (i) PRECISE LOCATION OF OUTLET Discharge to unnamed watercourse flowing into Afon Bach, N.E. corner of enclosure 264 at Rhualt, near St. Asaph.          (ii) CONSTRUCTION OF OUTLET (OTHER THAN CONDITIONS TO BE SATISFIED BEFORE OUTLET IS BROUGHT INTO USE)  -          (iii) USE OF OUTLET Discharge of treated domestic sewage effluent from twenty-nine houses at Dyffryn Teg, Rhualt.          (iv) USE OF ANY OTHER OUTLET FOR TRADE OR SEWAGE EFFLUENT FROM THE SAME LAND OR PREMISES  -		CONDITIONS IMPOSED WITH RESPECT TO:-  (i) NATURE AND COMPOSITION OF DISCHARGE The final effluent shall have a B.O.D. in 5 days @ 20°C of not more than 20 p.p.m.       (ii) TEMPERATURE OF DISCHARGE       (iii) VOLUME OR RATE OF DISCHARGE OF EFFLUENT FROM LAND OR PREMISES  The dry weather flow shall not exceed 3000 gals./day.       REMARKS:-       -