

## Compliance Assessment Report CAR\_NRW0051508

**Permit being assessed:** CG0186801

**For:** Settled Storm and Emergency Overflow at Bodelwyddan Main SPS, **held by:** DWR CYMRU CYFYNGEDIG

**At:** Behind Bodelwyddan Community Centre, Bodelwyddan, Denbighshire, LL18 5TT.

**Type of assessment carried out:** Report/Data Review,

**Reason:** Routine.

**On** 01/01/2025 - 31/12/2025.

**Parts of permit assessed:** UMON3,4 data quality

**NRW Lead Officer:** Tom Lewis.

**Report sent to:** CARS@dwrwymru.com, CARS@dwrwymru.com, on 15/04/2026.

### 1. Summary of our findings (full details in section 4)

Part of permitted activity assessed (criteria)	Assessment result	Non-compliant permit condition
WQ-C1 - Water Quality - Emissions and monitoring - Emissions to water	C3 Minor	3.2.7

Result types are explained in more detail in the 'Important Information' section below.

### 2. What action is required?

Criteria	Action needed	Complete by
WQ-C1	provide cause of breach and route to compliance	Already completed

Action criteria codes are listed in the 'Important information' section below.

### 3. What will happen next?

Any non-compliance we have identified and recorded on this form is an offence. It can result in criminal prosecution and/or suspension or revocation of your permit.

**You are non-compliant with your permit.**

**At this time, we are issuing you with a warning for the non-compliance recorded above. Warnings may influence future enforcement response for continued or further non-compliance.**

This statement does not stop us from taking additional enforcement action if further relevant information comes to light or offences continue.

#### 4. Details of our assessment

Summary of Flow Pass Forward (FPF) (NRW FPF 2025 Submission) data as required by permit conditions linked to UMON3,4 driver submitted by 28<sup>th</sup> February 2026.

The data submitted is :

Sampler	Sample date	Sample Time	Sampling Number	Parameters	Result	Unit	Determinand code	Determinand description
BODELWYDDAN MAIN SPS	31/12/2025	23:59:00	1069	FPF%>=92%	0.97	%	2928	FPF% of readings >= 92% of limit when overflowing; any
BODELWYDDAN MAIN SPS	31/12/2025	23:59:00	1069	No of OvOps	578	No.	2927	Number of overflow operations: Annual
BODELWYDDAN MAIN SPS	31/12/2025	23:59:00	1069	OvOp duration	251.17	h	2931	Duration of overflow operation: Annual
BODELWYDDAN MAIN SPS	31/12/2025	23:59:00	1069	Both<good	38	No.	2932	Days without both good FPF and good overflow operati
BODELWYDDAN MAIN SPS	31/12/2025	23:59:00	1069	FPF mean	28.61	l/s	2930	FPF readings when overflow is operation Annual mean
BODELWYDDAN MAIN SPS	31/12/2025	23:59:00	1069	FPF median	27.7	l/s	2929	FPF readings when overflow is operation Annual media
BODELWYDDAN MAIN SPS	31/12/2025	23:59:00	1069	Max<good FPF	1	No.	2934	Consecutive days without good FPF operation data: Any
BODELWYDDAN MAIN SPS	31/12/2025	23:59:00	1069	Max<good OvOp	37	No.	2933	Consecutive days without good overflow operation dat

There were 37 consecutive days when Overflow Operations data was 'good' flow data for less than 90% of that day. This is a breach of permit condition 3.2.7 (b) which sets a limit of 14 days.

**DCWW detailed cause of breach was 'EDMS monitor not installed until start of Feb'**

**DCWW confirmed on 30<sup>th</sup> March 2026 that this site is now recording the data as required.**

If you have any queries about this report, or to discuss completion of any actions, please contact the NRW Officer named above.

## Important information

### Legal status of this report

Your permit is issued to you under the Environmental Permitting Regulations. You have a responsibility to comply with the conditions of your permit and prevent pollution/harm to the environment. You must also ensure that you comply with any other relevant legislation that may apply to your site's operations.

This report explains the findings of our assessment and any action you are required to take. We categorise non-compliance using our guidance for assessing non-compliance at regulated sites.

When we find potential non-compliance/s we will normally give you advice on how to maintain compliance.

To correct non-compliance, we may:

- require you to take specific actions
- issue a notice
- review the conditions of your permit.

Any advice and guidance we give will be without prejudice to any other enforcement response that we consider may be required.

### Assessment results and non-compliance categories (used in section 1):

Assessment result	Description
Assessed (A)	Assessed or assessed in part, no evidence of non-compliance found
Action only (X)	Action required for the permit condition assessed to avoid non-compliance. No non-compliance scored at this time
Ongoing (O)	Ongoing non-compliance, not scored

Non-compliance category	Description
C1 Major	Potential to have a major, serious, persistent and/or extensive impact or effect on the environment, people and/or property
C2 Significant	Potential to have a significant impact or effect on the environment, people and/or property
C3 Minor	Potential to have a minor or minimal impact or effect on the environment, people and/or property
C4 No environmental impact	Non-compliance at a regulated site that cannot foreseeably have any impact on the environment, people and/or property

**Full list of water quality action criteria (used in section 1 and 2):****WQ A: Management**

- WQ-A1 General management

**WQ B: Operations**

- WQ-B1 Permitted activities
- WQ-B2 The site
- WQ-B3 Operating techniques
- WQ-B4 Improvement programme
- WQ-B5 Pre-operational conditions

**WQ C: Emissions and monitoring**

- WQ-C1 Emissions to water
- WQ-C2 Emissions to land
- WQ-C3 Emissions of substances not controlled by emission limits
- WQ-C4 Monitoring
- WQ-C5 Installation of monitoring boreholes

**WQ D: Information**

- WQ-D1 Records
- WQ-D2 Reporting
- WQ-D3 Notifications

**Enforcement response**

Any non-compliance with a permit condition is an offence and we may take legal action against you. Action we take can include prosecution, serving a notice on you and/or suspension or revocation of your permit. See our Enforcement and Sanctions Guidance for further information.

**Data protection notice**

You should make sure that anyone named in this report knows that the information it contains will be processed by Natural Resources Wales to fulfil its regulatory and monitoring functions and to maintain the relevant public register(s).

We may also use and/or disclose the report in connection with:

- offering or providing you with our literature or services relating to environmental matters
- consulting with the public, public bodies and other organisations (e.g. Health and Safety Executive, local authorities) on environmental issues
- carrying out statistical analysis, research and development on environmental issues
- providing public register information to enquirers
- investigating possible breaches of environmental law
- assessing customer service satisfaction and improving our service
- Freedom of Information Act or Environmental Information Regulations requests.

We may also pass it on to our agents or representatives to do these things on our behalf.

**Disclosure of information – this report will be available to view on-line**

If you think this report contains commercially confidential information that should not be placed on our public register, you must contact your local Natural Resources Wales office within **fifteen working days** of receiving this report, using the contact details in the accompanying email or letter. You must give a full explanation of why it should not be added to our public register, including specifying which information is commercially confidential. We will assess your request and respond to you within twenty working days to let you know if we agree to your request.

**Disputing the Content of this Compliance Assessment Report Form**

If you disagree with the content of this Compliance Assessment Report form, you should submit your concerns, in writing, to the regulating officer who issued it within **15 working days** of its issue. This will be treated as a **Stage 1 review**.

If you are not satisfied with the outcome of the stage 1 review, you may request a **Stage 2 appeal**. This request must be submitted **within 21 working days** of receiving the response from the stage 1 review.

Further details on our review and appeal process are available at: [Natural Resources Wales / Appeal a regulatory decision from Natural Resources Wales](#)

**Concerns Not Related to the Content of this Compliance Assessment Report Form**

If your concerns do not relate to the content of the Compliance Assessment Report form, you should first attempt to resolve the issue with the regulating officer or their line manager.

If the issue remains unresolved, please contact our **Customer Contact Team**:

- **Telephone:** 0300 065 3000 (Monday to Friday, 09:00–17:00)
- **Email:** [enquiries@naturalresourceswales.gov.uk](mailto:enquiries@naturalresourceswales.gov.uk)

They will provide details on how to escalate your concerns through our **Complaints and Commendations procedure**.

If you are dissatisfied with our response, you may contact the **Public Services Ombudsman for Wales**:

- **Telephone:** 0300 790 0203
- **Email:** [ask@ombudsman.wales](mailto:ask@ombudsman.wales)

**Welsh Language Standards**

We are committed to establishing Natural Resources Wales as a naturally bilingual organisation. We will provide compliance reports in your preferred language.