



ASiantaeth Yr
Amgylchedd Cymru
ENVIRONMENT
AGENCY WALES

**ENVIRONMENT AGENCY WALES
NORTHERN AREA
CONSENT REVIEW 2004**

UWWTD

[URBAN WASTE WATER TREATMENT DIRECTIVE 1991]

FILE NOTE

A snapshot of WRA 91 Discharge Consents qualifying for review under UWWTD was extracted from WIMS (EA electronic Public Register) on the 21st April 2004. All details shown on this file note are based on the permission extant as of this date.

CONSENT REF :	CM0153101	VERSION :	1		
OPERATOR :	DENBIGHSHIRE COUNTY COUNCIL				
DISCHARGE SITE :	MILL STREET LLANGOLLEN ,				
EXTANT CONSENT ISSUE DATE :	24/07/1987	EFFECTIVE DATE :	24/07/1987		
DWF (m ³ /day) :		MAX DAILY VOL. (m ³ /day) :	UNSPECIFIED	RATE (l/s) :	

Records held on WIMS show MILL STREET LLANGOLLEN , (CM0153101) to be extant under version 1 issued 24/07/1987 with numeric consent conditions, effective 24/07/1987. The works is currently consented to discharge a max daily volume of UNSPECIFIEDm³/day effluent to the DEE at NGR SJ2180042000.

UWWTD directive aims to deliver a standard level of sewage treatment throughout EC member states. This has been interpreted as prescribing a minimum of secondary biological treatment (package plant or equivalent) on all discharges made to a controlled surface water; or a minimum of primary (septic tank or equivalent) treatment on all discharges made to ground.

The discharge of UNSPECIFIEDm³/day effluent to 'DEE', for the purposes of this review, is described as 'irrelevant (intermittent discharge that does not qualify under UWWTD)'. This treatment / receiving water combination has been assessed* as NON UWWTD under the UWWTD review. This consent is reviewed as NON UWWTD under UWWTD as of 01/09/2005.

* NB: the assessment of this Discharge Consent to meet UWWTD 'appropriate treatment' criteria is based solely on provision of the appropriate 'threshold' level of minimum treatment for the receiving medium. This review does not assess appropriateness in terms of the specific river needs of the receiving water stretch.

Iwan Williams
Regulatory Team Leader (Water Quality)

Water Resources Act 1991
as amended by the Environment Act 1995
Consent to Discharge
Certificate of Holder



**ENVIRONMENT
AGENCY**

21 April 1997

Part A

To: DENBIGHSHIRE COUNTY COUNCIL
HEAD OF PROPERTY & TECH SERV
COUNTY HALL

MOLD CH7 6GU

The Environment Agency ("the Agency") hereby confirm that the above named person is a/the registered holder of consent CM0153101

Nature of Discharge(s); OTHER DIS/SURFACE WATER/RAINFALL
at

MILL STREET, LLANGOLLEN

Note: This certificate should be kept with the consent document for future reference. If you transfer responsibility for the discharge to somebody else you must pass the consent to them and tell the Agency within 21 days. **Responsibility for the consent cannot be disclaimed by the holder but the registration of holder may be transferred to a successor.** To do this please complete the form below, then tear it off and return it to the address shown. If you fail to transfer the consent, even though you are no longer on the site, you may still be liable for prosecution for pollution. If you transfer the consent but do not tell us, you will be committing an offence. In case of any queries please contact your local Environment Agency office.

Part B

Please complete in block capitals or type.

To:

Water Resources Act 1991: Notice of transfer of consent to discharge

Consent:

CM0153101

Name:

DENBIGHSHIRE COUNTY COUNCIL

Address:

HEAD OF PROPERTY & TECH SERV
COUNTY HALL

MOLD CH7 6GU.

I/We* hereby serve notice on the Agency that I/we* am/are* no longer a/the* Holder of the above consent which will be/was* transferred to:

*delete as appropriate

Name(s) of new holder(s):

Address:

Post Code:

Date of Transfer to new Holder(s):

Signed:

Dated:

Name (block capitals):

Position:

(to be completed when signing
for the Agency)

Huw Roberts BSc CEng DMS FICE FIHT MIMgt
Cylarwyddwr Gwasanaethau Technegol
Director of Technical Services

Idris Jones FASI
Pennaeth Eiddo a Gwasanaethau Technegol
Head of Property and Technical Services

updated
11.12.96
JES



CYNGOR
Sir Ddinbych
Denbighshire
COUNTY COUNCIL

The Environment Agency,
Rivers House,
St. Mellons Business Park,
St. Mellons,
Cardiff,
CF3 0LT.

Eich cyf Your ref
Ein cyf Our ref
Dyddiad Date
Rhif union Direct dial

RT/WQ/RCEU/SCHEb23
PE/GEN/VAL/LBP
3rd September 1996
Miss J. Powell
(01824) 706798


Dear Sirs,

RE: ENVIRONMENT ACT 1995, SCHEDULE 23 PARAGRAPH 21(2)(b)(ii)

I refer to your letter of 2nd April, a copy has been passed to me from Flintshire County Council.

I write to confirm that the following are now under the control of Denbighshire County Council:-

CM0020401 St. Asaph, Pant Ifan Newydd 136810
CM0093701 Denbigh, Ystrad Road, Brondyffryn Hall 136811
CM0123901 Clocaenog C.P. School 136812
CM0124001 Graianrhyd C.P. School 136813
CM0153101 Llangollen, Mill Street 136814



Yours faithfully,

p.p. HEAD OF PROPERTY AND TECHNICAL SERVICES

11266

Your Ref:

Our Ref: 3/EQ/PC/1831/RW

3rd September, 1996.

Chief Executive
Denbighshire County Council
Council Offices
Station Road
Ruthin
Denbighshire
LL15 1YN

Dear Sir,

Water Resources Act 1991

Discharge Consent No. CM01531-01

Our records indicate that you currently hold the above consent for the discharge of uncontaminated surface water at NGR SJ218 420 Mill Street, Llangollen.

Given that consent is generally no longer required for the discharge of uncontaminated surface water, we are able to offer you revocation (cancellation) of this consent, in accordance with the Water Resources Act 1991, Schedule 10.

If you wish this consent to be revoked then please sign the attached form and return it to the FREEPOST address provided. A revoked consent does not attract an annual charge under the Scheme of Charges for Discharges to Controlled Waters.

I enclose a copy of the consent to enable you to locate the discharge.

Yours faithfully,

STUART THOMAS

AREA CONSENTS OFFICER

Enc:

Enquiries: Mrs R. Williams

OK to revoke

S23 response
received

Please return this form to:

Area Consents Officer
Environment Agency
Llwyn Brain
Ffordd Penlan
Parc Menai
Bangor
Gwynedd LL57 4BP

FAO Mrs R. Williams

For Office Use Only:

Reply Received:

CONSENT NO: CM0153101

Name and Address of Owner: Denbighshire County Council
Chief Executive
Council Offices
Station Road
Ruthin
Denbighshire
LL15 1YN

DISCHARGE OF: Surface Water

AT: Mill Street, Llangollen, Clwyd.

TO: The River Dee

* If you wish this consent to be revoked, please sign below:

I wish this consent to be revoked.

Signed..... Date:.....

The County Surveyor,
Clwyd County Council,
Shire Hall,
MOLD, Clwyd.

TAW/OU 21/353/01

Mr. Westwood. Ext. 2583.

29th July, 1987.

Dear Sir,

Water Act 1973.
Control of Pollution Act 1974.

I have pleasure in enclosing herewith Consent No. CM 01531 (01) dated 24th July, 1987, in respect of uncontaminated surface run-off water from land between Dee Cottage and the Woodlands Hotel, Mill Street, Llangollen, to the River Dee at NGR SJ.218 420.

Yours faithfully,

for T.A. Westwood.
Water Quality Officer.

Encl:

WATER ACT 1973
CONTROL OF POLLUTION ACT 1974

WELSH WATER AUTHORITY

Under Section 34 of the Control of Pollution Act 1974 and all other enabling powers the Welsh Water Authority hereby gives this

CONSENT

To : County Surveyor, Clwyd County Council,
Of : Shire Hall, Mold, Clwyd.
For : A discharge of matter other than trade or sewage effluent
To : ~~XXXXXXXX~~ The River Dee.
From: Mill Street, Llangollen, Clwyd.

CONDITIONS OF CONSENT

1. The discharge shall consist only of uncontaminated surface run-off from roofs, yards, paths or roads at: Land between Dee cottage and the Woodlands Hotel, Mill Street, Llangollen.
2. The discharge shall be made in the manner and at the place specified as follows:
Discharged via : a 300 mm Concrete Pipe.
Discharging to : The River Dee.
At OS Grid Ref : SJ.218 420
As shown marked : 'X' On attached Plan No: 218
3. Adequate facilities shall be provided for the taking of samples of this discharge at: the outfall.

This Consent is given on: 24 July 1987 on behalf of the Authority
by: A. Smith Jones District Scientist.

During the period ending with the: 31st July, 1987. the terms of this Consent
will not be altered without the written agreement of the person making this discharge

WATER ACT 1973
CONTROL OF POLLUTION ACT 1974

WELSH WATER AUTHORITY

Under Section 34 of the Control of Pollution Act 1974 and all other enabling powers the Welsh Water Authority hereby gives this

CONSENT


To : County Surveyor, Clwyd County Council,
Of : Shire Hall, Mold, Clwyd.
For : A discharge of matter other than trade or sewage effluent
To : ~~XXXXXX~~ The River Dee.
From: Mill Street, Llangollen, Clwyd.

CONDITIONS OF CONSENT

1. The discharge shall consist only of uncontaminated surface run-off from roofs, yards, paths or roads at: Land between Dee cottage and the Woodlands Hotel, Mill Street, Llangollen.
2. The discharge shall be made in the manner and at the place specified as follows:
Discharged via : a 300 mm Concrete Pipe.
Discharging to : The River Dee.
At OS Grid Ref : SJ.218 420
As shown marked : 'X' On attached Plan No: 218
3. Adequate facilities shall be provided for the taking of samples of this discharge at: the outfall.


This Consent is given on: 24 July 1987 on behalf of the Authority
by: A. Owen Jones District Scientist.

During the period ending with the: 31st July, 1987. the terms of this Consent
will not be altered without the written agreement of the person making this discharge



121
 122
 123
 124
 125
 126
 127
 128
 129
 130
 131
 132
 133
 134
 135
 136
 137
 138
 139
 140
 141
 142
 143
 144
 145
 146
 147
 148
 149
 150
 151
 152
 153
 154
 155
 156
 157
 158
 159
 160
 161
 162
 163
 164
 165
 166
 167
 168
 169
 170
 171
 172
 173
 174
 175
 176
 177
 178
 179
 180
 181
 182
 183
 184
 185
 186
 187
 188
 189
 190
 191
 192
 193
 194
 195
 196
 197
 198
 199
 200
 201
 202
 203
 204
 205
 206
 207
 208
 209
 210
 211
 212
 213
 214
 215
 216
 217
 218
 219
 220
 221
 222
 223
 224
 225
 226
 227
 228
 229
 230
 231
 232
 233
 234
 235
 236
 237
 238
 239
 240
 241
 242
 243
 244
 245
 246
 247
 248
 249
 250
 251
 252
 253
 254
 255
 256
 257
 258
 259
 260
 261
 262
 263
 264
 265
 266
 267
 268
 269
 270
 271
 272
 273
 274
 275
 276
 277
 278
 279
 280
 281
 282
 283
 284
 285
 286
 287
 288
 289
 290
 291
 292
 293
 294
 295
 296
 297
 298
 299
 300
 301
 302
 303
 304
 305
 306
 307
 308
 309
 310
 311
 312
 313
 314
 315
 316
 317
 318
 319
 320
 321
 322
 323
 324
 325
 326
 327
 328
 329
 330
 331
 332
 333
 334
 335
 336
 337
 338
 339
 340
 341
 342
 343
 344
 345
 346
 347
 348
 349
 350
 351
 352
 353
 354
 355
 356
 357
 358
 359
 360
 361
 362
 363
 364
 365
 366
 367
 368
 369
 370
 371
 372
 373
 374
 375
 376
 377
 378
 379
 380
 381
 382
 383
 384
 385
 386
 387
 388
 389
 390
 391
 392
 393
 394
 395
 396
 397
 398
 399
 400
 401
 402
 403
 404
 405
 406
 407
 408
 409
 410
 411
 412
 413
 414
 415
 416
 417
 418
 419
 420
 421
 422
 423
 424
 425
 426
 427
 428
 429
 430
 431
 432
 433
 434
 435
 436
 437
 438
 439
 440
 441
 442
 443
 444
 445
 446
 447
 448
 449
 450
 451
 452
 453
 454
 455
 456
 457
 458
 459
 460
 461
 462
 463
 464
 465
 466
 467
 468
 469
 470
 471
 472
 473
 474
 475
 476
 477
 478
 479
 480
 481
 482
 483
 484
 485
 486
 487
 488
 489
 490
 491
 492
 493
 494
 495
 496
 497
 498
 499
 500
 501
 502
 503
 504
 505
 506
 507
 508
 509
 510
 511
 512
 513
 514
 515
 516
 517
 518
 519
 520
 521
 522
 523
 524
 525
 526
 527
 528
 529
 530
 531
 532
 533
 534
 535
 536
 537
 538
 539
 540
 541
 542
 543
 544
 545
 546
 547
 548
 549
 550
 551
 552
 553
 554
 555
 556
 557
 558
 559
 560
 561
 562
 563
 564
 565
 566
 567
 568
 569
 570
 571
 572
 573
 574
 575
 576
 577
 578
 579
 580
 581
 582
 583
 584
 585
 586
 587
 588
 589
 590
 591
 592
 593
 594
 595
 596
 597
 598
 599
 600
 601
 602
 603
 604
 605
 606
 607
 608
 609
 610
 611
 612
 613
 614
 615
 616
 617
 618
 619
 620
 621
 622
 623
 624
 625
 626
 627
 628
 629
 630
 631
 632
 633
 634
 635
 636
 637
 638
 639
 640
 641
 642
 643
 644
 645
 646
 647
 648
 649
 650
 651
 652
 653
 654
 655
 656
 657
 658
 659
 660
 661
 662
 663
 664
 665
 666
 667
 668
 669
 670
 671
 672
 673
 674
 675
 676
 677
 678
 679
 680
 681
 682
 683
 684
 685
 686
 687
 688
 689
 690
 691
 692
 693
 694
 695
 696
 697
 698
 699
 700
 701
 702
 703
 704
 705
 706
 707
 708
 709
 710
 711
 712
 713
 714
 715
 716
 717
 718
 719
 720
 721
 722
 723
 724
 725
 726
 727
 728
 729
 730
 731
 732
 733
 734
 735
 736
 737
 738
 739
 740
 741
 742
 743
 744
 745
 746
 747
 748
 749
 750
 751
 752
 753
 754
 755
 756
 757
 758
 759
 760
 761
 762
 763
 764
 765
 766
 767
 768
 769
 770
 771
 772
 773
 774
 775
 776
 777
 778
 779
 780
 781
 782
 783
 784
 785
 786
 787
 788
 789
 790
 791
 792
 793
 794
 795
 796
 797
 798
 799
 800
 801
 802
 803
 804
 805
 806
 807
 808
 809
 810
 811
 812
 813
 814
 815
 816
 817
 818
 819
 820
 821
 822
 823
 824
 825
 826
 827
 828
 829
 830
 831
 832
 833
 834
 835
 836
 837
 838
 839
 840
 841
 842
 843
 844
 845
 846
 847
 848
 849
 850
 851
 852
 853
 854
 855
 856
 857
 858
 859
 860
 861
 862
 863
 864
 865
 866
 867
 868
 869
 870
 871
 872
 873
 874
 875
 876
 877
 878
 879
 880
 881
 882
 883
 884
 885
 886
 887
 888
 889
 890
 891
 892
 893
 894
 895
 896
 897
 898
 899
 900
 901
 902
 903
 904
 905
 906
 907
 908
 909
 910
 911
 912
 913
 914
 915
 916
 917
 918
 919
 920
 921
 922
 923
 924
 925
 926
 927
 928
 929
 930
 931
 932
 933
 934
 935
 936
 937
 938
 939
 940
 941
 942
 943
 944
 945
 946
 947
 948
 949
 950
 951
 952
 953
 954
 955
 956
 957
 958
 959
 960
 961
 962
 963
 964
 965
 966
 967
 968
 969
 970
 971
 972
 973
 974
 975
 976
 977
 978
 979
 980
 981
 982
 983
 984
 985
 986
 987
 988
 989
 990
 991
 992
 993
 994
 995
 996
 997
 998
 999
 1000
 1001
 1002
 1003
 1004
 1005
 1006
 1007
 1008
 1009
 1010
 1011
 1012
 1013
 1014
 1015
 1016
 1017
 1018
 1019
 1020
 1021
 1022
 1023
 1024
 1025
 1026
 1027
 1028
 1029
 1030
 1031
 1032
 1033
 1034
 1035
 1036
 1037
 1038
 1039
 1040
 1041
 1042
 1043
 1044
 1045
 1046
 1047
 1048
 1049
 1050
 1051
 1052
 1053
 1054
 1055
 1056
 1057
 1058
 1059
 1060
 1061
 1062
 1063
 1064
 1065
 1066
 1067
 1068
 1069
 1070
 1071
 1072
 1073
 1074
 1075
 1076
 1077
 1078
 1079
 1080
 1081
 1082
 1083
 1084
 1085
 1086
 1087
 1088
 1089
 1090
 1091
 1092
 1093
 1094
 1095
 1096
 1097
 1098
 1099
 1100
 1101
 1102
 1103
 1104
 1105
 1106
 1107
 1108
 1109
 1110
 1111
 1112
 1113
 1114
 1115
 1116
 1117
 1118
 1119
 1120
 1121
 1122
 1123
 1124
 1125
 1126
 1127
 1128
 1129
 1130
 1131
 1132
 1133
 1134
 1135
 1136
 1137
 1138
 1139
 1140
 1141
 1142
 1143
 1144
 1145
 1146
 1147
 1148
 1149
 1150
 1151
 1152
 1153
 1154
 1155
 1156
 1157
 1158
 1159
 1160
 1161
 1162
 1163
 1164
 1165
 1166
 1167
 1168
 1169
 1170
 1171
 1172
 1173
 1174
 1175
 1176
 1177
 1178
 1179
 1180
 1181
 1182
 1183
 1184
 1185
 1186
 1187
 1188
 1189
 1190
 1191
 1192
 1193
 1194
 1195
 1196
 1197
 1198
 1199
 1200
 1201
 1202
 1203
 1204
 1205
 1206
 1207
 1208
 1209
 1210
 1211
 1212
 1213
 1214
 1215
 1216
 1217
 1218
 1219
 1220
 1221
 1222
 1223
 1224
 1225
 1226
 1227
 1228
 1229
 1230
 1231
 1232
 1233
 1234
 1235
 1236
 1237
 1238
 1239
 1240
 1241
 1242
 1243
 1244
 1245
 1246
 1247
 1248
 1249
 1250
 1251
 1252
 1253
 1254
 1255
 1256
 1257
 1258
 1259
 1260
 1261
 1262
 1263
 1264
 1265
 1266
 1267
 1268
 1269
 1270
 1271
 1272
 1273
 1274
 1275
 1276
 1277
 1278
 1279
 1280
 1281
 1282
 1283
 1284
 1285
 1286
 1287
 1288
 1289
 1290
 1291
 1292
 1293
 1294
 1295
 1296
 1297
 1298
 1299
 1300
 1301
 1302
 1303
 1304
 1305
 1306
 1307
 1308
 1309
 1310
 1311
 1312
 1313
 1314
 1315
 1316
 1317
 1318
 1319
 1320
 1321
 1322
 1323
 1324
 1325
 1326
 1327
 1328
 1329
 1330
 1331
 1332
 1333
 1334
 1335
 1336
 1337
 1338
 1339
 1340
 1341
 1342
 1343
 1344
 1345
 1346
 1347
 1348
 1349
 1350
 1351
 1352
 1353
 1354
 1355
 1356
 1357
 1358
 1359
 1360
 1361
 1362
 1363
 1364
 1365
 1366
 1367
 1368
 1369
 1370
 1371
 1372
 1373
 1374
 1375
 1376
 1377
 1378
 1379
 1380
 1381
 1382
 1383
 1384
 1385
 1386
 1387
 1388
 1389
 1390
 1391
 1392
 1393
 1394
 1395
 1396
 1397
 1398
 1399
 1400
 1401
 1402
 1403
 1404
 1405
 1406
 1407
 1408
 1409
 1410
 1411
 1412
 1413
 1414
 1415
 1416
 1417
 1418
 1419
 1420
 1421
 1422
 1423
 1424
 1425
 1426
 1427
 1428
 1429
 1430
 1431
 1432
 1433
 1434
 1435
 1436
 1437
 1438
 1439
 1440
 1441
 1442
 1443
 1444
 1445
 1446
 1447
 1448
 1449
 1450
 1451
 1452
 1453
 1454
 1455
 1456
 1457
 1458
 1459
 1460
 1461
 1462
 1463
 1464
 1465
 1466
 1467
 1468
 1469
 1470
 1471
 1472
 1473
 1474
 1475
 1476
 1477
 1478
 1479
 1480
 1481
 1482
 1483
 1484
 1485
 1486
 1487
 1488
 1489
 1490
 1491
 1492
 1493
 1494
 1495
 1496
 1497
 1498
 1499
 1500
 1501
 1502
 1503
 1504
 1505
 1506
 1507
 1508
 1509
 1510
 1511
 1512
 1513
 1514
 1515
 1516
 1517
 1518
 1519
 1520
 1521
 1522
 1523
 1524
 1525
 1526
 1527
 1528
 1529
 1530
 1531
 1532
 1533
 1534
 1535
 1536
 1537
 1538
 1539
 1540
 1541
 1542
 1543
 1544
 1545
 1546
 1547
 1548
 1549
 1550
 1551
 1552
 1553
 1554
 1555
 1556
 1557
 1558
 1559
 1560
 1561
 1562
 1563
 1564
 1565

REPRODUCED FROM THE 1/2500 ORDNANCE
 SURVEY MAP WITH THE PERMISSION
 OF THE CONTROLLER OF HER MAJESTY'S
 STATIONERY OFFICE, CROWN COPYRIGHT
 RESERVED. LICENCE No. L.A. 871137
 CLWYD COUNTY COUNCIL, SHIRE HALL,
 WRECC, CLWYD.



One grid square on this plan represents one hectare.

Made and published by the Director General of the Ordnance Survey, Southampton

AREAS

Area measurement is to plan edge only.



The number and

218.

G.E. ALFORD, CEng, M.I.C.E, MInstHE

AREA SURVEYOR

Telephone: Ruthin 2451



Your Reference:

Our Reference: 653/GBE/CAR

Mr. T. Westwood,
Area Water Quality Officer,
Welsh Water Authority,
Shire Hall,
MOLD,
Clwyd.

Dear Sir,

Flooding near Woodlands Hotel, Llangollen A539

I enclose a copy of an extract of 1:2500 scale O.S. sheet SJ 2042 upon which I have indicated in red the approximate route of a proposed 300mm diameter drain.

It is intended to lay this drain to relieve a highway flooding problem between Dee Cottage and the Woodlands Hotel, Llangollen.

I shall be glad to have your consent to discharge such flood water into the River Dee.

I am today also writing separately to Mr. Harding of the Bala District Office for his consent.

Yours faithfully,

Area Surveyor.

6445
1 730ha
4 28

7142
1 272ha
3 15

REPRODUCED FROM THE 1/2500 ORDNANCE
SURVEY S.J. 2042 MAP WITH THE PERMISSION
OF THE CONTROLLER OF HER MAJESTY'S
STATIONERY OFFICE, CROWN COPYRIGHT
RESERVED. LICENCE No. LA. 071137
CLWYD COUNTY COUNCIL, SHIRE HALL,
MOLD, CLWYD.

7633
121ha
30

7626
673ha
1 66

9235
121ha
30

0034
1 72ha
4 27


424

423

422

421

34200m



proposed 300mm drain

2200

G.E. ALFORD, CEng, M.I.C.E, MInstHE

AREA SURVEYOR

Telephone: Ruthin 2451




Area Surveyor's Office
Lon Parcwr Depot
RUTHIN
Clwyd
LL15 1NA

Your Reference:

Our Reference: 653/GBE/CAR

Welsh Water Authority,
Northern Division,
Shire Hall,
MOLD,
Clwyd.




Dear Sirs,

Flooding near Woodlands Hotel, Llangollen

Further to my letter of 29th June, 1987, I enclose your Section 34 form of application, duly completed, for the discharge of flood water into the River Dee near Woodlands Hotel, Llangollen.

Yours faithfully,


Area Surveyor



CONTROL OF POLLUTION ACT, 1974

PART II POLLUTION OF WATER

SECTION 34 APPLICATION FOR CONSENT


TO: WELSH WATER
NORTHERN DISTRICT
SHIRE HALL
N10LD
CLWYD
CH7.6NQ

OFFICE USE:
Application No. _____
Date received _____
Date accepted as being
in "suitable form" _____

I/We hereby apply for consent under the provisions of the Control of Pollution Act, 1974 to make a discharge of effluent as described in this application and on the attached plans. I/We will bear the costs of any advertisement. (See note A2 for guidance)

Signed _____ Date _____

Authorised on behalf of _____



PLEASE REFER TO NOTES WHEN COMPLETING THE APPLICATION, ANY QUERIES SHOULD BE MADE TO THE ABOVE ADDRESS.

NATURE OF THE DISCHARGE(S)

Please tick the appropriate box

Surface water	☒	Answer sections A, C	Trade effluent	☐	Answer sections A, B, E
Sewage effluent	☐	Drainage from 1 to 4 dwelling houses only	☐	Answer sections A, D	
		All other applications for sewage effluent	☐	Answer sections A, B, D	

For combined discharges answer all relevant sections.

A1

APPLICANT

(a) Full name
(ie of the principal, not an agent)
Postal address
(if a limited company the registered
office)

(a) COUNTY SURVEYOR
SHIRE HALL
MOLD.

Telephone number

MOLD 2121

(b) Agent (if any)
Full name
Postal address

(b) AREA SURVEYOR
CCC DEPOT
LON DARWIR
RUTHIN

Telephone number

RUTHIN 2251

A2

EXEMPTION FROM PUBLICITY

Have you made application for a certificate of exemption from publicity?

No



Yes



(Provide further details as appropriate)

If a certificate has been obtained then a copy should be submitted with this application.

A3

TEMPORARY CONSENT

If the consent is only required
for a limited period state dates:

N/A.

A4

LOCATION

(a) Address or location of the point(s) of discharge
of the effluent
as to the place
proposed to make it

(a)

BETWEEN THE COTTAGE
AND WOOD LANDS HOTEL
LLANIGOLLEN

(b) National Grid Reference
of the point(s) of discharge(s)

(b)

218 420

The application should be accompanied by a site plan of an appropriate scale showing the location of point(s) of discharge(s)

A5	OUTLET (a) Does proposal involve use of Existing outlet unaltered ☐ Existing outlet altered ☐ New outlet ☒	
	(b) Description of outlet <i>CONCRETE</i> <i>300 DIA PIPE THROUGH HEADWALL</i> <i>AT BANK OF RIVER DEE</i>	
	The application should be accompanied by a plan and sectional drawing	
A6	RECEIVING WATER Tick category to which proposed discharge(s) are to be made: The sea or other tidal water ☐ Stream or other freshwater ☒ Directly underground ☐ Onto or into land ☐ Name of receiving water <i>RIVER DEE</i>	
B1	VOLUME, RATE AND PERIOD OF DISCHARGE (a) Maximum quantity of effluent it is proposed to discharge in any one day (b) Highest rate at which it is proposed to operate discharge (c) Periods during which discharge will take place	State units (a) (b) (c)
B2	SAMPLING FACILITIES Details of sampling facilities and accessibility of outlet	
C	SURFACE WATER Description and size of area from which surface water will arise	<i>900 SQ M. OF HIGHWAY</i> <i>AT FOOT OF SLOPE</i> <i>SUPPORTING CANAL</i>
	SEWAGE EFFLUENT (a) Description of premises from which discharge is to be made (b) Total number of persons for whom accommodation is provided (c) Method of sewage treatment to be used	(a) (b) (c)