

Record of a Habitats Regulations Assessment of a project or spatially-specific plan

OGN 200 Form 1B (with structured tables for likely significant effect screening and appropriate assessment)

Document owner: Head of Business for Natural Resource Management

Version History:

Document Version	Date Published	Summary of Changes
2.0	21/10/2024	Following 2023/24 review of HRA OGNs

Next review date: **October 2025**

Record of a Habitats Regulations Assessment.....	3
1. Plan or Project Details	3
2. Determining the need for a Habitats Regulations Assessment.....	5
6. Conclusion.....	6
7. Consultation with the ANCB and how sections 2, 3, 4 and 5 of this HRA report (as applicable) take into account that advice.	7

OGN 200 Form 1B

Record of a Habitats Regulations Assessment

Plan or project name, brief description or application reference number	CML2620 - Installation of a storm outfall through the sea wall from Old College, Aberystwyth
HRA iteration/version	N/A

1. Plan or Project Details

Information about the plan or project		
1	Date application received	23/06/2026
2	Applicant details	Andrew Scott Ltd
3	NRW team responsible for carrying out, or requiring to be carried out, the plan or project, and name of lead officer	N/A
4	Activity/ies proposed	Installation of storm outfall through seawall from Old College. Lay pipe work upto the sea wall across the New Promenade. 600mm core through sea wall from both sides of the wall with removal of slurry measures in place. Installation of flap valve sea side of wall to be from a cantilevered scaffold from promenade level. No work is envisaged on beach, area below scaffolding will be controlled whilst working on scaffold.

5	Relevant legislation or statutory basis	Marine and Coastal Access Act 2009
6	Location	Old College, Aberystwyth -4.088729 52.415033 -4.088859 52.415070 -4.089053 52.414588 -4.089177 52.414661
7	Plan or project documents, including any application documents	CML2620 - Application Form CML2620 - MS 051 Promenade Drainage Works Rev A CML2620 - Map 264158934_22806038_3904447 CML2620 - Plan OC-MW-02-GL-DR-S-01 2502 C4 CML2620 - Archaeology E-mail CML2620 - Trinity House E-mail CML2620 - RE_ [EXTERNAL] T468 Proposed Storm water Outfall - MCA Email
8	Environmental Statement	N/A
9	Pre-application correspondence	N/A
10	NRW team responsible for preparing this HRA report, and lead officer	Marine Licensing Team – Vicky Fisk
11	Team or person responsible for approving the plan or project (competent authority role)	As Row 10

2. Determining the need for a Habitats Regulations Assessment

2.1 Is there any possibility that the plan or project could negatively affect any European sites?	No - A hole will be drilled through the existing sea wall, all work will be conducted from a trench in the road. Any spoil will be captured and removed from site. There is no conceivable pathway to the nearest designated site which is >100m away.
2.2 Is the whole of the plan or project directly and only connected with or necessary to the management of one or more European sites, for the purposes of conserving the habitats or species for which the European site(s) is/are designated?	
2.3 Is there a possibility that the plan or project could affect any other feature of the European site(s) concerned, or of another European site, in a way that would undermine that feature's conservation objectives?	

6. Conclusion

HRA is not required because there is no conceivable impact on any European sites. (As documented in section 2.1)	X
HRA is not required because the whole of the plan or project is directly connected with or necessary to the management of one or more European sites, for the purposes of conserving the habitats or species for which the site(s) is/are designated, <u>and</u> the plan or project is not likely to have a significant effect on any other European sites. (As documented in section 2.2 and 2.3)	
This project is a renewal of a current permission which complies with NRW agreed criteria for ruling out likely significant effects of a renewal without conducting a project-specific LSE test. Therefore, it is considered not likely to have a significant effect on any European sites, either alone or in-combination with other plans or projects. (As documented in section 3.1 of this form)	
The plan or project has been screened for likelihood of significant effects and is considered not likely to have a significant effect on any European sites. (As documented in section 3.2 of this form, and section 5 if applicable)	
In light of the conclusions of an appropriate assessment it has been established that the plan or project will not adversely affect the integrity of any European sites, taking into account any conditions or restrictions as applicable, either alone or in-combination with other plans or projects. (As documented in section 4 of this form, and section 5 if applicable)	
In light of the conclusions of the appropriate assessment, it has <u>not</u> been ascertained that the plan or project will not adversely affect the integrity of any European sites, as documented in section 4 of this form, and section 5 if applicable. Approval for the plan or project <u>cannot</u> be given unless either: - the plan or project specification, and/or the terms under which it might be approved, are modified so as to remove the risk of adverse effects, and a revised HRA is prepared, or - the plan or project (not being an SSSI consent*) satisfies the requirements for a derogation and a Derogation Notice is prepared and submitted for consideration by the appropriate authority, normally Welsh Ministers (*SSSI consents cannot be given as derogations)	
Signed: Vicky Fisk Name: Vicky Fisk Position: Marine Licensing Officer Date: 25/06/2026	
Was this HRA conclusion an escalated decision? YES or NO	NO

7. Consultation with the ANCB and how sections 2, 3, 4 and 5 of this HRA report (as applicable) take into account that advice.

Relevant section of the HRA report	Correspondence and/or meetings with the ANCB	Description of how the comments from the ANCB have been taken into account
2	N/A - HRA not required due to location, nature and small scale of works	
3		
4		
5		