

Compliance Assessment Report CAR_NRW0052296

Permit being assessed: DB3399FA

For: Hochtief UK Construction Ltd, **held by:** Hochtief UK Construction Ltd,

At: Site Office, Minffordd, Gwynedd, LL48 6HP.

Type of assessment: Site Inspection,

Reason: Routine.

On: 15/06/2026 between 10:00 and 13:00.

Parts of permit assessed: 1. General Management and Infrastructure.

NRW Lead Officer: Anthony Roberts, accompanied by Rhys Ellis, Stuart Ross.

Report sent to: David Grantham, Environment Manager, on 08/07/2026.

1. Summary of our findings (full details in section 4)

Part of permitted activity assessed (compliance criteria)	Assessment result	Permit condition
MCP1A - MCP - Management - General management	Assessed (A)	

Result types are explained in more detail in the 'Important Information' section below.

Total non-compliances recorded
0

2. What action is required?

No action required.

3. What will happen next?

Any non-compliance we have identified and recorded on this form is an offence. It can result in criminal prosecution and/or suspension or revocation of your permit.

At this time, we do not intend to take any further action.

This statement does not stop us from taking additional enforcement action if further relevant information comes to light or offences continue.

4. Details of our assessment

HOCHTEIF SVIP PROJECT MCP - MINFORDD COMPOUND

NRW TEAM VISIT AND OPERATIONAL SITE INSPECTION

15/06/26 @10.00hrs

Team Presentation

David Grantham, Site Environment Manager gave a project introduction to the IR Team, followed by a staff presentation about the aims and objectives of the Snowdonia HVIP project.

The team was then escorted on a site tour which included the compound where the permitted MCP array is situated. Ralf Schaefer of Hochtief gave an overview of requirements and performance of the MCP and the battery storage which provides load balancing and has proven successful in the smooth operational performance of the TBM.

Engines and Site Management

Site management is fully compliant with condition 1 of the permit, with staff demonstrating the key elements of site management and control during the visit and inspection.

Permit conditions regarding monitoring of engine emissions requires that:

3.2.3 The first monitoring measurements shall be carried out (a) For new MCP within four months of the issue date of the permit or the date when the MCP is first put into operation, whichever is later.

3.2.4 The operator shall maintain records of all monitoring including records of the taking and analysis of samples, instrument measurements (periodic and continual), calibrations, examinations, test and surveys and any assessment or evaluation made on the basis of such data.

The site was fully compliant with permit conditions at the time of inspection.

If you have any queries about this report, or to discuss completion of any actions, please contact the NRW Officer named above.

Important information

Legal status of this report

Your permit is issued to you under the Environmental Permitting Regulations. You have a responsibility to comply with the conditions of your permit and prevent pollution/harm of the environment. You must also ensure that you comply with any other relevant legislation that may apply to your site's operations.

This report explains the findings of our assessment and any action you are required to take. We categorise non-compliance using our guidance for assessing non-compliance at regulated sites.

When we find potential non-compliance/s we will normally give you advice on how to maintain compliance.

To correct non-compliance, we may:

- require you to take specific actions
- issue a notice
- review the conditions of your permit.

Any advice and guidance we give will be without prejudice to any other enforcement response that we consider may be required.

Assessment results and non-compliance categories (used in section 1):

Assessment result	Description
Assessed (A)	Assessed or assessed in part, no evidence of non-compliance found
Action only (X)	Action required for the permit condition assessed to avoid non-compliance. No non-compliance scored at this time
Ongoing (O)	Ongoing non-compliance, not scored

Non-compliance category	Description
C1 Major	Potential to have a major, serious, persistent and/or extensive impact or effect on the environment, people and/or property
C2 Significant	Potential to have a significant impact or effect on the environment, people and/or property
C3 Minor	Potential to have a minor or minimal impact or effect on the environment, people and/or property
C4 No environmental impact	Non-compliance at a regulated site that cannot foreseeably have any impact on the environment, people and/or property

Full list of Medium Combustion Plant and Specified Generator compliance criteria
(used in section 1 and 2):**1. Management**

- MCP1A – General management
- MCP1B – Energy efficiency
- MCP1C - Avoidance, recovery and disposal of wastes produced by the activities

2. Operations

- MCP2A – Permitted activities
- MCP2B – The site
- MCP2C – Operating techniques
- MCP2D – Improvement programme
- MCP2E – Pre-operational conditions

3. Emission and Monitoring

- MCP3A – Emissions to water, air or land
- MCP3B – Emissions of substances not controlled by emission limits
- MCP3C – Odour
- MCP3D – Noise and vibration
- MCP3E – Monitoring
- MCP3F – Fire

4. Information

- MCP4A – Records
- MCP4B – Reporting
- MCP4C – Notification

Enforcement response

Any non-compliance with a permit condition is an offence and we may take legal action against you. Action we take can include prosecution, serving a notice on you and/or suspension or revocation of your permit. See our Enforcement and Sanctions Guidance for further information.

Data protection notice

You should make sure that anyone named in this report knows that the information it contains will be processed by Natural Resources Wales to fulfil its regulatory and monitoring functions and to maintain the relevant public register(s).

We may also use and/or disclose the report in connection with:

- offering or providing you with our literature or services relating to environmental matters
- consulting with the public, public bodies and other organisations (e.g. Health and Safety Executive, local authorities) on environmental issues
- carrying out statistical analysis, research and development on environmental issues
- providing public register information to enquirers
- investigating possible breaches of environmental law
- assessing customer service satisfaction and improving our service
- Freedom of Information Act or Environmental Information Regulations requests.

We may also pass it on to our agents or representatives to do these things on our behalf.

Disclosure of information – this report will be available to view on-line

If you think this report contains commercially confidential information that should not be placed on our public register, you must contact your local Natural Resources Wales office within **fifteen working days** of receiving this report, using the contact details in the accompanying email or letter. You must give a full explanation of why it should not be added to our public register, including specifying which information is commercially confidential. We will assess your request and respond to you within twenty working days to let you know if we agree to your request.

Disputing the Content of this Compliance Assessment Report Form

If you disagree with the content of this Compliance Assessment Report form, you should submit your concerns, in writing, to the regulating officer who issued it within **15 working days** of its issue. This will be treated as a **Stage 1 review**.

If you are not satisfied with the outcome of the stage 1 review, you may request a **Stage 2 appeal**. This request must be submitted **within 21 working days** of receiving the response from the stage 1 review.

Further details on our review and appeal process are available at: [Natural Resources Wales / Appeal a regulatory decision from Natural Resources Wales](#)

Concerns Not Related to the Content of this Compliance Assessment Report Form

If your concerns do not relate to the content of the Compliance Assessment Report form, you should first attempt to resolve the issue with the regulating officer or their line manager.

If the issue remains unresolved, please contact our **Customer Contact Team**:

- **Telephone:** 0300 065 3000 (Monday to Friday, 09:00–17:00)
- **Email:** enquiries@naturalresourceswales.gov.uk

They will provide details on how to escalate your concerns through our **Complaints and Commendations procedure**.

If you are dissatisfied with our response, you may contact the **Public Services Ombudsman for Wales**:

- **Telephone:** 0300 790 0203

Email: ask@ombudsman.wales

Welsh Language Standards

We are committed to establishing Natural Resources Wales as a naturally bilingual organisation. We will provide compliance reports in your preferred language.