



ENVIRONMENT
AGENCY

WATER RESOURCES ACT 1991 (schedule 10)

(as amended by the Environment Act 1995)

Application for new consent/variation to an existing consent* to discharge
(* delete as appropriate)

Regional/

The Regional Finance Manager
Environment Agency
Welsh Region
PO Box 425
St Mellons Business Park
CARDIFF CF3 0LT

Official Use Only

Dist/Area Ref: **h10268201**

Application No.

Date Received:

Fee Received:

Each applicant must complete the main form and may need to complete a separate annexe if appropriate. Please look through the form and read the notes carefully before you complete it. Processing of your application will be aided by full and accurate completion of all the relevant sections and provision of the necessary plans. If you have any queries regarding the form please contact the person given in the notes.

NOTE:

All information contained within this application will be made available on the public register unless there is a request to withhold any of it. Any such request should provide a full justification stating why the information needs to be withheld (see note xiii).


1 SITE ADDRESS

1.1 Address or other sufficient description of land or premises to which this application applies.

RNAD TRECWN
HAVERFORDWEST
PEMBROKESHIRE

Post Code:

SA62 5YD



2 DETAILS OF DISCHARGE(S)

2.1 State the nature of the discharge(s) (see note i and ii) - tick one or more boxes as appropriate:-

Sewage Effluent - volume of 5 cubic metres per day or less ☐

Sewage Effluent - volume greater than 5 cubic metres per day (complete annexe 1) ☐

Sewage Effluent discharged under storm or emergency conditions (complete annexe 2) ☒

Cooling Water (complete annexe 3) ☐

Trade Effluent (including site drainage) (complete annexe 3) ☐

Others (please specify) ☐

2.2 Please state the maximum quantity it is proposed to discharge in any one day m³/day
Briefly state how this figure was calculated (see note ii).

EMERGENCY OVERFLOW ONLY

2.3 a) Indicate proposed means of discharge - tick as appropriate and show on plan:-
(for 1, 2 & 3 please state dimensions below)

1. Pipe ☒

4. Borehole ☐

7. Sub-Irrigation System ☐

2. Channel ☐

5. Well ☐

8. Combination of 6. & 7. ☐

3. Culvert ☐

6. Soakaway ☐

9. Other (please specify below) ☐

225 mm PIPE TO STREAM

b) National Grid Reference(s) of point(s) of discharge (see note iii).

/ / (please indicate on accompanying plans)

2.4 a) The Agency will normally require adequate provision for the taking of samples of the discharge in a safe and convenient manner at any time. Please indicate the means proposed (see note iv) - tick as appropriate and show on plan:-

At the outlet ☐

At a manhole or sampling chamber ☐

Other (please specify)

START OF DISCHARGE PIPE WITHIN
TREATMENT WORKS

b) National Grid Reference(s) of sampling point(s). (If different from 2.3 b) above)

/ / (please indicate on accompanying plans)

c) What flow measurement facilities will be provided (see note v)?
Please give details.

NONE PROPOSED

2.5 a) Type of Treatment Plant(s) to be used (please specify make and model) - tick as appropriate:-

Septic Tank ☐

Package Sewage Treatment Works ☐

Other ☐

TRADITIONAL BRICK AND CONCRETE TREATMENT WORKS

b) Will the treatment process involve the use of any chemicals (eg ferric salts, polyelectrolytes) ☒ Y/N
If yes please give details.

2.6 a) On what date do you anticipate the discharge will commence?

28 / 03 / 97

b) If you require the consent for a limited time period please give dates; from:

/ /

to:

/ /

c) If the discharge is not continuous please detail the period/circumstances when it will occur.

EMERGENCY OVERFLOW ONLY

2.7 a) Are there any existing consents for discharge from the premises (see note vi)? ☒ Y/N

If yes, please give the reference numbers (Any further information should be given in section 5.3).

BP 0254401

b) Has any person had a Prohibition Notice served on them in respect of this site? ☒ Y/N
If yes, please give the reference number.

3 SITE DETAILS

3.1 Please give the name of the relevant Planning Authority.

PEMBROKESHIRE COUNTY COUNCIL

3.2 Please give details of the premises - tick as appropriate:-

1. Single Dwelling ☒

6. Fish Farm ☐

2. Multiple Dwellings ☒

7. Mineral Workings ☐

3. Industrial Premises ☒

8. Water Services plc STW ☐


4. Vehicle Parking Area ☐

9. Water Supply ☐

5. Commercial Premises (please specify) ☐

10. Other (please specify) ☐

RNAD TRECWN



3.3 Please indicate source of the water supply - tick as appropriate:-

- 1. Well
- 2. Borehole
- 3. Precipitation (eg. rain or snow)
- 4. Mains (please state water supply company)

- ☐ 5. River (please give name below)
- ☐ 6. Estuary (please give name below)
- ☐ 7. Coastal Water (please give name below)

8 SPRING IN WINTER
STREAM IN SUMMER

4 DETAILS OF RECEIVING ENVIRONMENT

4.1 Receiving Medium - tick the category(s) to which the proposed discharge(s) is(are) to be made:-

- 1. Estuarial Water (tidal river or stream) ☐
- 2. River or Stream (non-tidal) ☒
- 3. Canal ☐
- 4. Lake, Loch or Pond ☐
- 5. Into Land ☐
- 6. Onto Land ☐
- 7. Directly into Groundwater ☐
- 8. Coastal Water (see note vii) ☐

State name of receiving water if known:

NAIT Y BUGAL TRIBUTARY OF THE WESTERN CLEDDAU

4.2 In the case of sub-irrigation systems, soakaways or boreholes:- N/A

(a) Is any part of the system within 5 metres of the boundary of the premises? ☐ Y/N

(b) Is any part of the system within 10 metres of a watercourse? ☐ Y/N

(c) Is any part of the system within 50 metres of a borehole or spring? ☐ Y/N

(d) For wells and boreholes state dimension(s) in metres. m

(e) For sub-irrigation systems, soakaway pits, wells and boreholes, state maximum depth in metres. m

(f) For boreholes, state details of lining in metres:

(i) Depth of lining m

(ii) Depth of perforated lining m

(iii) Depth of unperforated lining m

(g) A percolation test must be carried out in accordance with British Standard BS6297:1983.

Have the results been provided?

☐ Y/N

4.3 Is there a foul sewer available to which the discharge(s) could be made (see note viii)?

☒ Y/N

If yes, please give the reasons it is not practical to connect to it (eg. distance, flow etc.).

5 DETAILS OF APPLICANT AND OTHER INFORMATION

5. (See general notes and note ix)

- (a) Full name and postal address of applicant. This should be the person who will become the consent holder should consent be issued.

* CDR T. MacDONALD RN
* AREA WORKS OFFICER (WEST)
* NAVAL BASE SERVICES DEPARTMENT
* MINISTRY OF DEFENCE
* MOUNT WISE
* PLYMOUTH

Post Code:

PL1 4SH

Daytime Telephone Number:

01 752 501736

Company Registration Number (if appropriate):

- (b) Agent (if any) - Full name and postal address.

* M. C. MANSELL
* ESTABLISHMENT WORKS CONSULTANT
* WS ATKINS EWC
* RNAD TRECWN
* HAVERFORDWEST
* Pembrokeshire

Post Code:

SA62 5YD

Contact Name and Daytime Telephone Number:

01 348 840046

5.2

Please give full name and address to which bills should be sent if different to that given above:

*
*
*
*
*
*

AS PARAGRAPH 5.1 a

Post Code:

Daytime Telephone Number:

5.3 Are there any other factors to be taken into account? Please continue on a separate sheet if necessary.

TRANSFER OF OWNERSHIP FOR RNAD TRECWN IS PENDING
EXPECTED COMPLETION DATE WITHIN SIX MONTHS

DECLARATION

I/We.

1. apply under the Water Resources Act 1991 (as amended by the Environment Act 1995) for consent to discharge, as described in this Application. "This Application" means this page, all the other pages of this form and any attached annexes, the attached plan(s), any other sheets attached, and any other written information supplied to support the application.
2. enclose the required application fee, payable to the Environment Agency (see note x).
3. enclose 3 copies of the plan(s) and location maps with all relevant information clearly marked (see note xi).
4. will pay required advertising costs (see note xii).
5. confirm that I/we* will notify the Environment Agency of any changes in the information in this application which might be material to the continuation of the consent.
6. confirm that the information given in this application and any questions which the Environment Agency may have about it is/will* be true to the best of my/our* knowledge, information and belief and am/are* not aware of any other facts or information which might affect the granting of a consent, or conditions which might be put on it (see note xiii).
7. confirm that I/we* will pay any annual charges due should a consent be granted YES/NO*. If no please indicate who will by completing section 5.2 above (see note xiv).

(* Delete as appropriate)

SIGNED: G. Channing DAWO (w) MOD PRINT NAME: CHANNING
ON BEHALF OF: Cde T. MacDonald AWO(w) MOD DATED: 1.5.97

o o o

CONFIDENTIALITY

I/we apply for commercial confidentiality and enclose a full written justification (see note xv).

SIGNED: DATED:

PLEASE RETURN THIS FORM TO THE ADDRESS GIVEN ON THE FRONT PAGE



ENVIRONMENT AGENCY

ANNEXE 2

SEWAGE EFFLUENT DISCHARGED IN STORM OR EMERGENCY CONDITIONS

Please complete this annexe if you are proposing to make a discharge of sewage in emergency or storm conditions (if the effluent is to contain a trade component then Annexe 3 should also be completed)

Official Use Only
Application No.

1. Site Name.

RNAB TRECUN

2. State the type of discharge - tick as appropriate:-

Storm tanks

☐

Combined Sewer Overflow from sewerage system

☐

Combined Sewer Overflow from pumping station

☐

Emergency overflow from sewerage system

☒

Emergency overflow from pumping station

☐

Other (please specify)

☐

3. For effluents discharging from sewage treatment works, is the storm/emergency effluent discharged via the same outlet as the treated effluent?

☒ (Y) ☐ (N)

If no please give: a) the National Grid Reference of the treated effluent outlet.

S M / 9 6 4 3 1 / 3 2 6 1

b) the consent or application number covering the treated effluent discharge.

BP 0254401

If yes please give the National Grid Reference of the storm/emergency sampling point (see notes).

□ □ / □ □ □ □ / □ □ □ □

4. For effluents discharging from combined sewer overflows, is the discharge via a dedicated pipe?

☒ (Y) ☐ (N)

If no please give the National Grid Reference of the overflow into the sewer.

□ □ / □ □ □ □ / □ □ □ □

5. Overflow settings

a) Overflow setting to storm tanks.

N/A l/s

b) Maximum flow to storm tanks.

N/A l/s

c) Overflow setting to storm sewage overflow. NOT DETERMINED

l/s

d) Maximum flow to storm sewage overflow. NOT DETERMINED

l/s

6. Storage capacity

a) Volume of Storm Tanks.

N/A m³

b) Retention time of storm tanks at maximum flow.

N/A hours

c) Storage capacity of sewer/wet well.

N/A m³/day

7. Please provide full details of the design criteria that have been used to support this application.

NOT KNOWN

8. Will facilities be provided to raise alarms (eg. telemetry)?
If yes, please give details.

Y/N

9. Will facilities be provided to prevent the discharge of gross solids?
If yes, please give details (for screens give bar spacing or aperture).

Y/N

SCREEN WITH 10 mm MESH

10. What provisions will be made to deal with:

a) power failure (eg. standby generators)?

N/A

b) mechanical breakdown (eg. standby pumps)?

N/A

c) rising main failure?


N/A

d) tanker access?

N/A

Notes (see also the notes on the main form):

Full details of the design criteria must be provided in order for the application to be determined. If you have any queries about what information is required please contact the person given in notes attached to the main form.





ASiantaeth YR
AMGYLCHEDD
ENVIRONMENT
AGENCY

ANNEXE 4

WELSH REGION SUPPLEMENTARY INFORMATION ANNEXE

Please complete this annexe for every proposed discharge.

Official Use Only
Application No.

For all proposed discharges:

1. Site Name.

RNAD TRELWN

2. Is this application being made to reinstate a lapsed Consent?

Y/N

If so, please state the Number of the lapsed Consent:

IMPORTANT: If you are in need of advice on either part of question 2, please contact the Agency Regional Consents Section on 01222 770088.

3. If the proposed discharge is to be made down a pipe, channel or culvert (as given in Section 2.3 in the main application form), please state the diameter (including units):

225 mm PIPE

4. Please indicate the anticipated cost of the proposed scheme, including any alternatives which may have been considered:

NOT KNOWN


5. Is there any trade effluent component in the proposed discharge?

Y/N

If yes, please confirm here that you have completed and enclosed Annex 3:

Tick

☐



6. Will the proposed discharge be pumped or made under gravity? (please circle):

Pumped / Gravity

If pumped, please state the maximum pump rate in l/sec:

l/s

For proposed discharges of sewage in storm or emergency conditions:

7. Please confirm here that you have completed and enclosed both Annexes 1 and 2:

Tick

8. Please state:

SEE BP 0254401

Population served (head)

Consumption (l/head/day) default = 180

Infiltration (m³/day)

Industrial effluent flow (m³/day)


Dry Weather Flow (m³/day)

SOCA (l/sec)


Predicted spill frequency (per annum)


IMPORTANT NOTES FOR ALL CONSENT APPLICATIONS:

1. Whoever signs the declaration on the main application form takes responsibility for the discharge, and will become the registered consent holder, if consent is given. In the case of a 'body corporate' (e.g. a public limited company ('plc'), limited company, local authority), the 'body corporate' will be the registered consent holder, and the person with the delegated authority to sign on behalf of the 'body corporate' should give their job title.
2. Agents making an application on behalf of a client, must attach their clients written authority.
3. If the name and/or address of the applicant changes after submission of this application to the Environment Agency, the applicant must inform the Agency in writing.




1:2500





PART OF OS MAP SM 9632

SCALE 1:2500




Trecwn

WS ATKINS EWC
RNAD TRECWN 04/97

DISCHARGES
SAMPLING
POINTS

MOD LAND OWNERS' BOUNDARY





ASiantaeth Yr
AMGylchedd Cymru
ENVIRONMENT
AGENCY WALES

**TO BE RETURNED TO THE
ENVIRONMENT AGENCY BY THE
NEW CONSENT HOLDER**

Please complete parts A and B:

Regarding Discharge Consent Number BP 026820101 (essential information)

A Confirmation of New/~~Joint~~ Holders

Name

(Please use Block Capitals)

Address

Postcode

Daytime Telephone Number

(NB: Please duplicate or continue on a separate sheet if necessary for joint holders)

Date that you became responsible for the above consent 01/03/01

Signature of New Holder

Date 10/04/01

B Confirmation of Bill Recipient

If the consent attracts an annual charge, who will be responsible for the bill?

Name

(Please use Block Capitals)

Address

Postcode

Daytime Telephone Number

Date that you became responsible for the above consent 01/03/01

Signature of bill recipient

Date 10/04/01

Please return to the Register Officer at the following address:

Environment Agency, Abacus House, St Mellons Business Park, St Mellons CARDIFF, CF3 0EY
Tel: 02920 770088 Fax: 02920 362487

Dane
1/6/01
els.



ASiantaeth yr
AMGYLCHEDD CYMRU
ENVIRONMENT
AGENCY WALES

I'W DYCHWELYD I
ASiantaeth yr Amgylchedd gan
Ddeiliad Newydd y Caniatâd

Llenwch rannau A a B:

Yngl n â Chaniatâd Rhif: _____ (gwybodeth hanfodol)

A Cadarnhad am y Deiliad/Cyd-Ddeiliaid Newydd

Enw _____
(Priflythrennau Bras)
Cyfeiriad _____

Cod Post _____

Rhif Teleffon Dydd _____

(DS: Gwnewch gopi o'r ddalen hon neu barhau ar ddalen ar wahân os bydd angen ar gyfer Deiliaid ar y Cyd)

Dyddiad y daethoch yn gyfrifol am y caniatâd uchod __ / __ / __

Llofnod y Deiliad Newydd _____ Dyddiad __ / __ / __

B Cadarnhad am Dderbynnnydd y Bil

Os oes tâl blyneddol am y caniatâd, pwy fydd yn gyfrifol am y bil?

Enw _____
(priflythrennau Bras)
Cyfeiriad _____

Cod Post _____

Rhif Teleffon Dydd _____

Dyddiad y daethoch yn gyfrifol am y caniatâd uchod __ / __ / __

Llofnod derbynnydd y bil _____ Dyddiad __ / __ / __

Dychwelwch hon I'r Swyddog Registrar I'r cyreiriad usod

Asiantaeth yr Amgylchedd, Ty Abacus, Parc Busnes Llaneirwg, Llaneirwg, CAERDYDD, CF3 0EY
Tel: 02920 770088 Fax: 02920 362487

WS Atkins EWC

a division of WS Atkins Consultants Limited



RNAD Trecwn
Haverfordwest
Pembrokeshire
SA62 5YD

Your ref BP 0254401
Our ref

Date 3 July 1997

Mr P Gibson
Enviroment Agency
Rivers House
St Mellons Business Park
CARDIFF
CF3 0LT

NATIONAL RIVERS AUTHORITY		
Letter No.		
File Ref.		
REC'D 04 JUL 1997		
OR CIRC.		
FILE		
OFFICER	SIGNED	REPLIED

Telephone (01348) 840046

Ext.

Dear Paul

MOD TRECWN - MAIN SEWAGE WORKS (BP0254401)

Please find enclosed copies of the application which the Ministry Of Defence made to your agency for a consent for the Storm Overflow at the Main Sewage Treatment Works serving MOD Trecwn (your reference BP 0254401). It appears that the original application was lost in the post and failed to reach The Enviroment Agency.

I am sending you copies of this application to you at the request of June Graham of your Swansea office.

June Graham is arranging for an invoice to be sent to the Ministry Of Defence in order that they can pay the required fee.

Please confirm in writing the receipt of these copies.

Yours sincerely


C P Mansell
Site EWC

NATIONAL RIVERS AUTHORITY		
Letter No. 176432		
File Ref.		
REC'D 07 JUL 1997		
PASTED TO L.m.		
OR CIRC.		
FILE		
OFFICER	SIGNED	REPLIED

Divisional Directors: HC Symonds MA CEng FStructE MICE MConsE
GL Craig BSc GP Davies CEng MCIBSE MIEIE GR Payton MA CEng FIMechE FCIBSE FlnstE

Directors: PE Archer CJA Binnie R Collins JA Cuming RH Cuthbert RW Deacon RB Dean JL Doyle
PJ Duffy MT Foley RC French DRS Harris BS Holmes BC Hutt DS James RD Jarvis MME Jeffries
JD McDougall GS Prosser MHP Roberts NR Schunter D Slater HC Symonds

Registered Office: Woodcote Grove Ashley Road Epsom Surrey KT18 5BW England
Registered in England Number 755613



TO BE RETURNED TO THE
ENVIRONMENT AGENCY BY THE
NEW CONSENT HOLDER



ASIANTAETH YR
AMGYLCHEDD
ENVIRONMENT
AGENCY

THE ENVIRONMENT AGENCY

Please complete parts A and B:

Regarding Discharge Consent Number: BPO26820101 DTD 11/1/98 (essential information)

A. Confirmation of New Holder/Joint Holders

Name OMEGA Pacific Ltd
(Please use Block Capitals)

Address TRENN Valley
Pembroke

Postcode SA62 5YD

Daytime Telephone Number 01348-840347

(NB: Please duplicate or continue on a separate sheet if necessary for Joint Holders)

Date that you became responsible for the above consent 21/1/98

Signature of New Holder Liam Smith Date 28/1/98

B. Confirmation of Bill Recipient L. STEBBINGS Company Secretary

If the consent attracts an annual charge, who will be responsible for the bill?

Name AS ABOVE

(Please use Block Capitals)

Address

Postcode

Daytime Telephone Number

Date that you became responsible for the above consent 21/1/98

Signature of bill recipient _____ Date ____/____/____

Please return to the Consents & Compliance Officer at the following address:

Environment Agency, Rivers House, St Mellons Business Park, CARDIFF CF3 0LT.
Tel: 01222 770088 Fax: 01222 798555

I'W DYCHWEILD I
ASIANTAETH YR AMGYLCHEDD GAN
DDEILIAD NEWYDD Y CANIATAD

ASIANTAETH YR
AMGYLCHEDD
ENVIRONMENT
AGENCY



Llenwch rannau A a B::

Ynglŷn â Chaniatâd Rhif: _____
(gwybodedd hantodol)

A. Cadarnhad am y Deiliad/Cyd-Ddeiliaid Newydd

Enw

(Priflythrennau Bras)
Cyfeiriad

Cod Post

Rhif Telefon Dydd

(DS: Gwnewch gopi o'r ddalen hon neu barhau ar ddalen ar wahân os bydd angen ar gyfer Deiliaid ar y Cyd)

Dyddiad y daethoch yn gyfrifol am y caniatâd uchod

Llofnod y Deiliad Newydd _____
Dyddiad ____/____/____

B. Cadarnhad am Dderbynydd y-Bil

Os oes iâl blyneddol am y caniatâd, pwy fydd yn gyfrifol am y bil?

Enw

(Priflythrennau Bras)
Cyfeiriad

Cod Post

Rhif Telefon Dydd

Dyddiad y daethoch yn gyfrifol am y caniatâd uchod

Llofnod derbynnydd y bil _____
Dyddiad ____/____/____

Dychwelwch hon i'r Swyddog Caniatadau a Chydymffurfio yn y cyfeiriad canlynol:

Asiantaeth yr Amgylchedd, Plasyrfaon, Parc Busnes Llancirwg, Llancirwg, CAERDYDD CF3 0LT.
Tel: 01222 770088 Ffacs: 01222 798555

Water Resources Act 1991
as amended by the Environment Act 1995
Consent to Discharge
Certificate of Holder



**ENVIRONMENT
AGENCY**

Part A

To:

MINISTRY OF DEFENCE
AREA WORKS OFFICER (WEST)
NAVAL BASE SERVICES DEPARTMENT
MOUNT WISE
PLYMOUTH PL1 4JH

NB: For a body corporate the job title is a point of contact.
Holder Start Date: 01-JAN-98

The **Environment Agency** ("the Agency") hereby confirm that the above named person is a/the registered holder of consent **BP026820101** Consent issued: 01-JAN-98

Nature of Discharge(s); **SEWAGE EFF/CRUDE EFF/RAINFALL**
at **RNAD TRECWN STW HAVERFORDWEST**

Note: This certificate should be kept with the consent document for future reference. If you transfer responsibility for the discharge to somebody else you must pass the consent to them and tell the Agency within 21 days. **Responsibility for the consent cannot be disclaimed by the holder but the registration of holder may be transferred to a successor.** To do this please complete the form below, then tear it off and return it to the address shown. If you fail to transfer the consent, even though you are no longer on the site, you may still be liable for prosecution for pollution. If you transfer the consent but do not tell us, you will be committing an offence. In case of any queries please contact your local Environment Agency office.

Part B

Please complete in block capitals or type.

To:

Water Resources Act 1991: Notice of transfer of consent to discharge

Consent:

BP026820101

MINISTRY OF DEFENCE

Name:

Consent Issued: 01-JAN-98

Address:

AREA WORKS OFFICER (WEST)

NAVAL BASE SERVICES DEPARTMENT

MOUNT WISE

PLYMOUTH PL1 4JH

I/We* hereby serve notice on the Agency that I/we* am/are* no longer a/the* Holder of the above consent which will be/was* transferred to:

* delete as appropriate

Name(s) of new holder(s):

Address:


Post Code:

Date of Transfer to new Holder(s);

Signed: **Dated:**

Name (block capitals): **Position:**





Eich cyf/Your ref.

Ein cyf/Our ref. 2/EQ/BP0268201/HJH/JAR

Dyddiad/Date: As postmark



ASiantaeth Yr
AMGYLCHEDD
ENVIRONMENT
AGENCY

Area Works Officer (West)
Naval Base Services Department
Ministry of Defence
Mount Wise
Plymouth PL1 4JH

Dear Sir/Madam

**RE: WATER RESOURCES ACT 1991 SECTION 88 SCHEDULE 10 (AS AMENDED
BY THE ENVIRONMENT ACT 1995)
APPLICATION FOR CONSENT TO DISCHARGE AT TRECWN, HAVERFORDWEST
APPLICATION NO. BP0268201**

Further to your application the Agency has decided that consent should be given subject to conditions. I enclose the Agency's formal consent to discharge storm sewage effluent from RNAD Trecwn Sewage Treatment Works.

Under the present Scheme of Charges for Discharges to Controlled Waters an annual charge will be made for all consents to discharge, except where the discharge is of sewage effluent of five cubic metres or less per day. The charge is based on information derived from the conditions attached to the consent to discharge, as outlined in the enclosed leaflet.

If you consider that the conditions imposed by the consent are unreasonable you have a right of appeal to the Secretary of State for Wales at the Welsh Office, Cathays Park, Cardiff, CF1 3NQ.


Notice of an appeal must be given in writing within three months of this notification and must be accompanied by a statement of the grounds of appeal.

If granted, a consent under Schedule 10 of the Act, covers water quality considerations only. It does not alter the need to obtain any other consents or approvals which might be required in connection with your proposal under other legislation. For example it does not give any right or permission to discharge where land is not owned by the applicant.

Cont/d

Please take careful note that if the holder of the consent changes, you must inform the Agency IN WRITING as soon as possible of the name of the new holder. This is to ensure that the rights and charges associated with the Consent are transferred to the new holder. A Certificate of Holder notice will be sent to you shortly which is designed for this purpose, and should be kept safely with the Consent until required.

Yours faithfully


P WILKINSON
Area Environment Planning Officer

Enc.

Please ask for: Mr Ged Davies, Ext 3036

CONSENT NO.

BP0268201



ASiantaeth YR
AMGYLCHEDD
ENVIRONMENT
AGENCY

WATER RESOURCES ACT 1991

SECTION 88 - SCHEDULE 10

(AS AMENDED BY THE ENVIRONMENT ACT 1995)

CONSENT TO DISCHARGE

TO: Area Works Officer (West)
Naval Base Services Department
Ministry of Defence
Mount Wise
Plymouth
PL1 4JH

The **ENVIRONMENT AGENCY** ("The Agency") in pursuance of its powers under the Water Resources Act 1991 **HEREBY CONSENTS** to the making of a discharge OF **SEWAGE EFFLUENT**, as follows:

STORM SEWAGE EFFLUENT

FROM: RNAD TRECWN SEWAGE TREATMENT WORKS

AT: TRECWN, HAVERFORDWEST

TO: TRIBUTARY OF THE NANT-Y-BUGAIL

SUBJECT TO the conditions set out in the following schedule(s):

STORM SEWAGE EFFLUENT

Schedule No. BP0268201 01

Subject to the provisions of Paragraphs 7 and 8 of Schedule 10 of the Water Resources Act 1991, no notice shall be served by the Agency, altering this consent, without the agreement in writing of the consent holder, during a period of 4 years from the date this consent takes effect.

This consent is issued and takes effect on the 1st day of January 1998

Signed P. Wilkin

Area Environment Planning Manager

Asiantaeth yr Amgylchedd

Glan Tawe, 154 Ffordd Sant Helen, Abertawe. SA1 4DF. Ffon 01792 645300. Ffacs 01792 648452

Environment Agency

Glan Tawe, 154 ST Helens Road, Swansea. SA1 4DF. Tel 01792 645300 Fax 01792 648452



CONSENT NO.	BP0268201
SCHEDULE NO.	BP0268201 01
DATE ISSUED	<i>1st January 1998</i>



**ASiantaeth YR
AMGYLCHEDD
ENVIRONMENT
AGENCY**

CONDITIONS OF CONSENT TO DISCHARGE

STORM SEWAGE EFFLUENT ("the Discharge")

FROM: RNAD TRECWN SEWAGE TREATMENT WORKS

1. (a) The Discharge shall not contain any poisonous, noxious or polluting matter or solid waste matter.
- (b) Provided that the Discharge hereby consented is made in accordance with the following conditions of this consent, such discharge shall not be taken to be in breach of condition (a) above by reason of containing substances or having properties identified in and controlled by these conditions.

NATURE

2. The Discharge shall consist solely of storm sewage containing no trade effluent.

LOCATION

3. The Discharge shall be made in the manner and at the place specified as:
 - (a) discharging via a 225 millimetre diameter pipe;
 - (b) discharging to a tributary of the Nant-y-Bugail;
 - (c) at National Grid Reference SM 9663 3269;
 - (d) shown marked "Consent Point" on Plan No. BP0268201 attached as Annex 1.

SAMPLE POINTS

4. An appropriately labelled sample point shall be provided and maintained at National Grid Reference SM 9663 3267, as shown marked 'Sample Point' on Plan BP0268201, so that a representative sample of the Discharge may be obtained. The discharger shall ensure that all constituents of the Discharge pass through the said sampling point at all times and in any legal proceedings it shall, for the purposes of Section 10 of the Rivers (Prevention of Pollution) Act 1961, be presumed, until the contrary is shown that any sample of the Discharge taken at the said sampling point is a sample of what was discharging into controlled waters.



CONSENT NO.	BP0268201
SCHEDULE NO.	BP0268201 01



ASiantaeth YR
AMGYLCHEDD
ENVIRONMENT
AGENCY

VOLUME


5. The Discharge shall occur only when the rate of flow in the inlet channel at the storm overflow weir exceeds 5.6 litres per second due to rainfall and/or snow melt.

COMPOSITION

6.
 - (a) The Discharge shall have passed, without prior comminution or maceration, through a screening device having apertures no greater than 10 millimetres in one dimension.
 - (b) The screening device shall be maintained in an efficient operational condition.
 - (c) All screenings must be removed and disposed of in a manner such as to prevent entry to the discharge.
7. As far as is reasonably practicable, the works shall be operated so as to prevent:
 - (i) any matter being present in the Discharge, other than matter specifically covered by numerical conditions in this consent, to such an extent as to cause the receiving waters, or any waters of which the receiving waters are a tributary, to be poisonous or injurious to fish in those waters, or to the spawning grounds, spawn or food of fish in those waters, or otherwise cause damage to the ecology of those waters; and
 - (ii) the Discharge from having any other adverse environmental impact.

MAINTENANCE

8. The overflow shall be maintained in an efficient operational condition.



Water Resources Act 1991
as amended by the Environment Act 1995
Consent to Discharge
Certificate of Holder



ENVIRONMENT
AGENCY

Part A

To: OMEGA PACIFIC LTD
THE DIRECTOR
TRECWN VALLEY

HAVERFORDWEST SA62 5YD

NB: For a body corporate the job title is a point of contact.

Holder Start Date: 21-JAN-98

The Environment Agency ("the Agency") hereby confirm that the above named person is a/the registered holder of consent

BP026820101 Consent Issued: 01-JAN-98

Nature of Discharge(s); SEWAGE EFF/STORM EFF/RAINFALL
at

RNAD TRECWN STW HAVERFORDWEST

Note: This certificate should be kept with the consent document for future reference. If you transfer responsibility for the discharge to somebody else you must pass the consent to them and tell the Agency within 21 days. **Responsibility for the consent cannot be disclaimed by the holder but the registration of holder may be transferred to a successor.** To do this please complete the form below, then tear it off and return it to the address shown. If you fail to transfer the consent, even though you are no longer on the site, you may still be liable for prosecution for pollution. If you transfer the consent but do not tell us, you will be committing an offence. In case of any queries please contact your local Environment Agency office.

Part B Please complete in block capitals or type.

To:

Water Resources Act 1991: Notice of transfer of consent to discharge

Consent: BP026820101

Name: OMEGA PACIFIC LTD

Consent Issued: 01-JAN-98

Address:

THE DIRECTOR

TRECWN VALLEY

HAVERFORDWEST SA62 5YD

I/We* hereby serve notice on the Agency that I/we* am/are* no longer a/the* Holder of the above consent which will be/was* transferred to:

* delete as appropriate

Name(s) of new holder(s):

Address:


Post Code:

Date of Transfer to new Holder(s);

Signed:..... Dated:.....

Name (block capitals):..... Position:.....





Deddf Adnoddau Dwr 1991
fel y'i diwygiwyd gan Ddeddf yr Amgylchedd 1995

Caniatâd Gollwng

Tystysgrif Daliwr



ASiantaeth yr
AMGYLCHEDD CYMRU
ENVIRONMENT
AGENCY WALES

06 NOV 2003

Rhan A

At: **THE VALLEY (PEMBS) LIMITED**
TRECWN VALLEY
HAVERFORDWEST
PEMBROKESHIRE
WALES SA62 5YD

DS: I gorfforaeth gorfforedig mae teitl y swydd yn bwynt cysylltu.

Dyddiad Cychwyn y Daliwr : 24 Hydref 2003

Mae Asiantaeth yr Amgylchedd ("yr Asiantaeth") yn cadarnhau drwy hyn mai / bod y sawl (neu sefydliad) a enwyd uchod yw / yn ddaliwr cofrestredig y caniatâd : BP02682010 Cyhoeddwyd y Caniatâd : 1 Ionawr 1998

Natur y Gollyngiad(au) : SSOR Carthffrwd

yn SM9663032690 RNAD TRECWM STW HAVERFORDWEST

Noder : Dylid cadw'r dystysgrif hon gyda'r ddogfen ganiatâd i gyfeirio ati yn y dyfodol. Os byddwch yn trosglwyddo cyfrifoldeb am y gollyngiad i rywun arall, rhaid i chi drosglwyddo'r caniatâd iddo ef neu hi a dweud wrth yr Asiantaeth cyn pen 21 diwrnod. Ni all y Daliwr wadu cyfrifoldeb am y caniatâd, ond gall cofrestriad y Daliwr gael ei drosglwyddo i olynnydd. I wneud hynny, byddwch gystal â llenwi'r ffurflen isod (Rhan B), yna'i dychwelyd i'r cyfeiriad a nodir. Os fethwch â throsglwyddo'r caniatâd, hyd yn oed os nad ydych ar y safle mwyach, gallwch gael eich erlyn am achosi llygredd. Os trosglwyddwch y caniatâd ond heb ddweud wrthym, yna byddwch yn cyflawni trosedd. Os bydd gennych unrhyw ymholiadau a fydddech gystal â chysylltu â'ch swyddfa Asiantaeth yr Amgylchedd lleol, gan ddyfynnu Cyfeirnod y Caniatâd.

----- -torrwch yma - -----

Rhan B

Llenwch mewn priflythrennau bras neu deipio

At: **Deddf Adnoddau Dwr 1991 : Hysbysiad am drosglwyddo Caniatâd Gollwng**

Cyfeirnod y Caniatâd : BP026820101

Enw : THE VALLEY (PEMBS) LIMITED

Cyhoeddwyd y 1 Ionawr 1998

Cyfeiriad : TRECWN VALLEY

Caniatâd :

HAVERFORDWEST

PEMBROKESHIRE

WALES SA62 5YD

Yr wyf fi / Yr ydym ni* drwy hyn yn hysbysu'r Asiantaeth nad fi / ni mwyach yw* Daliwr / Deiliaid y caniatâd uchod a fydd yn cael / cafodd ei drosglwyddo i

* dilžer fel yn briodol

Enw(au) y Daliwr / Deiliaid newydd :

Côd Post :

Dyddiad Trosglwyddo i'r Daliwr / Deiliaid newydd :

Llofnodwyd :

Dyddiedig :

Enw (priflythrennau bras) :

Swydd (os yn briodol) :

(i'w llenwi pan yn llofnodi ar ran corfforaethau corfforedig)

Water Resources Act 1991
as amended by the Environment Act 1995



**ENVIRONMENT
AGENCY**

**Consent to Discharge
Certificate of Holder**

Part A

To: TRECWN INTERIM MANAGERS LTD
TRECWN VALLEY



HAVERFORDWEST
SA62 5YD

NB: For a body corporate the job title is a point of contact.
Holder Start Date: 13/03/01

The **Environment Agency** ("the Agency") hereby confirm that the above named person is a/the registered holder of consent BP026820101 Consent Issued: 01/01/98

Nature of Discharge(s); SSOR Sewage - Storm effluent - Rainfall
at SM9663032690 RNAD TRECWN STW HAVERFORDWEST,

Note: This certificate should be kept with the consent document for future reference. If you transfer responsibility for the discharge to somebody else you must pass the consent to them and tell the Agency within 21 days. **Responsibility for the consent cannot be disclaimed by the holder but the registration of holder may be transferred to a successor.** To do this please complete the form below, then tear it off and return it to the address shown. If you fail to transfer the consent, even though you are no longer on the site, you may still be liable for prosecution for pollution. If you transfer the consent but do not tell us, you will be committing an offence. In case of any queries please contact your local Environment Agency office.

Part B Please complete in block capitals or type.

To:

Water Resources Act 1991: Notice of transfer of consent to discharge

Consent: BP026820101 **Name:** TRECWN INTERIM MANAGERS LTD
Consent Issued: 01/01/98 **Address:** TRECWN VALLEY
HAVERFORDWEST
SA62 5YD

I/We* hereby serve notice on the Agency that I/we* am/are* no longer a/the* Holder of the above consent which will be/was* transferred to: * delete as appropriate

Name(s) of new holder(s):
Address:

Post Code:

Date of Transfer to new Holder(s);

Signed:..... **Dated:**.....

Name (block capitals): **Position:**



Deddf Adnoddau Dwr 1991
fel y'i diwygiwyd gan Ddeddf yr Amgylchedd 1995
Caniatâd Gollwng
Tystysgrif Daliwr



**ASiantaeth yr
AMGYLCHEDD**

Rhan A
At: TRECWN INTERIM MANAGERS LTD
TRECWN VALLEY
,
HAVERFORDWEST
SA62 5YD

DS: I gorff corfforedig mae teitl y swydd yn bwynt cysylltu.
Dyddiad Cychwyn Daliwr: 13/03/01

Mae **Asiantaeth yr Amgylchedd** ("yr Asiantaeth") yn cadarnhau drwy hyn mai/bod y sawl a enwyd uchod yw/yn ddaliwr cofrestredig uy caniatâd BP026820101 Cyhoeddwyd Caniatâd: 01/01/98

Natur y gollwng: SSOR Sewage - Storm effluent - Rainfall
yn SM9663032690 RNAD TRECWN STW HAVERFORDWEST,

Nodyn: Dylid cadw'r dystysgrif hon gyda'r ddogfen ganiatâd i gyfeirio ati yn y dyfodol. Os byddwch yn trosglwyddo cyfrifoldeb y gollwng i rywun arall, rhaid i chi gyflwyno'r caniatâd iddo ef neu hi a dweud wrth yr Asiantaeth cyn pen 21 diwrnod. **Ni all y daliwr wadu cyfrifoldeb y gollwng, ond gall cofrestriad y daliwr gael ei drosglwyddo i olynnydd.** I wneud hynny, byddwch cystal â llenwi'r ffurflen isod, ei datgysylltu a'i dychwelyd i'r cyfeiriad a nodir. Os methwch drosglwyddo'r caniatâd, hyd yn oed os nad ydych ar y safle mwyach, gallwch fod yn agored yr un fath i gael eich erlyn am lygru. Os trosglwyddwch y caniatâd ond heb ddweud wrthom, byddwch yn cyflawni trosedd. Os bydd gennych ymholiadau, byddwch cystal â chysylltu â swyddfa Asiantaeth yr Amgylchedd yn lleol.

Rhan B Llenwch mewn priflythrennau bras neu deipio.

At:

Deddf Adnoddau Dwr 1991: Hysbysiad am drosglwyddo caniatâd gollwng

Caniatâd: BP026820101
Enw: TRECWN INTERIM MANAGERS LTD
Cyfeiriad: TRECWN VALLEY
Cyhoeddwyd Caniatâd: 01/01/98
HAVERFORDWEST
SA62 5YD

Yr wyf fi/Yr ydym ni* drwy hyn yn hysbysu'r Asiantaeth nad fi/ni/nad wyf/ydym mwyach yw/yn* Ddeiliad y caniatâd uchod. Caiff/Cafodd hwnnw ei drosglwyddo i:

*dilewch yn ôl yr angen

Enw(au) y Daliwr/Dalwyr newydd:
Cyfeiriad:

Cod Post:

Dyddiad Trosglwyddo i'r Daliwr/Dalwyr newydd:

Llofnodwyd:..... **Dyddiedig:**

Enw Enw (priflythrennau bras):..... **Safle:**



Water Resources Act 1991
as amended by the Environment Act 1995
Consent to Discharge
Certificate of Holder



**ENVIRONMENT
AGENCY**

Part A

To: OMEGA PACIFIC LTD
THE DIRECTOR
TRECWN VALLEY

HAVERFORDWEST SA62 5YD

NB: For a body corporate the job title is a point of contact.

Holder Start Date: 21-JAN-98

The Environment Agency ("the Agency") hereby confirm that the above named person is a/the registered holder of consent BP026820101 Consent issued: 01-JAN-98

Nature of Discharge(s): SEWAGE EFF/STORM EFF/RAINFALL
at

RNAD TRECWN STW HAVERFORDWEST

Note: This certificate should be kept with the consent document for future reference. If you transfer responsibility for the discharge to somebody else you must pass the consent to them and tell the Agency within 21 days. **Responsibility for the consent cannot be disclaimed by the holder but the registration of holder may be transferred to a successor.** To do this please complete the form below, then tear it off and return it to the address shown. If you fail to transfer the consent, even though you are no longer on the site, you may still be liable for prosecution for pollution. If you transfer the consent but do not tell us, you will be committing an offence. In case of any queries please contact your local Environment Agency office.

Part B Please complete in block capitals or type.

To:

Water Resources Act 1991: Notice of transfer of consent to discharge

Consent: BP026820101

Name: OMEGA PACIFIC LTD

Address:

Consent Issued: 01-JAN-98

THE DIRECTOR

TRECWN VALLEY

HAVERFORDWEST SA62 5YD

I/We* hereby serve notice on the Agency that I/we* am/are* no longer a/the* Holder of the above consent which will be/was* transferred to: * delete as appropriate

Name of new holder(s):

Address:

TRECWN INTERIM MANAGERS LTD
TRECWN VALLEY
HAVERFORDWEST, Pembro.

Post Code: SA 625YD.

Date of Transfer to new Holder(s): 13.3.01

Signed: N. Hosgood

Dated: 13.3.01


Name (block capitals): N. Hosgood

Position: General Manager

Environment Agency
Customer Contact Dept
Glan Tawe
154 St Helens Rd
Swansea
SA1 4DF

THE VALLEY (PEMBS) Ltd
Trecwn Valley
Haverfordwest
Pembs
SA62 5YD
Tel 01348 840347

27th October 2003



Ref Discharge Consents BP0254401 and BP026820101.

Dear Sir/Madam,

Please find two enclosed "transfer of consent to discharge" forms transferring the holder to the above company from Trecwn Interim Managers Ltd.

I trust everything is in order and you will issue new consents in due course, should you require any additional information relating to this transfer then please contact me at the above number.

Yours Sincerely

N. Hosgood.
General Manager.

*checked
27-11-03*



To

Water Resources Act 1991: Notice of transfer of consent to discharge

Consent: BP0254401

Name: TRECWN INTERIM MANAGERS LTD

Consent Issued: 13/05/98

Address: TRECWN VALLEY

HAVERFORDWEST

SA62 5YD

I/~~My~~* hereby serve notice on the Agency that ~~we~~* ~~am~~/are* no longer ~~the~~* Holder of the above consent which ~~was~~/was* transferred to:

* delete as appropriate

Name(s) of new holder(s):

Address:

Post Code:

Date of Transfer to new Holder(s);

Signed:

Dated:

Name (block capitals):

Position:

JWE/S/96

(to be completed when signing
on behalf of corporate bodies)



Water Resources Act 1991

as amended by the Environment Act 1995



ASiantaeth Yr
AMGYLCHEDD CYMRU
ENVIRONMENT
AGENCY WALES

Consents to Discharge

Certificate of Holder

06 NOV 2003

Part A

To: **THE VALLEY (PEMBS) LIMITED**
TRECWN VALLEY
HAVERFORDWEST
PEMBROKESHIRE
WALES SA62 5YD

NB: For a body corporate the job title is a point of contact.

Holder Start Date : 24 October 2003

The Environment Agency ("the Agency") hereby confirm that the above named person (or organisation) is a / the registered Holder of the Consent : BP02682010 Consent Issued : 01 January 1998

Nature of Discharge(s) SSOR Sewage effluent

at SM9663032690 RNAD TRECWM STW HAVERFORDWEST

Note : This certificate should be kept with the consent document for future reference. If you transfer responsibility for the discharge to somebody else, you must pass the consent to them and tell the Agency within 21 days. Responsibility for the consent cannot be disclaimed by the Holder but the registration of Holder may be transferred to a successor. To do this, please complete the form below (Part B), then tear it off and return it to the address shown. If you fail to transfer the consent, even though you are no longer on the site, you will still be liable for prosecution for pollution. If you transfer the consent but do not tell us, you will be committing an offence. In case of any queries, please contact your local Environment Agency office, quoting the Consent Reference.

----- cut here -----

Part B

Please complete in block capitals or type

To: **Water Resources Act 1991 : Notice of transfer of Consent to Discharge**

Consent Reference : BP026820101

Name : **THE VALLEY (PEMBS) LIMITED**

Consent Issued : 01 January 1998

Address : **TRECWN VALLEY**
HAVERFORDWEST
PEMBROKESHIRE
WALES SA62 5YD

I / We* hereby serve notice on the Agency that I / we* am / are* no longer a / the* Holder of the above consent which will be / was* transferred to :

* delete as appropriate

Name(s) of the new Holder(s) :

Post Code :

Date of Transfer to new Holder(s) _____

Signed : _____

Dated : _____

Name (block capitals) : _____

Position (if appropriate) : _____

(to be completed when signing on behalf of corporate bodies)

