

Our ref: [794-NI-POR-00886 Fishguard]

Date: 10th September 2026

Natural Resource Wales
Permit Receipt Centre
Welsh Government Offices
Cathays Park
King Edward VII Avenue
Cardiff
CF10 3NQ

Submitted via website

Dear Emma,

WPCC17182/CML 2612 Fishguard Replacement Linkspan, Fishguard Harbour, Fishguard

Further to the receipt of the marine license and environmental impact assessment consent, on behalf of our client Stena Line we seek application to discharge conditions of the licence.

- 3.18 Submission of a Written Scheme of Investigation (WSI) for written approval
- 3.19 Submission of a Protocol for Archaeological Discovery (PAD) for written approval
- 3.20 Submission of a Construction Environmental Management Plan (CEMP) for written approval
- 3.21 Submission of a Environmental Management Plan (EMP) for written approval
- 3.22 Submission of a Marine Pollution Contingency Plan (MPCP) for written approval
- 3.24 Submission of a Biosecurity Risk Assessment and Management Plan (BRAMP) for written approval
- 3.25 Submission of a Vessel Management Plan (VMP) for written approval
- 3.26 Submission of a Navigation Safety Plan (NSP) for written approval

We are of the opinion that the EMP is covered by the CEMP and submitted appendices to include the MPCP and INNS Management Plan as these documents outline mitigations.

The MMMP which will follow as soon as possible, will also outline mitigations, would form part of this EMP.

I trust this is satisfactory, but if you need anything further, please do not hesitate to contact me.

Yours sincerely,

Michelle

for Tetra Tech

Michelle Price

Senior Associate Planner

T +44 (0)28 9066 7914

E michelle.price@tetrattech.com

Time Zone: BST/GMT

Wednesday working hours 8.30-1.45pm

Tetra Tech | *Leading with Science®*

Elmwood House, Belfast www.tetrattech.com/europe

