

# Change a new bespoke water discharge activity and groundwater (point source) activity permit

## About you

Tell us the permit number for the environmental permit you want to change. The permit number may also be referred to as your 'consent number' or your 'authorisation number' in documents that have been issued before April 2010.

CG0182801

Tell us who is making the application to change this permit.

**First name:** John

**Last name:** Summerfield

**Address:** Ty Hen

**Postcode:** LL64 5QZ

**Telephone:** 07843680706

**Email:** jjtyhen@gmail.com

Only the permit holder(s) or somebody authorised to act on their behalf can change the permit.

Are you the permit holder or somebody who is authorised to act on their behalf?

Yes

## Is somebody completing this application on your behalf?

Tell us if you're using an agent or somebody else to complete this application on your behalf

No – I'm completing this application for myself

## 1 Pre-application discussions

Did you have pre-applications discussions with Natural Resources Wales about this activity?

Yes

## Pre-application discussions

Give us the case reference or details of the pre-application advice you received. We will then be able to refer back to the information you've already given us, which will help us to determine your application.

This application follows advice provided by Cathrine Kiely, Senior Environment Officer, Natural Resources Wales, following a compliance inspection at Ty Hen Holiday Park on 3 September 2026.

Existing environmental permit reference: CG0182801

Compliance Assessment Report reference: CAR\_NRW0052935

Following the inspection, NRW advised that a normal variation application should be submitted to amend the permit to reflect the relocated soakaway/discharge location. The Compliance Assessment Report specifically requires Condition 3.1.1, Schedule 3, Table S3.2 of permit CG0182801 to be varied to reflect the current installation and location of the soakaway.

Cathrine Kiely confirmed this advice by email on 14 September 2026.

Have you changed your proposal since you had pre-application discussions with us?

No

## What do you need to change?

Complete one

I need to make technical changes to my permit

## Tell us about your proposed technical change

There are three different types of technical change you can make to a permit: minor, normal and substantial.

#### Minor variation

For changes which need some technical input from NRW, for example applications to: Reduce the volume of discharge where no review of existing substances or habitats assessment is required Normal Variation

For changes requiring technical input from NRW, for example applications to Change outlet location which requires a review of any existing substance or habitat assessment Change the volume or the quality (or content) of a discharge and no new assessment of emission limits for specific substances is needed. Substantial variation

Where a significant assessment is required, including: Change the volume or change the quality of a discharge and a new assessment of emissions limits for specific substances is needed Specific substances are: Hazardous pollutants for water discharge activities Hazardous substances or non-hazardous pollutants for groundwater activities Please give us details of the proposed technical change in the box below:

The proposed technical change is to amend the permitted location of the existing discharge/soakaway serving Ty Hen Holiday Park.

The soakaway has been relocated from the location currently specified in environmental permit CG0182801 to a new location at National Grid Reference SH 32808 73483. A pumping station has also been installed as part of the revised arrangement to convey effluent from the existing septic tank to the relocated soakaway.

There is no proposed increase in the permitted volume of discharge and no proposed change to the nature or quality of the effluent. The purpose of this application is solely to vary the permit so that Condition 3.1.1, Schedule 3, Table S3.2 accurately reflects the current installation and location of the soakaway.

The revised system was inspected by Natural Resources Wales on 3 September 2026. Compliance Assessment Report CAR\_NRW0052935 recorded that no issues were identified with the septic tank, pumping station or soakaway system, that the system appeared to be operating effectively, and that the revised arrangement represents an improvement in environmental protection and reduces the potential risk to water quality within the Llyn Maelog SSSI.

#### What type of change is this?

Normal

If you need to provide more information you can upload a document below

- File: 2026 09 03 CG0182801 Compliance report CAR\_NRW0052935.Pdf - [Download](#)

## Where will you be discharging?

Please complete

**Site name** Ty Hen Holiday Park

**Address** Ty Hen, Station Road  
Rhosneigr

**Postcode** LL64 5QZ

Please provide the 12 character national grid reference of the location of your septic tank / sewage treatment plant. This consists of two letters followed by 10 numbers (for example AB 12345 67890)

To find out the 12 character grid reference, you can search on the UK grid reference finder website: <http://www.gridreferencefinder.com/> (opens in new tab)

SH 32679 73416 - Location of Septic Tank/Treatment Plant  
SH 32808 73483 - new discharge/soakaway location

## About the effluent

Give a brief description of the effluent discharge you want a permit for, for example, treated domestic sewage effluent.

Treated domestic sewage effluent from the existing septic tank serving Ty Hen Holiday Park, discharged to groundwater via the relocated soakaway.

Give this effluent a unique name

This name will be used throughout the application and may be used in the permit to identify this effluent. If you have more than one effluent you must ensure that each name you use is distinct. For example, package sewage treatment plant effluent, septic tank effluent, cooling water, site drainage and so on.

Ty Hen Holiday Park septic tank effluent

Is this a release from a dam, weir or sluice ('reservoir release') under Schedule 21 of the EPR meaning of water discharge activity?

No

Tell us the effluent type:

You must fill in a separate copy of this form for each type of effluent you plan to discharge.

Domestic sewage – 20m<sup>3</sup> a day or more discharged to surface water or 15m<sup>3</sup> a day or more discharged to groundwater. Any discharge to groundwater via a borehole, well or other deep structure.

## Domestic sewage: How long will you need to discharge?

What date do you want the permit for this effluent to start?

You cannot discharge your effluent prior to this start date on your permit. This is the date that your annual subsistence charges will start, even if you have not started to discharge.

\* 15/09/2026

For seasonal discharges which only occur for part of the year, tells us when the discharge will take place. Where a discharge will continue at a significantly lower rate over a period you should complete this question and also send in details of the seasonal variation. For example, campsites which are closed in winter but have a residual throughput from residential properties on site all year.

Will the discharge take place all year?

Yes

Will the discharge take place on more than six days in any year?

If you answer 'no' you must be able to comply with the requirement to discharge on six days or fewer in any year as this will be a permit condition. It would apply only to batch processes such as the emptying of fish rearing ponds or planned shutdowns of plant or equipment.

Yes

## Domestic sewage: How much do you want to discharge?

What is the maximum volume of effluent you will discharge in a day (in cubic metres)?

This is the maximum volume that will be discharged in any day. You must ensure that you choose a volume you can always comply with.

For guidance on calculating the volume use the Code of Practice: 'Flows and Loads 4 – Sizing Criteria, Treatment Capacity for Small Wastewater Treatment Systems which is published by British Water.

20.0 m<sup>3</sup>/day

Tell us how you have calculated this figure in the box below, or upload a copy of your workings in the next question.

The maximum daily discharge volume is 20.0 m<sup>3</sup>/day, which is the existing permitted maximum under environmental permit CG0182801.

This variation application does not seek to increase or otherwise change the permitted discharge volume. The application is solely to amend the location of the existing discharge/soakaway.

The existing permit specifies a maximum daily flow of 20.0 m<sup>3</sup>/day for the outflow from the septic tank prior to discharge into land.

## Could your discharge be made to the foul sewer?

Is your discharge

From another type of premises (for example a pub, cafe, restaurant, campsite or office?)

## Could your discharge from other premises be made to the foul sewer?

Discharges from all other premises, for example a pub, cafe, restaurant or office

Divide the volume of the discharge (in cubic metres) by 0.75 and then multiply this figure by 30 metres

|               | Volume of discharge (in cubic metres) | Divided by 0.75 | Multiplied by 30 metres |
|---------------|---------------------------------------|-----------------|-------------------------|
| Your premises | 20                                    | 26.67           | 800                     |

## Domestic sewage: How will the effluent be treated?

Do you treat your effluent?

Yes

Please fill in the table below for each stage of the treatments carried out on your effluent in the order in which they are carried out. . If you prefer, you can upload an overall design for the whole treatment process below

|                  | Code number    |
|------------------|----------------|
| First treatment  | 06 Septic tank |
| Second treatment | -              |
| Third treatment  | -              |
| Fourth treatment | -              |

### Final effluent discharge quality

You must provide details of the final effluent discharge quality that the overall treatment system is designed to achieve. This should be after all the stages of treatment you have listed in the table above. For discharges of treated domestic sewage effluent this must include biochemical oxygen demand, suspended solids and ammonia. For trade effluent discharges, the substances should reflect the substances that are likely to be present in the final effluent discharge.

Please upload this and any supporting documents here.

- File: 2026 09 03 CG0182801 Compliance report CAR\_NRW0052935.Pdf - [Download](#)
- File: CG0182801 ty Hen permit.doc - [Download](#)

## Domestic sewage: What will be in the effluent?

Are any 'specific substances' added to or present in the effluent as a result of the activities on the site?

You may add chemicals to the effluent during the treatment process; for example, iron salts to remove phosphate. Or you may have substances present in your effluent as a result of activities on your site; for example, chromium can be present in effluents from concrete batching plants.

No

Are there any other harmful or hazardous substances in your effluent not mentioned in the environmental risk assessment guidance?

The list in the environmental risk assessment guidance is not exhaustive and if you accept, add or detect any other harmful substance (including hazardous substances or relevant non-hazardous pollutants as described above) you will need to tell us.

No

## Domestic sewage: Monitoring arrangements

Please provide the 12 character national grid reference of the final effluent sample point.

This is the sample point used to assess compliance with any water quality emission limits on your permit. You must ensure that it allows a representative sample of the discharge to be obtained. You must also ensure that all constituents of the discharge pass through the sampling point at all times. The sample point can be where the effluent meets the receiving environment only in cases where no other effluent is added before this point. You must provide a permanent means of access to monitoring points.

A 12 character national grid reference consists of two letters followed by 10 numbers (for example AB 12345 67890). To find out the 12 character grid reference, you can search on the UK grid reference finder website: [gridreferencefinder.com](http://gridreferencefinder.com)

SH 32679 73416

Do you have a UV disinfection efficacy monitoring point?

This type of monitoring point is only required for discharges that undergo some form of disinfection. For example, ozone or ultraviolet disinfection, membrane filtration etc.

No

What is the 12 character national grid reference of the flow monitoring point?

A 12 character national grid reference consists of two letters followed by 10 numbers (for example AB 12345 67890). To find out the 12 character grid reference, you can search on the UK grid reference finder website [gridreferencefinder.com](http://gridreferencefinder.com)

N/A

Does the flow monitor have an MCERTS certificate?

No

## Your management systems

What management system will you provide for your regulated facility?

Own management system

I confirm that I have read the guidance and that my management system will meet NRW requirements.

Yes

## Where will the effluent discharge to?

Where will the effluent discharge to?

Into land (for example, through a drainage system)

Is this effluent discharged through more than one outlet?

Effluents are usually discharged to one location in one receiving environment. If your effluent will be discharged to more than one location within the same receiving environment, for example, two different discharge points on a non-tidal river, you can provide details of every discharge point on the next page.

If your effluent discharges to more than one location in a different receiving environment, for example, into land and to a non-tidal river you will need to select both receiving environments above and complete the relevant sections on the following pages.

No

Are there any other factors we need to take into account as part of your application?

Yes

**If yes, please give details:**

This application is to vary the existing permitted discharge location under permit CG0182801.

The discharge remains treated domestic sewage effluent from the existing septic tank system to groundwater via land. The permitted discharge volume and nature of the effluent are unchanged.

The soakaway has been relocated to National Grid Reference SH 32808 73483 and a pumping station has been installed to convey the septic tank effluent to the relocated soakaway.

Natural Resources Wales inspected the revised system on 3 September 2026. Compliance Assessment Report CAR\_NRW0052935 recorded that no issues were identified with the septic tank, pumping station or soakaway system, and that the revised arrangement represents an improvement in environmental protection and reduces the potential risk to water quality within the Llyn Maelog SSSI.

## Discharges into land

Give the discharge point a unique name, for example, 'Outlet 1' (you must use this name to identify the discharge point on the plan) and the national grid reference

|   | Discharge point name | National grid reference | Name of effluent discharged through this discharge point |
|---|----------------------|-------------------------|----------------------------------------------------------|
| 1 | Outlet 1             | SH 32808 73483          | Ty Hen Holiday Park septic tank effluent                 |
| 2 | -                    | -                       | -                                                        |
| 3 | -                    | -                       | -                                                        |
| 4 | -                    | -                       | -                                                        |
| 5 | -                    | -                       | -                                                        |

Is your infiltration system new or existing?

On or after 1 April 2010 (new)

When was it built?

01/09/2022

## How do you want to pay?

Who can we talk to you about your billing or invoice?

Same as application contact

If a new contact, please provide details:

**Title** -

**First name** John

**Last name** Summerfield

**Address** Ty Hen, Station Road, Rhosneigr

**Postcode** LL64 5QZ

**Telephone** 07843680706

**Email address** jjtyhen@gmail.com

How do you want to pay for your application fee?

Credit or debit card

## How we collect your personal data

We will process the information provided by you in line with the Data Protection legislation.

For more information on how we manage, store and use your data, see our Privacy Notice (opens in new tab)

I have read and understood this information

## Freedom of Information

Under the Freedom of Information Act 2000, anybody may request information from a public authority. The Act grants two statutory rights: to be told if the public authority holds that information; and if so, to have that information communicated to you.

Find out how to request information under the Freedom of Information Act.

I have read and understood this information

## Confidentiality and National Security

We will normally put all the information in your application on a public register of environmental information. However, we may not include certain information in the public register if this is in the interests of national security, or because the information is confidential. Confidential information is information that is commercially or industrially confidential in relation to any person and is unlikely to be applicable for small-scale sewage discharges.

You can ask for information in the public register to be made confidential or withheld in the interests of national security by answering the question below and provide information on the next page giving your reasons. If we agree with your request, we will tell you and not include the information in the public register. If we do not agree with your request, we will let you know how to appeal against our decision, or you can withdraw your application.

Do you believe that for reasons of confidentiality or national security your details should not be included on the public register?

No

## Declaration

A relevant person should make the declaration. You must be a relevant person or have the authority of a relevant person to sign this application on their behalf. An agent acting on behalf of an applicant is NOT a relevant person.

Each individual (or individual trustee) who is applying for their name to appear on the permit must complete this declaration. You can send a separate document with the relevant information if there are not enough spaces to sign below.

Relevant people means each applicant, and in the case of a company, a director, manager, company secretary or any similar officer or employee listed on current appointments in Companies House. In the case of a Limited Liability Partnership (LLP), it includes any partner. If the permit holder is an organisation of individuals, each individual (or individual trustee) must complete the declaration.

To simplify and speed up the application process, we recommend that the declaration is filled in by an officer of a company or one of the partners in a Limited Liability Partnership (LLP).

If you wish a manager, employee or consultant etc. to sign the declaration on behalf of a relevant person, we will need written confirmation from a relevant person; that is, an officer of the company, a partner in the LLP or the individual, confirming that the person has the authority to fill in the declaration.

If you are joint permit holders, you should each fill in your own declaration. We have provided extra spaces for this below. Please upload a separate sheet with your application if you need more room for signatories.

Where the operator is the subject of any insolvency procedure, the declaration must be filled in by the official receiver/appointed insolvency practitioner.

I have included written confirmation from a relevant person to confirm I can sign on their behalf

If you knowingly or recklessly make a statement which is false or misleading to help you get an environmental permit (for yourself or another person), you are committing an offence under the Environmental Permitting (England and Wales) Regulations 2016.

I declare that the information in this application is true to the best of my knowledge and belief. I understand that this application may be refused or approval withdrawn if I give false or incomplete information.

I understand that if I knowingly or recklessly make a false or misleading statement: I may be prosecuted; and if convicted, I may have to pay a fine and/or go to prison.

By signing below, you are confirming that you understand and agree with the declaration above.

|                                     |             |
|-------------------------------------|-------------|
| <b>Title</b>                        | -           |
| <b>First name</b>                   | John        |
| <b>Last name</b>                    | Summerfield |
| <b>On behalf of (if applicable)</b> | N/A         |
| <b>Date (DD/MM/YYYY)</b>            | 15/09/2026  |

If additional signatories are required, please complete the sections below.

If you knowingly or recklessly make a statement which is false or misleading to help you get an environmental permit (for yourself or another person), you are committing an offence under the Environmental Permitting (England and Wales) Regulations 2016.

I declare that the information in this application is true to the best of my knowledge and belief. I understand that this application may be refused or approval withdrawn if I give false or incomplete information.

I understand that if I knowingly or recklessly make a false or misleading statement: I may be prosecuted; and if convicted, I may have to pay a fine and/or go to prison.

By signing below, you are confirming that you understand and agree with the declaration above.

|                                     |             |
|-------------------------------------|-------------|
| <b>Title</b>                        | Mr          |
| <b>First name</b>                   | John        |
| <b>Last name</b>                    | Summerfield |
| <b>On behalf of (if applicable)</b> | -           |
| <b>Date (DD/MM/YYYY)</b>            | 15/09/2026  |

## Submit your application

Enter the email address you'd like a copy of your application sent to:

jjtyhen@gmail.com

language selection

en