

## Compliance Assessment Report CAR\_NRW0052786

**Permit being assessed:** WQD005745

**For:** SHELL ISLAND, **held by:** R WORKMAN, MR G WORKMAN, MRS R HORDLEY

**At:** LLANBEDR, GWYNEDD, NORTH WALES, ., LL45 2PJ.

**Type of assessment carried out:** Check Monitoring/Sampling,

**Reason:** Routine.

**On** 20/08/2026.

**Parts of permit assessed:** 1.5.1 (c)

**NRW Lead Officer:** James Raymond.

**Report sent to:** Site Manager, Site Manager, on 28/08/2026.

### 1. Summary of our findings (full details in section 4)

| Part of permitted activity assessed (criteria)                        | Assessment result | Non-compliant permit condition |
|-----------------------------------------------------------------------|-------------------|--------------------------------|
| WQ-C1 - Water Quality - Emissions and monitoring - Emissions to water | C1 Major          | 1.5.1 (c)                      |

Result types are explained in more detail in the 'Important Information' section below.

### 2. What action is required?

| Criteria | Action needed                                                                                                                                                                | Complete by |
|----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| WQ-C1    | Investigate why there was a major sample failure for ammoniacal nitrogen and take actions to ensure the sewage treatment plant is working as designed and within compliance. | 30/09/2026  |

Action criteria codes are listed in the 'Important information' section below.

### 3. What will happen next?

Any non-compliance we have identified and recorded on this form is an offence. It can result in criminal prosecution and/or suspension or revocation of your permit.

**You are non-compliant with your permit.**

**We are currently considering taking enforcement action against you for the non-compliance recorded above. We will contact you in due course.**

## 4. Details of our assessment

CARS form generated following a regulation monitoring failure at Shell Island Permit number WQD005745.

A sample taken on the 20/08/2026 has failed. The discharge shall not contain more than: 10 milligrams per litre of ammoniacal nitrogen expressed as N. The sample result was 273 milligrams per litre.

|    |                                                 |         |              |                                                  |   |           |                     |    |      |                             |     |    |     |                  |
|----|-------------------------------------------------|---------|--------------|--------------------------------------------------|---|-----------|---------------------|----|------|-----------------------------|-----|----|-----|------------------|
| 1e | Dwyfor ac<br>Meirionnydd<br>Environment<br>Team | 6430074 | SHELL ISLAND | WQD005744                                        | R | 260204303 | 20/08/2026<br>11:43 | CA | 0111 | Ammoniacal<br>Nitrogen as N | Max | 10 | 273 | millig<br>per li |
|    |                                                 |         |              | WORKMAN,<br>MR G<br>WORKMAN,<br>MRS R<br>HORDLEY |   |           |                     |    |      |                             |     |    |     | S2R0T4P4         |

This failure is significantly more than the permit limit and is classed as a C1 major environmental impact.

### Action

Please investigate why there was a major sample failure for ammoniacal nitrogen and take actions to ensure the sewage treatment plant is working as designed and within compliance.

### Deadline

Please respond to the action in this CARS form by **30/09/2026**.

If you have any queries about this report, or to discuss completion of any actions, please contact the NRW Officer named above.

## Important information

### Legal status of this report

Your permit is issued to you under the Environmental Permitting Regulations. You have a responsibility to comply with the conditions of your permit and prevent pollution/harm to the environment. You must also ensure that you comply with any other relevant legislation that may apply to your site's operations.

This report explains the findings of our assessment and any action you are required to take. We categorise non-compliance using our guidance for assessing non-compliance at regulated sites.

When we find potential non-compliance/s we will normally give you advice on how to maintain compliance.

To correct non-compliance, we may:

- require you to take specific actions
- issue a notice
- review the conditions of your permit.

Any advice and guidance we give will be without prejudice to any other enforcement response that we consider may be required.

### Assessment results and non-compliance categories (used in section 1):

| Assessment result | Description                                                                                                      |
|-------------------|------------------------------------------------------------------------------------------------------------------|
| Assessed (A)      | Assessed or assessed in part, no evidence of non-compliance found                                                |
| Action only (X)   | Action required for the permit condition assessed to avoid non-compliance. No non-compliance scored at this time |
| Ongoing (O)       | Ongoing non-compliance, not scored                                                                               |

| Non-compliance category    | Description                                                                                                                 |
|----------------------------|-----------------------------------------------------------------------------------------------------------------------------|
| C1 Major                   | Potential to have a major, serious, persistent and/or extensive impact or effect on the environment, people and/or property |
| C2 Significant             | Potential to have a significant impact or effect on the environment, people and/or property                                 |
| C3 Minor                   | Potential to have a minor or minimal impact or effect on the environment, people and/or property                            |
| C4 No environmental impact | Non-compliance at a regulated site that cannot foreseeably have any impact on the environment, people and/or property       |

**Full list of water quality action criteria (used in section 1 and 2):****WQ A: Management**

- WQ-A1 General management

**WQ B: Operations**

- WQ-B1 Permitted activities
- WQ-B2 The site
- WQ-B3 Operating techniques
- WQ-B4 Improvement programme
- WQ-B5 Pre-operational conditions

**WQ C: Emissions and monitoring**

- WQ-C1 Emissions to water
- WQ-C2 Emissions to land
- WQ-C3 Emissions of substances not controlled by emission limits
- WQ-C4 Monitoring
- WQ-C5 Installation of monitoring boreholes

**WQ D: Information**

- WQ-D1 Records
- WQ-D2 Reporting
- WQ-D3 Notifications

**Enforcement response**

Any non-compliance with a permit condition is an offence and we may take legal action against you. Action we take can include prosecution, serving a notice on you and/or suspension or revocation of your permit. See our Enforcement and Sanctions Guidance for further information.

**Data protection notice**

You should make sure that anyone named in this report knows that the information it contains will be processed by Natural Resources Wales to fulfil its regulatory and monitoring functions and to maintain the relevant public register(s).

We may also use and/or disclose the report in connection with:

- offering or providing you with our literature or services relating to environmental matters
- consulting with the public, public bodies and other organisations (e.g. Health and Safety Executive, local authorities) on environmental issues
- carrying out statistical analysis, research and development on environmental issues
- providing public register information to enquirers
- investigating possible breaches of environmental law
- assessing customer service satisfaction and improving our service
- Freedom of Information Act or Environmental Information Regulations requests.

We may also pass it on to our agents or representatives to do these things on our behalf.

**Disclosure of information – this report will be available to view on-line**

If you think this report contains commercially confidential information that should not be placed on our public register, you must contact your local Natural Resources Wales office within **fifteen working days** of receiving this report, using the contact details in the accompanying email or letter. You must give a full explanation of why it should not be added to our public register, including specifying which information is commercially confidential. We will assess your request and respond to you within twenty working days to let you know if we agree to your request.

**Disputing the Content of this Compliance Assessment Report Form**

If you disagree with the content of this Compliance Assessment Report form, you should submit your concerns, in writing, to the regulating officer who issued it within **15 working days** of its issue. This will be treated as a **Stage 1 review**.

If you are not satisfied with the outcome of the stage 1 review, you may request a **Stage 2 appeal**. This request must be submitted **within 21 working days** of receiving the response from the stage 1 review.

Further details on our review and appeal process are available at: [Natural Resources Wales / Appeal a regulatory decision from Natural Resources Wales](#)

**Concerns Not Related to the Content of this Compliance Assessment Report Form**

If your concerns do not relate to the content of the Compliance Assessment Report form, you should first attempt to resolve the issue with the regulating officer or their line manager.

If the issue remains unresolved, please contact our **Customer Contact Team**:

- **Telephone:** 0300 065 3000 (Monday to Friday, 09:00–17:00)
- **Email:** [enquiries@naturalresourceswales.gov.uk](mailto:enquiries@naturalresourceswales.gov.uk)

They will provide details on how to escalate your concerns through our **Complaints and Commendations procedure**.

If you are dissatisfied with our response, you may contact the **Public Services Ombudsman for Wales**:

- **Telephone:** 0300 790 0203
- **Email:** [ask@ombudsman.wales](mailto:ask@ombudsman.wales)

**Welsh Language Standards**

We are committed to establishing Natural Resources Wales as a naturally bilingual organisation. We will provide compliance reports in your preferred language.