Compliance Assessment Report CAR_NRW0052735

Licence being assessed: WA/064/0004/0043.

For: Celynog Isaf, **held by:** Dolhendre Hydro Ltd.

At: Bryn Coed Ifor, Rhydymain, Dolgellau, Gwynedd, LL40 2DH.

Type of assessment: Site Inspection,

Reason: Routine.

On: 30/07/2026, between 12:50 and 14:00.

Parts of licence assessed: See Report

NRW Lead Officer: Swyn Spencer, accompanied by Sioned Jones.

Report sent to: Mr Gwyn Roberts, Licence Holder, on 03/09/2026.

1. Summary of our findings (full details in section 4)

Part of licenced activity assessed (criteria)	Assessment result	Non-compliant licence condition
WR-E1 - Water Abstraction - Fish and Eel passage - Infrastructure specified by licence	C3 Minor	4.9
WR-G4 - Water Abstraction - Impoundment specified by licence - Construction and removal requirements	C3 Minor	3.1

Result types are explained in more detail in the 'Important Information' section below.

2. What action is required?

Criteria	Action needed	Complete by
WR-E1	An eel substrate needs to be installed as per licence. Condition 4.9 and licence drawings.	03/10/2026
WR-G4	Licence Holder needs to ensure the Hof is 10mm deeper as discussed with Sioned on the day.	03/10/2026

Action criteria codes are listed in the 'Important Information' section below.

3. What will happen next?

Any non-compliance we have identified and recorded on this form is an offence. It can result in criminal prosecution or civil sanctions being imposed depending on the circumstances of the offence.

You are non-compliant with your licence.

We are currently considering taking enforcement action against you for the non-compliance recorded above. We will contact you in due course.

4. Details of our assessment

I re send this report with a correction regarding the Eel passage. It is a Eel substrate that this scheme requires as per licence.

This report is in reference to the Impoundment Licence WA/064/0004/043 at Celynog Isaf

The Dolhendre Limited Hydro at inland water (river) known as Afon Celynog site was visited on the 30.07.2026 by Environment Officers Swyn Spencer and Sioned Jones. This report is in reference to the Celynog Uchaf Hydropower scheme. At SH 79486 20446.

The purpose of the visit was to assess compliance of permit/licence number WA/064/0004/0042 (Abstraction) and WA/064/0004/043 (Impoundment).

The scheme was not abstracting, and it was sunny and dry. Water was not going through the abstraction screen at Point A. It has been a long dry period.

On the day of the visit we were content with the dimensions of the scheme well as the general arrangement of the intake weir as per licence drawing. The area has downstream passage for fish and fisheries officer Walter Hanks is satisfied that the rocky ramp fish pass and the fish pool is present as per licence requirements.

There were two breaches identified in the impoundment licence on the day of the visit. Eel pass requirement needs to be fulfilled, as well as there being a flow splitting issue affecting the flow regime.

Condition 3.1 Current depth of Hof (Hands off flow) affecting Flow regime

The Hof is currently getting less water, as the depth of this protected flow area needs to increase to another 10mm. This was discussed with Sioned on site. The level of the structure near the Hof needs to rise.

Condition 4.9 Eel substrate requirement

This breach of permit/licence conditions identified during the visit was the lack of an Eel pass on the scheme. The licence requires an Eel substrate to reach bed level upstream and downstream of the weir, recessed into weir crest.

As stated in the licence it needs tiles 505mm x 505mm x 75mm.

The areas fisheries officer Tomi Hughes will be in contact to discuss the **Eel substrate passage** installation requirements.

The Eel pass will need to be installed in the area as showing in red in the photo. Please ensure it reaches bed level upstream and downstream of the weir.

Please complete the actions needed on the Hof depth as well as the installation of the Eel Substrate by date given in this report.

We are eager for you to complete works before 17th October as no river works can happen between then and 15th May in any given year.

We thank the licence holder for their time and cooperation during the inspection.

Should you have any queries regarding the contents of this compliance report or your impoundment licence, please do not hesitate to get in touch on the number or e-mail address below.

swyn.spencer@cyfoethnaturiolcymru.gov.uk / 07854 377 319

WR-NW@cyfoethnaturiolcymru.gov.uk

If you have any queries about this report, or to discuss completion of any actions, please contact the NRW Officer named above.

Important information

Legal status of this report

Your licence is issued to you under the Water Resources Act 1991 as amended by the Water Act 2003. You have a responsibility to comply with the conditions of your licence and prevent pollution/harm to the environment. You must also ensure that you comply with any other relevant legislation that may apply to your site's operations.

This report explains the findings of our assessment and any action you are required to take. We categorise non-compliance using our guidance for assessing non-compliance at regulated sites.

When we find potential non-compliance/s we will normally give you advice on how to maintain compliance.

To correct non-compliance, we may:

- require you to take specific actions
- issue a notice.

Any advice and guidance we give will be without prejudice to any other enforcement response that we consider may be required.

Assessment results and non-compliance categories (used in section 1):

Assessment result	Description
Assessed (A)	Assessed or assessed in part, no evidence of non-compliance found
Action only (X)	Action required for the licence condition assessed to avoid non-compliance. No non-compliance scored at this time
Ongoing (O)	Ongoing non-compliance, not scored

Non-compliance category	Description
C1 Major	Potential to have a major, serious, persistent and/or extensive impact or effect on the environment, people and/or property
C2 Significant	Potential to have a significant impact or effect on the environment, people and/or property
C3 Minor	Potential to have a minor or minimal impact or effect on the environment, people and/or property
C4 No environmental impact	Non-compliance at a regulated site that cannot foreseeably have any impact on the environment, people and/or property

Full list of Water resource action criteria (used in section 1 and 2):

WR A: Abstraction specified by Licence

- WR-A1 Source of supply
- WR-A2 Points of abstraction
- WR-A3 Means of abstraction
- WR-A4 Purposes of abstraction
- WR-A5 Period of abstraction
- WR-A6 Quantities
- WR-A7 Land
- WR-A8 Other specified on licence

WR B: Abstraction measurement and records

- WR-B1 Means of measurement
- WR-B2 Recording
- WR-B3 Reporting

WR C: Surface / Groundwater level and protected flow

- WR-C1 Minimum hands-off flow/level requirements
- WR-C2 Flow/level measurement devices
- WR-C3 Recording
- WR-C4 Reporting

WR D: Environmental monitoring and information

- WR-D1 Recording
- WR-D2 Reporting
- WR-D3 Notifications

WR E: Fish and eel passage

- WR-E1 Infrastructure specified by licence
- WR-E2 Maintenance and records

WR F: Discharge

- WR-F1 Point of discharge
- WR-F2 Infrastructure
- WR-F3 Measurement
- WR-F4 Recording
- WR-F5 Reporting

WR G: Impoundment specified by licence

- WR-G1 Inland water to be impounded
- WR-G2 Manner and extent of impoundment
- WR-G3 Point(s) of impoundment
- WR-G4 Construction and removal requirements
- WR-G5 Other specified on licence

WR H: Borehole infrastructure

- WR-H1 Infrastructure and accessibility
- WR-H2 Maintenance and calibration

Enforcement response

Any non-compliance with a licence condition is an offence and we may take legal action against you. Action we take can include prosecution or civil sanctions. See our Enforcement and Sanctions Guidance for further information.

Data protection notice

You should make sure that anyone named in this report knows that the information it contains will be processed by Natural Resources Wales to fulfil its regulatory and monitoring functions and to maintain the relevant public register(s).

We may also use and/or disclose the report in connection with:

- offering or providing you with our literature or services relating to environmental matters
- consulting with the public, public bodies and other organisations (e.g. Health and Safety Executive, local authorities) on environmental issues
- carrying out statistical analysis, research and development on environmental issues
- providing public register information to enquirers
- investigating possible breaches of environmental law
- assessing customer service satisfaction and improving our service
- Freedom of Information Act or Environmental Information Regulations requests.

We may also pass it on to our agents or representatives to do these things on our behalf.

Disclosure of information – this report will be available to view on-line

If you think this report contains commercially confidential information that should not be placed on our public register, you must contact your local Natural Resources Wales office within **fifteen working days** of receiving this report, using the contact details in the accompanying email or letter. You must give a full explanation of why it should not be added to our public register, including specifying which information is commercially confidential. We will assess your request and respond to you within twenty working days to let you know if we agree to your request.

Disputing the Content of this Compliance Assessment Report Form

If you disagree with the content of this Compliance Assessment Report form, you should submit your concerns, in writing, to the regulating officer who issued it within **15 working days** of its issue. This will be treated as a **Stage 1 review**.

If you are not satisfied with the outcome of the stage 1 review, you may request a **Stage 2 appeal**. This request must be submitted **within 21 working days** of receiving the response from the stage 1 review.

Further details on our review and appeal process are available at: Natural Resources Wales / Appeal a regulatory decision from Natural Resources Wales

Concerns Not Related to the Content of this Compliance Assessment Report Form

If your concerns do not relate to the content of the Compliance Assessment Report form, you should first attempt to resolve the issue with the regulating officer or their line manager.

If the issue remains unresolved, please contact our **Customer Contact Team**:

- **Telephone**: 0300 065 3000 (Monday to Friday, 09:00–17:00)
- **Email**: enquiries@naturalresourceswales.gov.uk

They will provide details on how to escalate your concerns through our **Complaints and Commendations procedure**.

If you are dissatisfied with our response, you may contact the **Public Services Ombudsman for Wales**:

- **Telephone**: 0300 790 0203
- **Email**: ask@ombudsman.wales

Welsh Language Standards

We are committed to establishing Natural Resources Wales as a naturally bilingual organisation. We will provide compliance reports in your preferred language.