Water Resources Act 1991
as amended by the Environment Act 1995
Consent to Discharge
Certificate of Holder

ENVIRONMENT AGENCY

Part A

To: DWR CYMRU CYFYNGEDIG
CONSENTS REGULATION OFFICER
PLAS-Y-FFYNNON
CAMBRIAN WAY
BRECON LD3 7HP

CM0035301

The **Environment Agency** ("the Agency") hereby confirm that the above named person is a/the registered holder of consent CM0035301

Nature of Discharge(s); SEWAGE EFF/CRUDE EFF/EMERGENCY
at TALACRE

Note: This certificate should be kept with the consent document for future reference. If you transfer responsibility for the discharge to somebody else you must pass the consent to them and tell the Agency within 21 days. **Responsibility for the consent cannot be disclaimed by the holder but the registration of holder may be transferred to a successor.** To do this please complete the form below, then tear it off and return it to the address shown. If you fail to transfer the consent, even though you are no longer on the site, you may still be liable for prosecution for pollution. If you transfer the consent but do not tell us, you will be committing an offence. In case of any queries please contact your local Environment Agency office.

Part B **Please complete in block capitals or type.**

To:

Water Resources Act 1991: Notice of transfer of consent to discharge

Consent: **Name:**
Address:

I/We* hereby serve notice on the Agency that I/we* am/are* no longer a/the* Holder of the above consent which will be/was* transferred to: * delete as appropriate

Name(s) of new holder(s):
Address:

Post Code:

Date of Transfer to new Holder(s):

Signed: **Dated:**

Name (block capitals): **Position:**
(to be completed when signing on behalf of corporate bodies)

FILE COPY/

NO. 353.

Dee & Clwyd River Authority

RIVERS (PREVENTION OF POLLUTION) ACTS, 1951 TO 1961

Consent

to bringing into use a new or altered outlet and/or making a new discharge of trade or sewage effluent to a stream or to tidal waters which are controlled waters.

TO:-

HOLYWELL RURAL DISTRICT COUNCIL,
COUNCIL OFFICES,
HALKYN ROAD,
HOLYWELL,
FLINTSHIRE.

The Dee and Clwyd River Authority, pursuant to Section 7 of the Rivers (Prevention of Pollution) Act, 1951 HEREBY GRANT CONSENT to the discharge of sewage from an emergency overflow at the Council's sewage pumping station at Station Road, Talacre, into the New Drain, Talacre, a tributary of the Gutter Four

being a stream/~~controlled waters~~ in the Dee and Clywd River Authority Area in accordance with your application dated the 31/5/1966 SUBJECT to the following conditions:-

1. The discharge shall be confined to periods of electrical power failure and the maximum rate of discharge shall not exceed 31 c.f.s.

2. The Council shall, as soon as practicable, inform the River Authority whenever a discharge has taken place.

The terms of this Consent will not, without the consent in writing of the person to whom this Consent is given (or his successor), be altered before the expiration of the period ending with the

2 Vicar's Lane
Chester
Date 27th June, 1966.

(signed) H. H. CRANN
Chief Officer

REGISTER OF CONDITIONS

AND OTHER TERMS

IMPOSED UNDER SECTION 7 OF THE RIVERS (PREVENTION OF POLLUTION) ACT, 1951

(AS APPLIED BY THE CLEAN RIVERS (ESTUARIES AND TIDAL WATERS) ACT, 1960)

AND THE RIVERS (PREVENTION OF POLLUTION) ACT, 1961.

No. 353.

CAT. NO. R.B.12 SHAW & SONS LTD., FETTER LANE, E.C.4.

DATE ON WHICH CONDITION CAME INTO FORCE AND PERIOD OF EFFECT	FULL ADDRESS OR OTHER SUFFICIENT DESCRIPTION OF LAND OR PREMISES TO WHICH THE TERM OR CONDITION RELATES
27th June, 1966.	Holywell Rural District Council, Council Offices, Halkyn Road, Holywell, Flintshire. (Pumping Station at Station Road, Talacre.)

USE OF NEW OR ALTERED OUTLET

CONDITIONS IMPOSED WITH RESPECT TO:–

(I) PRECISE LOCATION OF OUTLET

Discharge into the New Drain, Talacre.
(Map Ref: 1200 8433).

(II) CONSTRUCTION OF OUTLET
(OTHER THAN CONDITIONS TO BE SATISFIED BEFORE OUTLET IS BROUGHT INTO USE)

-

(III) USE OF OUTLET

Discharge of sewage from an emergency overflow at the above-named pumping station.

(IV) USE OF ANY OTHER OUTLET FOR TRADE OR SEWAGE EFFLUENT FROM THE SAME LAND OR PREMISES

-

REMARKS–

DISCHARGE OF TRADE OR SEWAGE EFFLUENT

CONDITIONS IMPOSED WITH RESPECT TO:–

(I) NATURE AND COMPOSITION OF DISCHARGE

Discharge shall consist of sewage from an emergency overflow and shall be confined to periods of electrical power failure and the maximum rate of discharge shall not exceed 31 c.f.m.

(II) TEMPERATURE OF DISCHARGE

-

(III) VOLUME OR RATE OF DISCHARGE OF EFFLUENT FROM LAND OR PREMISES

-

* (IV) PROVISION OF FACILITIES FOR TAKING SAMPLES

-

(V) DATE OF EXPIRATION OF PERIOD SPECIFIED UNDER S-5(2) OF 1961 ACT

31st December, 1968.

REMARKS–

The Council shall, as soon as practicable, inform the River Authority whenever a discharge has taken place.