

**This form will report compliance with your permit as determined by an NRW officer**

Site	Cardiff Rod & Bar Mill EPR/BV0759IC	Permit Ref	BV0759IC		
Operator/Permit holder	Celsa Manufacturing UK Ltd				
Regime	Installations				
Date of assessment	23/01/2020	Time in	N/A	Out	N/A
Assessment type	Check Monitoring/Sampling				
Parts of the permit assessed	W1				
Lead officer's name	Taylor, Richard				
Accompanied by					
Recipient's name/position	Richard Lewis/Gabriella Nizam/ Environment Team	Date issued	23/01/2020		

### Section 1 – Compliance Assessment Summary

This is based on the requirements of the permit under the Environmental Permitting Regulations or the licence under the Water Resources Act 1991 as amended by the Water Act 2003. A detailed explanation is captured in "Compliance Assessment Report Detail" (Section 2) and any actions you may need to take are given in the "Action(s)" (section 4). This summary details where we believe any non-compliance with the permit has occurred, the relevant condition and how the non-compliance has been categorised using our Compliance Classification Scheme (CCS). CCS Scores can be consolidated or suspended where appropriate, to reflect the impact of some non-compliances more accurately. For more details of our CCS scheme, contact your local office.

Permit conditions and compliance summary	CCS Category	Condition(s) breached
C1 - General Management - Staff competency/training	C3	1.3.1
E3 - Emissions - Surface water	C3	2.2.2.4

**KEY:** See Section 5 for breach categories, suspended scores will be indicated as such.  
**A** = Assessed or assessed in part (no evidence of non-compliance), **X** = Action only,  
**O** = Ongoing non-compliance, not scored.

<b>Number of breaches recorded</b>	<b>2</b>	<b>Total compliance score</b> (see section 5 for scoring scheme)	<b>8</b>
------------------------------------	----------	---	----------

**If the Number of breaches recorded is greater than zero, please see Section 3 for our proposed enforcement response**

## Section 2 – Compliance Assessment Report Detail

This section contains a report of our findings and will usually include information on:

- The part(s) of the permit that were assessed (eg. Maintenance, training, combustion plant, etc)
- Where the type of assessment was 'Data Review' details of the report/results triggering the assessment
- Any non-compliances identified
- Any non-compliances with directly applicable legislation
- Details of any multiple non-compliances
- Information on the compliance score accrued inc.
- Details of advice given
- Any other areas of concern
- Any actions requested
- Any examples of good practice
- A reference to photos taken

Celsa Rod & Bar Mill – Permit BV0759IC

### Hydrocarbon Oil to East Bute Dock 27<sup>th</sup> Nov 2019.

NRW received complaints of oil on the surface of the East Bute dock on 28<sup>th</sup> November 2019. A subsequent investigation by site staff originally revealed that their oil to surface water discharge point was not breaching its 5mg/l limit. This drains into the dock. However, a further investigation revealed that there was a period of over an hour on 27<sup>th</sup> November from 11.30am where the continuous monitoring was not manned. During this time readings were reported at 8mg/l which breaches the permit limit. Site reported this to NRW on 6<sup>th</sup> Dec 2019 stating;

'due to an issue with manning, there was an hour whereby personnel were not regularly checking the continuous emissions monitoring system'.

The site submitted their monthly W1 water monitoring form dating from 30<sup>th</sup> November. This showed a flow rate of 11470m<sup>3</sup> for the month leaving site and entering the dock. This figure has been used to estimate the quantity of water leaving site which potentially contained 8mg/l hydrocarbon oil from the site W1 oil interceptor. At conservative estimates, (assuming that there was a steady stream continually flowing from site into the dock), the figure is estimated at between 15 and 16m<sup>3</sup> meaning that a total of 0.00012 kg of hydrocarbon oil could have entered the dock during the period 11.30 – 12.30 on 27<sup>th</sup> Nov 2019. This quantity is seen by NRW as being a breach of permit condition 2.2.2.4 for the actual emission which caused a minor environmental pollution to the dock.

The management condition 1.3 was also breached in that the site did not allocate sufficient resources to achieve compliance to the permit limits in this case.

Permit condition	Description.	Result
2.2.2.4	5mg/l limit for hydrocarbon oil breached with 8mg/l on 27 <sup>th</sup> Nov 2019	Cat 3
1.3.1	Site did not allocate sufficient resources to prevent a breach of permit limits.	Cat 3

The site has subsequently reported that the system has been improved with an alarm system set at 4mg/l. This will alert personnel to shut the exit valve and reduce the likelihood of future permit breaches at W1.

End.

## EPR Compliance Assessment Report

**Report ID:  
CAR\_NRW0036221**

**This form will report compliance with your permit as determined by an NRW officer**

Site	Cardiff Rod & Bar Mill EPR/BV0759IC	Permit Ref	BV0759IC
Operator/Permit holder	Celsa Manufacturing UK Ltd	Date	23/01/2020

### Section 3 – Enforcement Response

You must take immediate action to rectify any non-compliance and prevent repetition. Non-compliance with your permit conditions constitutes an offence and can result in criminal prosecutions and/or suspension or revocation of a permit. Please read the detailed assessment in Section 2 and the steps you need to take in Section 4 below.

We will now consider what enforcement action is appropriate and notify you, referencing this form.

### Section 4 – Action(s)

This section summarises the actions identified during the assessment along with the timescales for when they will need to be completed.

Criteria Ref.	CCS Category	Action required/advised	Due Date
See Section 1 above			
C1	C3	Site has made improvements post incident.	31/01/2020
E3	C3	Site has improved operations post incident	31/01/2020

## Section 5 – Compliance notes for the Operator

To ensure you correct actual or potential non-compliance we may

- Advise on corrective actions verbally or in writing
- Require you to take specific actions verbally or in writing
- Issue a notice
- Require you to review your procedures or management system
- Change some of the conditions of your permit
- Decide to undertake a full review of your permit

Any breach of a permit condition is an offence and we may take legal action against you

- We will normally provide advice and guidance to assist you to come back into compliance either after an offence is committed or where we consider that an offence is likely to be committed. This is without prejudice to any other enforcement response that we consider may be required.
- Enforcement action can include the issue of a formal caution, prosecution, the service of a notice and/or suspension or revocation of the permit.

**See our Enforcement and Civil Sanctions guidance for further information**

This report does not relieve the site operator of the responsibility to

- Ensure you comply with the conditions of the permit at all times and prevent pollution of the environment
- Ensure you comply with other legislative provisions which may apply

### Non-compliance scores and categories

CCS category	Description	Score
C1	A non-compliance that could have a major environmental effect	60
C2	A non-compliance which could have a significant environmental effect	31
C3	A non-compliance which could have a minor environmental effect	4
C4	A non-compliance which has no potential environmental effect	0.1

**Operational Risk Appraisal (Opra)** - Compliance assessment findings may affect your Opra score and/or your charges. This score influences the resource we use to assess permit compliance.

## Section 6 – General information

### Data protection notice

The information on this form will be processed by the Natural Resources Wales (NRW) to fulfil its regulatory and monitoring functions and to maintain the relevant public register(s). The NRW may also use and/or disclose it in connection with:

- Offering/providing you with its literature/services relating to environmental matters
- Consulting with the public, public bodies and other organisations (eg. Health and Safety Executive, local authorities) on environmental issues
- Carrying out statistical analysis, research and development on environmental issues
- Providing public register information to enquirers
- Investigating possible breaches of environmental law
- Assessing customer service satisfaction and improving its service
- Freedom of Information Act/Environmental Regulations request

The NRW may pass it on to its agents/representatives to do these things on its behalf. You should ensure that any persons named on this form are informed of the contents of this data protection notice.

### Disclosure of information

The NRW will provide a copy of this report to the public register(s). However, if you consider that any information contained in this report should not be released to the public register(s) on the grounds of commercial confidentiality, you must write to your local area office within fifteen working days of receipt of this form indicating which information it concerns and why it should not be released, giving your reasons in full.

### Customer charter

#### What can I do if I disagree with this compliance assessment report?

If you are unable to resolve the issue with your site officer, you should firstly discuss the matter with officer's line managers using the informal appeals procedure. If you wish to raise your dispute further through our official Complaints and Commendations procedure, phone our general enquiry number 0300 065 3000 (Mon to Fri 08.00 – 18.00) and ask for the Customer Contact team or send an email to [enquiries@naturalresourceswales.gov.uk](mailto:enquiries@naturalresourceswales.gov.uk). If you are still dissatisfied you can make a complaint to the Public Services Ombudsman for Wales. For advice on how to complain to the Ombudsman phone their helpline on 0845 607 0987.

#### Welsh Language

If you would like this form in Welsh please contact your Regulatory Officer.