

**This form will report compliance with your permit as determined by an NRW officer**

Site	TRW Automotive EPR/DP3430LX	Permit Ref	DP3430LX		
Operator/Permit holder	TRW Limited				
Regime	Installations				
Date of assessment	31/01/2020	Time in	N/A	Out	N/A
Assessment type	Report/Data Review				
Parts of the permit assessed	4.1.4 Fugitive Emissions Review 2019; 4.1.5 EMS Targets Review 2019				
Lead officer's name	Green, Rebecca				
Accompanied by					
Recipient's name/position	Shane Thomas/ HS&E Manager	Date issued	10/02/2020		

### Section 1 – Compliance Assessment Summary

This is based on the requirements of the permit under the Environmental Permitting Regulations or the licence under the Water Resources Act 1991 as amended by the Water Act 2003. A detailed explanation is captured in "Compliance Assessment Report Detail" (Section 2) and any actions you may need to take are given in the "Action(s)" (section 4). This summary details where we believe any non-compliance with the permit has occurred, the relevant condition and how the non-compliance has been categorised using our Compliance Classification Scheme (CCS). CCS Scores can be consolidated or suspended where appropriate, to reflect the impact of some non-compliances more accurately. For more details of our CCS scheme, contact your local office.

Permit conditions and compliance summary	CCS Category	Condition(s) breached
A1 - Specified by permit	A	
B1 - Infrastructure - Engineering for prevention and control of emissions	A	
B3 - Infrastructure - Site drainage engineering (clean and foul)	A	
B4 - Infrastructure - Containment of stored materials	A	
C2 - General Management - Management system and operating procedures	A	
E1 - Emissions - Air	A	
E2 - Emissions - Land and groundwater	A	
E3 - Emissions - Surface water	A	
E5 - Emissions - Waste	A	
G1 - Monitoring and Records, Maintenance and Reporting - Monitoring of emissions and environment	A	
G4 - Monitoring and Records, Maintenance and Reporting - Reporting and notification to Natural Resources Wales	A	

**KEY:** See Section 5 for breach categories, suspended scores will be indicated as such.

**A** = Assessed or assessed in part (no evidence of non-compliance), **X** = Action only,

**O** = Ongoing non-compliance, not scored.

<b>Number of breaches recorded</b>	<b>0</b>	<b>Total compliance score</b> (see section 5 for scoring scheme)	<b>0</b>
------------------------------------	----------	---	----------

**If the Number of breaches recorded is greater than zero, please see Section 3 for our proposed enforcement response**

## Section 2 – Compliance Assessment Report Detail

This section contains a report of our findings and will usually include information on:

- The part(s) of the permit that were assessed (eg. Maintenance, training, combustion plant, etc)
- Where the type of assessment was 'Data Review' details of the report/results triggering the assessment
- Any non-compliances identified
- Any non-compliances with directly applicable legislation
- Details of any multiple non-compliances
- Information on the compliance score accrued inc.
- Details of advice given
- Any other areas of concern
- Any actions requested
- Any examples of good practice
- A reference to photos taken

The Fugitive Emissions Review for 2019 and the EMS Targets Review for 2019, were received on 31<sup>st</sup> January 2020.

Both reports are accepted.

### 4.1.4 Fugitive Emissions Review 2019

There were no fugitive emissions in 2019.

Air monitoring was conducted in May 2019 and no fugitive emissions of hydrogen fluoride, hydrogen chloride, chromium, nickel, cobalt, zinc, sodium or potassium were detected from the zinc or zinc-nickel plating lines.

### 4.1.5 EMS Targets Review 2019

The Japanese knotweed control and chlorinated solvent remediation programmes are continuing.

An incident notification inbox has been set up, which should speed incident notification.

A survey of internal and external noise is proposed for 2020.

An energy team has been set up to review sub-metering data and to set improvement targets.

The majority of the target elements in this review concern waste management and control. Several have been achieved, the remainder require more work before their feasibility can be properly determined.

The existing filter presses do not have the capacity to cope with the amount of waste produced by the plating processes. This has caused an increase in the use of tankers to remove the sludge. TRW are considering replacing the existing presses with ones having a larger capacity so that fewer sludge tankers will be needed in 2020.

An on-going problem for any site using chemicals is the disposal of used containers. TRW are trying to solve the problem by reducing the use of these containers and finding a recycling outlet.

If the planned closure of "Drumbrake" goes ahead, TRW should keep any information they collect regarding contamination of the area securely, so that it can be retrieved should the whole permit ever be surrendered. They would also be well advised to keep a detailed note of all the wastes generated so that the data can be submitted with the annual reports for 2020.

TRW set themselves some useful and achievable targets for 2019 which should give tangible benefits once they are resolved.

**END.**

## EPR Compliance Assessment Report

**Report ID:  
CAR\_NRW0036312**

This form will report compliance with your permit as determined by an NRW officer

Site	TRW Automotive EPR/DP3430LX	Permit Ref	DP3430LX
Operator/Permit holder	TRW Limited	Date	31/01/2020

### Section 3 – Enforcement Response

You must take immediate action to rectify any non-compliance and prevent repetition. Non-compliance with your permit conditions constitutes an offence and can result in criminal prosecutions and/or suspension or revocation of a permit. Please read the detailed assessment in Section 2 and the steps you need to take in Section 4 below.

Other than the provision of advice and guidance, at present we do not intend to take further enforcement action in respect of the non-compliance identified above. This does not preclude us from taking enforcement action if further relevant information comes to light or advice isn't followed.

### Section 4 – Action(s)

This section summarises the actions identified during the assessment along with the timescales for when they will need to be completed.

Criteria Ref.	CCS Category	Action required/advised	Due Date
See Section 1 above			

## Section 5 – Compliance notes for the Operator

To ensure you correct actual or potential non-compliance we may

- Advise on corrective actions verbally or in writing
- Require you to take specific actions verbally or in writing
- Issue a notice
- Require you to review your procedures or management system
- Change some of the conditions of your permit
- Decide to undertake a full review of your permit

Any breach of a permit condition is an offence and we may take legal action against you

- We will normally provide advice and guidance to assist you to come back into compliance either after an offence is committed or where we consider that an offence is likely to be committed. This is without prejudice to any other enforcement response that we consider may be required.
- Enforcement action can include the issue of a formal caution, prosecution, the service of a notice and/or suspension or revocation of the permit.

**See our Enforcement and Civil Sanctions guidance for further information**

This report does not relieve the site operator of the responsibility to

- Ensure you comply with the conditions of the permit at all times and prevent pollution of the environment
- Ensure you comply with other legislative provisions which may apply

### Non-compliance scores and categories

CCS category	Description	Score
C1	A non-compliance that could have a major environmental effect	60
C2	A non-compliance which could have a significant environmental effect	31
C3	A non-compliance which could have a minor environmental effect	4
C4	A non-compliance which has no potential environmental effect	0.1

**Operational Risk Appraisal (Opra)** - Compliance assessment findings may affect your Opra score and/or your charges. This score influences the resource we use to assess permit compliance.

## Section 6 – General information

### Data protection notice

The information on this form will be processed by the Natural Resources Wales (NRW) to fulfil its regulatory and monitoring functions and to maintain the relevant public register(s). The NRW may also use and/or disclose it in connection with:

- Offering/providing you with its literature/services relating to environmental matters
- Consulting with the public, public bodies and other organisations (eg. Health and Safety Executive, local authorities) on environmental issues
- Carrying out statistical analysis, research and development on environmental issues
- Providing public register information to enquirers
- Investigating possible breaches of environmental law
- Assessing customer service satisfaction and improving its service
- Freedom of Information Act/Environmental Regulations request

The NRW may pass it on to its agents/representatives to do these things on its behalf. You should ensure that any persons named on this form are informed of the contents of this data protection notice.

### Disclosure of information

The NRW will provide a copy of this report to the public register(s). However, if you consider that any information contained in this report should not be released to the public register(s) on the grounds of commercial confidentiality, you must write to your local area office within fifteen working days of receipt of this form indicating which information it concerns and why it should not be released, giving your reasons in full.

### Customer charter

#### What can I do if I disagree with this compliance assessment report?

If you are unable to resolve the issue with your site officer, you should firstly discuss the matter with officer's line managers using the informal appeals procedure. If you wish to raise your dispute further through our official Complaints and Commendations procedure, phone our general enquiry number 0300 065 3000 (Mon to Fri 08.00 – 18.00) and ask for the Customer Contact team or send an email to enquiries@naturalresourceswales.gov.uk. If you are still dissatisfied you can make a complaint to the Public Services Ombudsman for Wales. For advice on how to complain to the Ombudsman phone their helpline on 0845 607 0987.

#### Welsh Language

If you would like this form in Welsh please contact your Regulatory Officer.