

Compliance Assessment Report

Report ID:
CAR_NRW0036278

This form will report compliance with your permit as determined by an NRW officer

Site	Roath Dock Treatment and Recycling Centre NRW/EPR/LP3439HM/V003	Permit Ref	LP3439HM			
Operator/Permit holder	Castle Waste Services Limited					
Regime	Installations					
Date of assessment	03/02/2020	Time in	N/A	Out	N/A	
Assessment type	Report/Data Review					
Parts of the permit assessed	4.2.2 Annual Reports 2019; 4.2.3 Emissions to Sewer Oct to Dec 2019					
Lead officer's name	Green, Rebecca					
Accompanied by						
Recipient's name/position	David Humphriss/ Technical Director	Date issued	06/02/2020			

Section 1 – Compliance Assessment Summary

This is based on the requirements of the permit under the Environmental Permitting Regulations or the licence under the Water Resources Act 1991 as amended by the Water Act 2003. A detailed explanation is captured in "Compliance Assessment Report Detail" (Section 2) and any actions you may need to take are given in the "Action(s)" (section 4). This summary details where we believe any non-compliance with the permit has occurred, the relevant condition and how the non-compliance has been categorised using our Compliance Classification Scheme (CCS). CCS Scores can be consolidated or suspended where appropriate, to reflect the impact of some non-compliances more accurately. For more details of our CCS scheme, contact your local office.

Permit conditions and compliance summary	CCS Category	Condition(s) breached
A1 - Specified by permit	A	
C1 - General Management - Staff competency/training	A	
C2 - General Management - Management system and operating procedures	A	
E4 - Emissions - Sewer	A	
E5 - Emissions - Waste	A	
G1 - Monitoring and Records, Maintenance and Reporting - Monitoring of emissions and environment	A	
G4 - Monitoring and Records, Maintenance and Reporting - Reporting and notification to Natural Resources Wales	A	
H1 - Resource Efficiency - Efficient use of raw materials	A	
H2 - Resource Efficiency - Energy efficiency	A	

KEY: See Section 5 for breach categories, suspended scores will be indicated as such.

A = Assessed or assessed in part (no evidence of non-compliance), **X** = Action only,

O = Ongoing non-compliance, not scored.

Number of breaches recorded	0	Total compliance score (see section 5 for scoring scheme)	0
-----------------------------	---	---	---

If the Number of breaches recorded is greater than zero, please see Section 3 for our proposed enforcement response

Section 2 – Compliance Assessment Report Detail

This section contains a report of our findings and will usually include information on:

- The part(s) of the permit that were assessed (eg. Maintenance, training, combustion plant, etc)
- Where the type of assessment was 'Data Review' details of the report/results triggering the assessment
- Any non-compliances identified
- Any non-compliances with directly applicable legislation
- Details of any multiple non-compliances
- Information on the compliance score accrued inc.
- Details of advice given
- Any other areas of concern
- Any actions requested
- Any examples of good practice
- A reference to photos taken

Forms S1, Emissions to Sewer, 1st October to 31st December 2019; Water Usage 1 2019; Energy 1 2019; Performance 1 2019 and the Annual Report 2019, were received on 31st January 2020. All the reports are accepted.

The permit requires the annual information to be reported as a total and per unit of output. It is very difficult to quantify output for this sort of operation and so Castle have decided to use 100,000 hours worked as their measure of output. It is the first year that this measure has been used and so it is not possible to make comparisons with previous years, except for the overall totals.

S1 Emissions to Sewer

There are no emission limit values in the permit. All determinands were within the Welsh Water Consent Limit discharge limits.

Water Usage 1 2019

Total consumption was 24% higher than in 2018.

Energy Usage 2019

Total usage was 12% more than in 2018, primarily due to an increase in electricity consumption.

Performance 1 2019

No raw materials were used in 2019.

Waste disposal and/or recovery was 14% higher than in 2018.

Annual Report 2019

There are two businesses running on this site, only one is permitted. This makes the separation of energy and water use quite difficult. The increases seen in water and energy use are mainly due to changes in product mix as the amount of waste accepted was slightly less than in 2018.

The amount of waste removed from site was more than in 2018, again due to product mix and an increase in transfer waste. Waste sent to landfill was about the same amount as in 2018.

Castle continue to re-use waste where possible in the treatment of other wastes. This means that there was no need to use any raw materials in 2018. The desludging operation has been improved which, along with the investment in laboratory resource, has improved compliance with their Welsh Water Discharge Consent. Management systems have been internally and externally audited.

Castle have made some investments on the site, including new equipment and personnel and more is planned for 2020. It is encouraging to see that Castle are investing in the site and plan to do more in 2020.

END.

EPR Compliance Assessment Report

**Report ID:
CAR_NRW0036278**

This form will report compliance with your permit as determined by an NRW officer

Site	Roath Dock Treatment and Recycling Centre NRW/EPR/LP3439HM/V003	Permit Ref	LP3439HM
Operator/Permit holder	Castle Waste Services Limited	Date	03/02/2020

Section 3 – Enforcement Response

You must take immediate action to rectify any non-compliance and prevent repetition. Non-compliance with your permit conditions constitutes an offence and can result in criminal prosecutions and/or suspension or revocation of a permit. Please read the detailed assessment in Section 2 and the steps you need to take in Section 4 below.

Other than the provision of advice and guidance, at present we do not intend to take further enforcement action in respect of the non-compliance identified above. This does not preclude us from taking enforcement action if further relevant information comes to light or advice isn't followed.

Section 4 – Action(s)

This section summarises the actions identified during the assessment along with the timescales for when they will need to be completed.

Criteria Ref.	CCS Category	Action required/advised	Due Date
See Section 1 above			

Section 5 – Compliance notes for the Operator

To ensure you correct actual or potential non-compliance we may

- Advise on corrective actions verbally or in writing
- Require you to take specific actions verbally or in writing
- Issue a notice
- Require you to review your procedures or management system
- Change some of the conditions of your permit
- Decide to undertake a full review of your permit

Any breach of a permit condition is an offence and we may take legal action against you

- We will normally provide advice and guidance to assist you to come back into compliance either after an offence is committed or where we consider that an offence is likely to be committed. This is without prejudice to any other enforcement response that we consider may be required.
- Enforcement action can include the issue of a formal caution, prosecution, the service of a notice and/or suspension or revocation of the permit.

See our Enforcement and Civil Sanctions guidance for further information

This report does not relieve the site operator of the responsibility to

- Ensure you comply with the conditions of the permit at all times and prevent pollution of the environment
- Ensure you comply with other legislative provisions which may apply

Non-compliance scores and categories

CCS category	Description	Score
C1	A non-compliance that could have a major environmental effect	60
C2	A non-compliance which could have a significant environmental effect	31
C3	A non-compliance which could have a minor environmental effect	4
C4	A non-compliance which has no potential environmental effect	0.1

Operational Risk Appraisal (Opra) - Compliance assessment findings may affect your Opra score and/or your charges. This score influences the resource we use to assess permit compliance.

Section 6 – General information

Data protection notice

The information on this form will be processed by the Natural Resources Wales (NRW) to fulfil its regulatory and monitoring functions and to maintain the relevant public register(s). The NRW may also use and/or disclose it in connection with:

- Offering/providing you with its literature/services relating to environmental matters
- Consulting with the public, public bodies and other organisations (eg. Health and Safety Executive, local authorities) on environmental issues
- Carrying out statistical analysis, research and development on environmental issues
- Providing public register information to enquirers
- Investigating possible breaches of environmental law
- Assessing customer service satisfaction and improving its service
- Freedom of Information Act/Environmental Regulations request

The NRW may pass it on to its agents/representatives to do these things on its behalf. You should ensure that any persons named on this form are informed of the contents of this data protection notice.

Disclosure of information

The NRW will provide a copy of this report to the public register(s). However, if you consider that any information contained in this report should not be released to the public register(s) on the grounds of commercial confidentiality, you must write to your local area office within fifteen working days of receipt of this form indicating which information it concerns and why it should not be released, giving your reasons in full.

Customer charter

What can I do if I disagree with this compliance assessment report?

If you are unable to resolve the issue with your site officer, you should firstly discuss the matter with officer's line managers using the informal appeals procedure. If you wish to raise your dispute further through our official Complaints and Commendations procedure, phone our general enquiry number 0300 065 3000 (Mon to Fri 08.00 – 18.00) and ask for the Customer Contact team or send an email to enquiries@naturalresourceswales.gov.uk. If you are still dissatisfied you can make a complaint to the Public Services Ombudsman for Wales. For advice on how to complain to the Ombudsman phone their helpline on 0845 607 0987.

Welsh Language

If you would like this form in Welsh please contact your Regulatory Officer.