

Mrs Gaynor Thomas
Cilgwydd
Llanfihangel-Bryn-Pabuan
Builth Wells
Powys
LD23SE

Our ref: PAN-005617

Date: 06/06/2019

Dear Mrs Gaynor Thomas

We need more information about your application

Application reference: PAN-005617

Operator: Mr Clive M. Thomas, Mr William J. Thomas, Ms Myra M.E. Thomas, Ms Leslie K. Thomas, Mr William I. Thomas

Facility: Cilgwydd

Thank you for your application received on 03/06/2019. We are writing to clarify our conversation on 06/06/2019 as promised.

We need to ask you for some more information before we can progress your application further.

Please could you

- Provide written confirmation from Mr William I. Thomas declaring that he agrees with the variation and wishes to remain on the permit.
- Provide written confirmation from Ms Leslie K. Thomas declaring that they wish to remove their name from the permit.
- Provide copies of the Death Certificates of Mr William J. Thomas and Ms Myra M.E. Thomas.

We would be grateful if you could return the information requested above within 10 working days from the date of this letter. If this becomes a problem please let me know. If you email or write to us please quote the application reference PAN-005617 on any correspondence and send it to the relevant address below.

Ffôn/Tel 0300 065 3809
Ebostr/E-mail aidan.byrne@cyfoethnaturiolcymru.gov.uk
aidan.byrne@naturalresourceswales.gov.uk

Canolfan Trwyddedu Cymru (Caerdydd), Cyfoeth Naturiol Cymru, Tŷ Cambria, 29 Heol Casnewydd, Caerdydd. CF24 0TP
Wales Permitting Centre (Cardiff), Natural Resources Wales, Cambria House, 29 Newport Road, Cardiff. CF24 0TP

Gwefan/Website www.cyfoethnaturiolcymru.gov.uk
www.naturalresourceswales.gov.uk

Croesewir gohebiaeth yn y Gymraeg a'r Saesneg
Correspondence welcomed in Welsh and English

If you have any questions please phone me on 0300 065 3809 or email
aidan.byrne@naturalresourceswales.gov.uk.

Yours sincerely

Aidan Byrne
Water Quality Permitting Officer