

# Agricultural Benefit Statement

**For the application of beneficial wastes to fields at;  
Pengelli Fawr, Vaynor, Merthyr Tydfil, CF48 2TT**

13<sup>th</sup> November 2019

## 1 Person with appropriate technical expertise and permit details

This benefit statement has been compiled by Vanessa McDonnell (Junior Environmental Consultant) who has the following qualifications and experience;

- Level 3 Diploma in Agriculture
- Foundation Degree in Agriculture with Land Management

Verified by; Kevin Brook FE/0829

Permit number under which this deployment application is being made: EPR/GP3792SK

## 2 Where the waste is to be spread

Table 1. Where the waste is to be spread

<i>Farm address:</i>	Pengelli Fawr, Vaynor, Merthyr Tydfil, CF48 2TT	
<i>Stockpile grid reference:</i>	Refer to Table 4	
<i>Area of the receiving land:</i>	45.7ha	
<i>Quantity to be stored at any one time:</i>	Stackable (temporary field stockpile): 3000t	Non-Stackable: N/A
<i>Total maximum quantity to be spread:</i>	11,425t	
<i>Location map document reference:</i>	2. Spreading Area	

## 3 What is the waste to be spread

Table 2. Description of waste(s) to be applied

<b>Waste</b>	<b>EWC Code</b>	<b>Description</b>	<b>Waste Producer</b>	<b>Additional Information</b>
1	19 09 02	Potable Water Treatment Sludge - LQ	DCWW Cefn Dryskoed	
2	19 09 02	Potable Water Treatment Sludge - SL	DCWW Court Farm	
3	19 09 02	Potable Water Treatment Sludge - LQ	DCWW Crai	
4	19 09 02	Potable Water Treatment Sludge - SL	DCWW Crai	
5	19 09 02	Potable Water Treatment Sludge - LQ	DCWW Hirwaun	
6	19 09 02	Potable Water Treatment Sludge - EF	DCWW Llyswen	
7	19 09 02	Potable Water Treatment Sludge - EF	DCWW Pontsticill	
8	19 09 02	Potable Water Treatment Sludge - SL	DCWW Pontsticill	
9	19 09 02	Potable Water Treatment Sludge - LQ	DCWW Talybont	

## 4 Operational details

### 4.1 Cropping details

Table 3. Cropping details

<i>Current crop including projected yield if known:</i>	Refer to tables 6-14
<i>Is straw removed?</i>	Y <input type="checkbox"/> N <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<i>Following crop and any sensitive crops within rotation which you are amending the soil for in good time:</i>	Refer to tables 6-14
<i>When do you intend to apply this waste; e.g. post harvest – pre-ploughing, during seed bed cultivations, on the stubble over winter:</i>	<p>When both the ground and weather conditions are suitable.</p> <p>Prior to first cut (March-April), After first cut (May-June), After second cut (July-September) and other times of the year when ground conditions allow for grazing.</p> <p><i>The grass will be left a minimum of 3 weeks before it is used for grazing or cutting.</i></p> <p>No more than 50t/ha will be spread onto a field in any 3-week period, in accordance with CoGAP, and no more than 250t/ha will be spread within any 12 month period.</p>

	The NRW will be notified 48 hours prior to spreading.
--	---

## 4.2 Waste storage

Table 4. Waste storage

<i>How is the waste to be stored?</i> <i>e.g. mobile tank, field heap, spread on delivery</i>	Stockpiles for the solids and spread on delivery for the liquids.
<i>Where is the waste to be stored prior to spreading?</i>	A 305047 211348 B 304955 211287 C 304981 211114
<i>Why were these storage locations chosen?</i>	The storage locations are accessible by delivery vehicle, near field entrances so the potential damage to fields by delivering vehicles is minimal.  The storage locations are not within 10m of any ditch, watercourse, or footpath, not within a SPZ1, and are at least 50m from any well spring or borehole. They are also distant from overhead powerlines.

## 4.3 Waste application

Table 5. Waste application

<i>How is the waste to be spread and why is it to be spread that way?</i>	The liquid wastes will be applied using a splash plate, on a tractor and tanker and the solid wastes will be spread using a tractor and muck spreader.
<i>How do you plan to incorporate the waste following application?</i>	There is no requirement for incorporation of wastes due to low ammonia content and minimal odour.
<i>With liquid wastes is there any mole draining or sub-soiling planned?</i>  <i>Are there land drains in the field?</i>	There is no mole draining or subsoiling planned. There are some land drains in the fields.
<i>Other relevant operational information:</i>	Spreading the wastes will be carried out in accordance with the Code of Good Agricultural Practice for the Protection of Water, Soil, and Air for Wales (2011), NVZ regulations and the permit holder Environmental Management System (EMS).  The wastes will be applied separately or in combination. If they are to be applied in combination, the total tonnage applied will not exceed 250t/ha, total N will be less than 250kg/ha, and the amount of total available Phosphate and Potash (whichever appropriate) will not exceed the fertiliser recommendation or the amount removed in crop offtake, whichever is greater.

Table 6. DCWW Cefn Dryskoed

						N			P <sub>2</sub> O <sub>5</sub>				K <sub>2</sub> O				Mg					
Field Reference	Total Area	Sprd Area	Previous Crop	Next Crop	Soil pH	SNS	Req	*In	P	Req	Crop Use	*In	K	Req	Crop Use	*In	Mg	Req	*In	Rate t/ha	Totals tonnes	
						kg/ha	kg/ha		kg/ha	kg/ha	kg/ha	kg/ha	kg/ha	kg/ha	kg/ha	kg/ha	kg/ha	kg/ha	kg/ha			kg/ha
1	2.8	2.5	Grass	Grass	7.8	M	130	3	2	40	39	**23	2-	140	138	**1	3	0	*2	250	625	
2	0.9	0.9	Grass	Grass	7.8	M	130	3	2	40	39	**23	2-	140	138	**1	3	0	*2	250	225	
3	1.1	1.0	Grass	Grass	7.8	M	130	3	2	40	39	**23	2-	140	138	**1	3	0	*2	250	250	
4	1.0	0.9	Grass	Grass	7.8	M	130	3	2	40	39	**23	2-	140	138	**1	3	0	*2	250	225	
5	1.1	1.1	Grass	Grass	7.7	M	130	3	2	40	39	**23	2+	120	138	**1	5	0	*2	250	275	
6	1.9	1.8	Grass	Grass	7.7	M	130	3	2	40	39	**23	2+	120	138	**1	5	0	*2	250	450	
7	1.1	1.1	Grass	Grass	7.7	M	130	3	2	40	39	**23	2+	120	138	**1	5	0	*2	250	275	
8	1.2	1.2	Grass	Grass	7.8	M	130	3	2	40	39	**23	2-	140	138	**1	4	0	*2	250	300	
9	1.0	1.0	Grass	Grass	7.8	M	130	3	2	40	39	**23	2-	140	138	**1	4	0	*2	250	250	
10	1.9	1.9	Grass	Grass	7.6	M	130	3	2	40	39	**23	2-	140	138	**1	5	0	*2	250	475	
11	1.9	1.6	Grass	Grass	8.2	M	130	3	2	40	39	**23	2-	140	138	**1	5	0	*2	250	400	
12	0.6	0.6	Grass	Grass	7.8	M	130	3	2	40	39	**23	2-	140	138	**1	4	0	*2	250	150	
13	1.2	1.1	Grass	Grass	7.8	M	130	3	2	40	39	**23	2-	140	138	**1	4	0	*2	250	275	
14	1.6	1.5	Grass	Grass	6.2	M	130	3	0	100	39	*5	0	200	138	*0	5	0	*2	250	375	
15	2.0	2.0	Grass	Grass	6.2	M	130	3	0	100	39	*5	0	200	138	*0	5	0	*2	250	500	
16	2.5	2.3	Grass	Grass	6.2	M	130	3	0	100	39	*5	0	200	138	*0	5	0	*2	250	575	
17	3.1	2.2	Grass	Grass	7.7	M	130	3	2	40	39	**23	2-	140	138	**1	4	0	*2	250	550	
18	4.3	4.1	Grass	Grass	7.7	M	130	3	2	40	39	**23	2-	140	138	**1	4	0	*2	250	1025	
19	1.3	1.1	Grass	Grass	7.5	M	130	3	2	40	39	**23	2+	120	138	**1	5	0	*2	250	275	
20	1.8	1.8	Grass	Grass	7.5	M	130	3	2	40	39	**23	2+	120	138	**1	5	0	*2	250	450	
21	2.6	2.3	Grass	Grass	7.5	M	130	3	2	40	39	**23	2+	120	138	**1	5	0	*2	250	575	
22	2.7	2.2	Grass	Grass	7.7	M	130	3	2	40	39	**23	2+	120	138	**1	5	0	*2	250	550	
23	2.2	2.2	Grass	Grass	8.2	M	130	3	2	40	39	**23	2-	140	138	**1	5	0	*2	250	550	
24	2.1	1.9	Grass	Grass	7.7	M	130	3	2	40	39	**23	2+	120	138	**1	5	0	*2	250	475	
26	2.5	2.5	Grass	Grass	7.6	M	130	3	2	40	39	**23	2-	140	138	**1	5	0	*2	250	625	
27	2.9	2.9	Grass	Grass	7.6	M	130	3	2	40	39	**23	2-	140	138	**1	5	0	*2	250	725	
Ha	49.3	45.7																			11425	

Nutrient requirement based on values described in the nutrient management guide (RB209) updated May 2017.

Phosphate and Potash requirements based on **Grass Silage, 1 Cuts (23t/ha)** (target DM yield 9-12t/ha) (Nutrient management guide (RB209) updated May 2017) with aftermath grazing.

Expected Grazing yield of 4-5t/ha

Crop use based on **Grass** totalling **23t/ha** yield where **1.7kg/t P<sub>2</sub>O<sub>5</sub>** and **6kg/t K<sub>2</sub>O** removed in offtake (Nutrient management guide) (RB209) updated May 2017)

\*N, P, K and Mg stated are **Available** concentrations in kg/ha

\*\***Total** nutrient content of waste used on P index 2 or above.

Availability of nutrients in waste - N measured as NH<sub>4</sub>, P<sub>2</sub>O<sub>5</sub> 20%, K<sub>2</sub>O 20%, Mg 20%

Total N supplied at an application rate of 250t/ha is 97kg/ha

Table 7. DCWW Court Farm

						N			P <sub>2</sub> O <sub>5</sub>				K <sub>2</sub> O				Mg				
Field Reference	Total Area	Sprd Area	Previous Crop	Next Crop	Soil pH	SNS	Req	*In	P	Req	Crop Use	*In	K	Req	Crop Use	*In	Mg	Req	*In	Rate	Totals
							kg/ha	kg/ha	Ind	kg/ha	kg/ha	kg/ha	Ind	kg/ha	kg/ha	kg/ha	Ind	kg/ha	kg/ha	kg/ha	Ind
1	2.8	2.5	Grass	Grass	7.8	M	130	1	2	40	39	**39	2-	140	138	**7	3	0	*6	50	125
2	0.9	0.9	Grass	Grass	7.8	M	130	1	2	40	39	**39	2-	140	138	**7	3	0	*6	50	45
3	1.1	1.0	Grass	Grass	7.8	M	130	1	2	40	39	**39	2-	140	138	**7	3	0	*6	50	50
4	1.0	0.9	Grass	Grass	7.8	M	130	1	2	40	39	**39	2-	140	138	**7	3	0	*6	50	45
5	1.1	1.1	Grass	Grass	7.7	M	130	1	2	40	39	**39	2+	120	138	**7	5	0	*6	50	55
6	1.9	1.8	Grass	Grass	7.7	M	130	1	2	40	39	**39	2+	120	138	**7	5	0	*6	50	90
7	1.1	1.1	Grass	Grass	7.7	M	130	1	2	40	39	**39	2+	120	138	**7	5	0	*6	50	55
8	1.2	1.2	Grass	Grass	7.8	M	130	1	2	40	39	**39	2-	140	138	**7	4	0	*6	50	60
9	1.0	1.0	Grass	Grass	7.8	M	130	1	2	40	39	**39	2-	140	138	**7	4	0	*6	50	50
10	1.9	1.9	Grass	Grass	7.6	M	130	1	2	40	39	**39	2-	140	138	**7	5	0	*6	50	95
11	1.9	1.6	Grass	Grass	8.2	M	130	1	2	40	39	**39	2-	140	138	**7	5	0	*6	50	80
12	0.6	0.6	Grass	Grass	7.8	M	130	1	2	40	39	**39	2-	140	138	**7	4	0	*6	50	30
13	1.2	1.1	Grass	Grass	7.8	M	130	1	2	40	39	**39	2-	140	138	**7	4	0	*6	50	55
14	1.6	1.5	Grass	Grass	6.2	M	130	2	0	100	39	*26	0	200	138	*5	5	0	*20	171	257
15	2.0	2.0	Grass	Grass	6.2	M	130	2	0	100	39	*26	0	200	138	*5	5	0	*20	171	342
16	2.5	2.3	Grass	Grass	6.2	M	130	2	0	100	39	*26	0	200	138	*5	5	0	*20	171	393
17	3.1	2.2	Grass	Grass	7.7	M	130	1	2	40	39	**39	2-	140	138	**7	4	0	*6	50	110
18	4.3	4.1	Grass	Grass	7.7	M	130	1	2	40	39	**39	2-	140	138	**7	4	0	*6	50	205
19	1.3	1.1	Grass	Grass	7.5	M	130	1	2	40	39	**39	2+	120	138	**7	5	0	*6	50	55
20	1.8	1.8	Grass	Grass	7.5	M	130	1	2	40	39	**39	2+	120	138	**7	5	0	*6	50	90
21	2.6	2.3	Grass	Grass	7.5	M	130	1	2	40	39	**39	2+	120	138	**7	5	0	*6	50	115
22	2.7	2.2	Grass	Grass	7.7	M	130	1	2	40	39	**39	2+	120	138	**7	5	0	*6	50	110
23	2.2	2.2	Grass	Grass	8.2	M	130	1	2	40	39	**39	2-	140	138	**7	5	0	*6	50	110
24	2.1	1.9	Grass	Grass	7.7	M	130	1	2	40	39	**39	2+	120	138	**7	5	0	*6	50	95
26	2.5	2.5	Grass	Grass	7.6	M	130	1	2	40	39	**39	2-	140	138	**7	5	0	*6	50	125
27	2.9	2.9	Grass	Grass	7.6	M	130	1	2	40	39	**39	2-	140	138	**7	5	0	*6	50	145
Ha	49.3	45.7																			2987

Nutrient requirement based on values described in the nutrient management guide (RB209) updated May 2017.

Phosphate and Potash requirements based on **Grass Silage, 1 Cuts (23t/ha)** (target DM yield 9-12t/ha) (Nutrient management guide (RB209) updated May 2017) with aftermath grazing.

Expected Grazing yield of 4-5t/ha

Crop use based on **Grass** totalling **23t/ha** yield where **1.7kg/t P<sub>2</sub>O<sub>5</sub>** and **6kg/t K<sub>2</sub>O** removed in offtake (Nutrient management guide) (RB209) updated May 2017)

\*N, P, K and Mg stated are **Available** concentrations in kg/ha

**\*\*Total** nutrient content of waste used on P index 2 or above.

Availability of nutrients in waste - N measured as NH<sub>4</sub>, P<sub>2</sub>O<sub>5</sub> 20%, K<sub>2</sub>O 20%, Mg 20%

Total N supplied at an application rate of 171t/ha is 249kg/ha

Table 8. DCWW Crai LIQUID

						N			P <sub>2</sub> O <sub>5</sub>				K <sub>2</sub> O				Mg				
Field Reference	Total Area	Sprd Area	Previous Crop	Next Crop	Soil pH	SNS	Req	*In	P	Req	Crop Use	*In	K	Req	Crop Use	*In	Mg	Req	*In	Rate t/ha	Totals tonnes
						kg/ha	kg/ha	kg/ha	kg/ha	kg/ha	kg/ha	kg/ha	kg/ha	kg/ha	kg/ha	kg/ha	kg/ha	kg/ha	kg/ha		
1	2.8	2.5	Grass	Grass	7.8	M	130	2	2	40	39	**10	2-	140	138	**1	3	0	*1	250	625
2	0.9	0.9	Grass	Grass	7.8	M	130	2	2	40	39	**10	2-	140	138	**1	3	0	*1	250	225
3	1.1	1.0	Grass	Grass	7.8	M	130	2	2	40	39	**10	2-	140	138	**1	3	0	*1	250	250
4	1.0	0.9	Grass	Grass	7.8	M	130	2	2	40	39	**10	2-	140	138	**1	3	0	*1	250	225
5	1.1	1.1	Grass	Grass	7.7	M	130	2	2	40	39	**10	2+	120	138	**1	5	0	*1	250	275
6	1.9	1.8	Grass	Grass	7.7	M	130	2	2	40	39	**10	2+	120	138	**1	5	0	*1	250	450
7	1.1	1.1	Grass	Grass	7.7	M	130	2	2	40	39	**10	2+	120	138	**1	5	0	*1	250	275
8	1.2	1.2	Grass	Grass	7.8	M	130	2	2	40	39	**10	2-	140	138	**1	4	0	*1	250	300
9	1.0	1.0	Grass	Grass	7.8	M	130	2	2	40	39	**10	2-	140	138	**1	4	0	*1	250	250
10	1.9	1.9	Grass	Grass	7.6	M	130	2	2	40	39	**10	2-	140	138	**1	5	0	*1	250	475
11	1.9	1.6	Grass	Grass	8.2	M	130	2	2	40	39	**10	2-	140	138	**1	5	0	*1	250	400
12	0.6	0.6	Grass	Grass	7.8	M	130	2	2	40	39	**10	2-	140	138	**1	4	0	*1	250	150
13	1.2	1.1	Grass	Grass	7.8	M	130	2	2	40	39	**10	2-	140	138	**1	4	0	*1	250	275
14	1.6	1.5	Grass	Grass	6.2	M	130	2	0	100	39	*2	0	200	138	*0	5	0	*1	250	375
15	2.0	2.0	Grass	Grass	6.2	M	130	2	0	100	39	*2	0	200	138	*0	5	0	*1	250	500
16	2.5	2.3	Grass	Grass	6.2	M	130	2	0	100	39	*2	0	200	138	*0	5	0	*1	250	575
17	3.1	2.2	Grass	Grass	7.7	M	130	2	2	40	39	**10	2-	140	138	**1	4	0	*1	250	550
18	4.3	4.1	Grass	Grass	7.7	M	130	2	2	40	39	**10	2-	140	138	**1	4	0	*1	250	1025
19	1.3	1.1	Grass	Grass	7.5	M	130	2	2	40	39	**10	2+	120	138	**1	5	0	*1	250	275
20	1.8	1.8	Grass	Grass	7.5	M	130	2	2	40	39	**10	2+	120	138	**1	5	0	*1	250	450
21	2.6	2.3	Grass	Grass	7.5	M	130	2	2	40	39	**10	2+	120	138	**1	5	0	*1	250	575
22	2.7	2.2	Grass	Grass	7.7	M	130	2	2	40	39	**10	2+	120	138	**1	5	0	*1	250	550
23	2.2	2.2	Grass	Grass	8.2	M	130	2	2	40	39	**10	2-	140	138	**1	5	0	*1	250	550
24	2.1	1.9	Grass	Grass	7.7	M	130	2	2	40	39	**10	2+	120	138	**1	5	0	*1	250	475
26	2.5	2.5	Grass	Grass	7.6	M	130	2	2	40	39	**10	2-	140	138	**1	5	0	*1	250	625
27	2.9	2.9	Grass	Grass	7.6	M	130	2	2	40	39	**10	2-	140	138	**1	5	0	*1	250	725
Ha	49.3	45.7																			11425

Nutrient requirement based on values described in the nutrient management guide (RB209) updated May 2017.

Phosphate and Potash requirements based on **Grass Silage, 1 Cuts (23t/ha)** (target DM yield 9-12t/ha) (Nutrient management guide (RB209) updated May 2017) with aftermath grazing.

Expected Grazing yield of 4-5t/ha

Crop use based on **Grass** totalling **23t/ha** yield where **1.7kg/t P<sub>2</sub>O<sub>5</sub>** and **6kg/t K<sub>2</sub>O** removed in offtake (Nutrient management guide) (RB209) updated May 2017)

\*N, P, K and Mg stated are **Available** concentrations in kg/ha

\*\***Total** nutrient content of waste used on P index 2 or above.

Availability of nutrients in waste - N measured as NH<sub>4</sub>, P<sub>2</sub>O<sub>5</sub> 20%, K<sub>2</sub>O 20%, Mg 20%

Total N supplied at an application rate of 250t/ha is 43kg/ha

Table 9. DCWW Crai SLUDGE

						N			P <sub>2</sub> O <sub>5</sub>				K <sub>2</sub> O				Mg				
Field Reference	Total Area	Sprd Area	Previous Crop	Next Crop	Soil pH	SNS	Req	*In	P	Req	Crop Use	*In	K	Req	Crop Use	*In	Mg	Req	*In	Rate t/ha	Totals tonnes
							kg/ha	kg/ha	Ind	kg/ha	kg/ha	kg/ha	Ind	kg/ha	kg/ha	kg/ha	Ind	kg/ha	kg/ha		
1	2.8	2.5	Grass	Grass	7.8	M	130	1	2	40	39	**31	2-	140	138	**2	3	0	*1	114	285
2	0.9	0.9	Grass	Grass	7.8	M	130	1	2	40	39	**31	2-	140	138	**2	3	0	*1	114	103
3	1.1	1.0	Grass	Grass	7.8	M	130	1	2	40	39	**31	2-	140	138	**2	3	0	*1	114	114
4	1.0	0.9	Grass	Grass	7.8	M	130	1	2	40	39	**31	2-	140	138	**2	3	0	*1	114	103
5	1.1	1.1	Grass	Grass	7.7	M	130	1	2	40	39	**31	2+	120	138	**2	5	0	*1	114	125
6	1.9	1.8	Grass	Grass	7.7	M	130	1	2	40	39	**31	2+	120	138	**2	5	0	*1	114	205
7	1.1	1.1	Grass	Grass	7.7	M	130	1	2	40	39	**31	2+	120	138	**2	5	0	*1	114	125
8	1.2	1.2	Grass	Grass	7.8	M	130	1	2	40	39	**31	2-	140	138	**2	4	0	*1	114	137
9	1.0	1.0	Grass	Grass	7.8	M	130	1	2	40	39	**31	2-	140	138	**2	4	0	*1	114	114
10	1.9	1.9	Grass	Grass	7.6	M	130	1	2	40	39	**31	2-	140	138	**2	5	0	*1	114	217
11	1.9	1.6	Grass	Grass	8.2	M	130	1	2	40	39	**31	2-	140	138	**2	5	0	*1	114	182
12	0.6	0.6	Grass	Grass	7.8	M	130	1	2	40	39	**31	2-	140	138	**2	4	0	*1	114	68
13	1.2	1.1	Grass	Grass	7.8	M	130	1	2	40	39	**31	2-	140	138	**2	4	0	*1	114	125
14	1.6	1.5	Grass	Grass	6.2	M	130	1	0	100	39	*6	0	200	138	*0	5	0	*1	114	171
15	2.0	2.0	Grass	Grass	6.2	M	130	1	0	100	39	*6	0	200	138	*0	5	0	*1	114	228
16	2.5	2.3	Grass	Grass	6.2	M	130	1	0	100	39	*6	0	200	138	*0	5	0	*1	114	262
17	3.1	2.2	Grass	Grass	7.7	M	130	1	2	40	39	**31	2-	140	138	**2	4	0	*1	114	251
18	4.3	4.1	Grass	Grass	7.7	M	130	1	2	40	39	**31	2-	140	138	**2	4	0	*1	114	467
19	1.3	1.1	Grass	Grass	7.5	M	130	1	2	40	39	**31	2+	120	138	**2	5	0	*1	114	125
20	1.8	1.8	Grass	Grass	7.5	M	130	1	2	40	39	**31	2+	120	138	**2	5	0	*1	114	205
21	2.6	2.3	Grass	Grass	7.5	M	130	1	2	40	39	**31	2+	120	138	**2	5	0	*1	114	262
22	2.7	2.2	Grass	Grass	7.7	M	130	1	2	40	39	**31	2+	120	138	**2	5	0	*1	114	251
23	2.2	2.2	Grass	Grass	8.2	M	130	1	2	40	39	**31	2-	140	138	**2	5	0	*1	114	251
24	2.1	1.9	Grass	Grass	7.7	M	130	1	2	40	39	**31	2+	120	138	**2	5	0	*1	114	217
26	2.5	2.5	Grass	Grass	7.6	M	130	1	2	40	39	**31	2-	140	138	**2	5	0	*1	114	285
27	2.9	2.9	Grass	Grass	7.6	M	130	1	2	40	39	**31	2-	140	138	**2	5	0	*1	114	331
Ha	49.3	45.7																			5210

Nutrient requirement based on values described in the nutrient management guide (RB209) updated May 2017.

Phosphate and Potash requirements based on **Grass Silage, 1 Cuts (23t/ha)** (target DM yield 9-12t/ha) (Nutrient management guide (RB209) updated May 2017) with aftermath grazing.

Expected Grazing yield of 4-5t/ha

Crop use based on **Grass** totalling **23t/ha** yield where **1.7kg/t P<sub>2</sub>O<sub>5</sub>** and **6kg/t K<sub>2</sub>O** removed in offtake (Nutrient management guide) (RB209) updated May 2017)

\*N, P, K and Mg stated are **Available** concentrations in kg/ha

**\*\*Total** nutrient content of waste used on P index 2 or above.

Availability of nutrients in waste - N measured as NH<sub>4</sub>, P<sub>2</sub>O<sub>5</sub> 20%, K<sub>2</sub>O 20%, Mg 20%

Total N supplied at an application rate of 114t/ha is 139kg/ha

Table 10. DCWW Hirwaun

						N			P <sub>2</sub> O <sub>5</sub>				K <sub>2</sub> O				Mg				
Field Reference	Total Area	Sprd Area	Previous Crop	Next Crop	Soil pH	SNS	Req	*In	P	Req	Crop Use	*In	K	Req	Crop Use	*In	Mg	Req	*In	Rate	Totals
							kg/ha	kg/ha	Ind	kg/ha	kg/ha	kg/ha	Ind	kg/ha	kg/ha	kg/ha	Ind	kg/ha	kg/ha	kg/ha	Ind
1	2.8	2.5	Grass	Grass	7.8	M	130	2	2	40	39	**6	2-	140	138	**2	3	0	*1	250	625
2	0.9	0.9	Grass	Grass	7.8	M	130	2	2	40	39	**6	2-	140	138	**2	3	0	*1	250	225
3	1.1	1.0	Grass	Grass	7.8	M	130	2	2	40	39	**6	2-	140	138	**2	3	0	*1	250	250
4	1.0	0.9	Grass	Grass	7.8	M	130	2	2	40	39	**6	2-	140	138	**2	3	0	*1	250	225
5	1.1	1.1	Grass	Grass	7.7	M	130	2	2	40	39	**6	2+	120	138	**2	5	0	*1	250	275
6	1.9	1.8	Grass	Grass	7.7	M	130	2	2	40	39	**6	2+	120	138	**2	5	0	*1	250	450
7	1.1	1.1	Grass	Grass	7.7	M	130	2	2	40	39	**6	2+	120	138	**2	5	0	*1	250	275
8	1.2	1.2	Grass	Grass	7.8	M	130	2	2	40	39	**6	2-	140	138	**2	4	0	*1	250	300
9	1.0	1.0	Grass	Grass	7.8	M	130	2	2	40	39	**6	2-	140	138	**2	4	0	*1	250	250
10	1.9	1.9	Grass	Grass	7.6	M	130	2	2	40	39	**6	2-	140	138	**2	5	0	*1	250	475
11	1.9	1.6	Grass	Grass	8.2	M	130	2	2	40	39	**6	2-	140	138	**2	5	0	*1	250	400
12	0.6	0.6	Grass	Grass	7.8	M	130	2	2	40	39	**6	2-	140	138	**2	4	0	*1	250	150
13	1.2	1.1	Grass	Grass	7.8	M	130	2	2	40	39	**6	2-	140	138	**2	4	0	*1	250	275
14	1.6	1.5	Grass	Grass	6.2	M	130	2	0	100	39	*1	0	200	138	*1	5	0	*1	250	375
15	2.0	2.0	Grass	Grass	6.2	M	130	2	0	100	39	*1	0	200	138	*1	5	0	*1	250	500
16	2.5	2.3	Grass	Grass	6.2	M	130	2	0	100	39	*1	0	200	138	*1	5	0	*1	250	575
17	3.1	2.2	Grass	Grass	7.7	M	130	2	2	40	39	**6	2-	140	138	**2	4	0	*1	250	550
18	4.3	4.1	Grass	Grass	7.7	M	130	2	2	40	39	**6	2-	140	138	**2	4	0	*1	250	1025
19	1.3	1.1	Grass	Grass	7.5	M	130	2	2	40	39	**6	2+	120	138	**2	5	0	*1	250	275
20	1.8	1.8	Grass	Grass	7.5	M	130	2	2	40	39	**6	2+	120	138	**2	5	0	*1	250	450
21	2.6	2.3	Grass	Grass	7.5	M	130	2	2	40	39	**6	2+	120	138	**2	5	0	*1	250	575
22	2.7	2.2	Grass	Grass	7.7	M	130	2	2	40	39	**6	2+	120	138	**2	5	0	*1	250	550
23	2.2	2.2	Grass	Grass	8.2	M	130	2	2	40	39	**6	2-	140	138	**2	5	0	*1	250	550
24	2.1	1.9	Grass	Grass	7.7	M	130	2	2	40	39	**6	2+	120	138	**2	5	0	*1	250	475
26	2.5	2.5	Grass	Grass	7.6	M	130	2	2	40	39	**6	2-	140	138	**2	5	0	*1	250	625
27	2.9	2.9	Grass	Grass	7.6	M	130	2	2	40	39	**6	2-	140	138	**2	5	0	*1	250	725
Ha	49.3	45.7																			11425

Nutrient requirement based on values described in the nutrient management guide (RB209) updated May 2017.

Phosphate and Potash requirements based on **Grass Silage, 1 Cuts (23t/ha)** (target DM yield 9-12t/ha) (Nutrient management guide (RB209) updated May 2017) with aftermath grazing.

Expected Grazing yield of 4-5t/ha

Crop use based on **Grass** totalling **23t/ha** yield where **1.7kg/t P<sub>2</sub>O<sub>5</sub>** and **6kg/t K<sub>2</sub>O** removed in offtake (Nutrient management guide) (RB209) updated May 2017)

\*N, P, K and Mg stated are **Available** concentrations in kg/ha

\*\***Total** nutrient content of waste used on P index 2 or above.

Availability of nutrients in waste - N measured as NH<sub>4</sub>, P<sub>2</sub>O<sub>5</sub> 20%, K<sub>2</sub>O 20%, Mg 20%

Total N supplied at an application rate of 250t/ha is 54kg/ha

Table 11. DCWW Llswen

						N			P <sub>2</sub> O <sub>5</sub>				K <sub>2</sub> O				Mg				
Field Reference	Total Area	Sprd Area	Previous Crop	Next Crop	Soil pH	SNS	Req	*In	P	Req	Crop Use	*In	K	Req	Crop Use	*In	Mg	Req	*In	Rate t/ha	Totals tonnes
							kg/ha	kg/ha	Ind	kg/ha	kg/ha	kg/ha	Ind	kg/ha	kg/ha	kg/ha	Ind	kg/ha	kg/ha		
1	2.8	2.5	Grass	Grass	7.8	M	130	2	2	40	39	**22	2-	140	138	**3	3	0	*1	250	625
2	0.9	0.9	Grass	Grass	7.8	M	130	2	2	40	39	**22	2-	140	138	**3	3	0	*1	250	225
3	1.1	1.0	Grass	Grass	7.8	M	130	2	2	40	39	**22	2-	140	138	**3	3	0	*1	250	250
4	1.0	0.9	Grass	Grass	7.8	M	130	2	2	40	39	**22	2-	140	138	**3	3	0	*1	250	225
5	1.1	1.1	Grass	Grass	7.7	M	130	2	2	40	39	**22	2+	120	138	**3	5	0	*1	250	275
6	1.9	1.8	Grass	Grass	7.7	M	130	2	2	40	39	**22	2+	120	138	**3	5	0	*1	250	450
7	1.1	1.1	Grass	Grass	7.7	M	130	2	2	40	39	**22	2+	120	138	**3	5	0	*1	250	275
8	1.2	1.2	Grass	Grass	7.8	M	130	2	2	40	39	**22	2-	140	138	**3	4	0	*1	250	300
9	1.0	1.0	Grass	Grass	7.8	M	130	2	2	40	39	**22	2-	140	138	**3	4	0	*1	250	250
10	1.9	1.9	Grass	Grass	7.6	M	130	2	2	40	39	**22	2-	140	138	**3	5	0	*1	250	475
11	1.9	1.6	Grass	Grass	8.2	M	130	2	2	40	39	**22	2-	140	138	**3	5	0	*1	250	400
12	0.6	0.6	Grass	Grass	7.8	M	130	2	2	40	39	**22	2-	140	138	**3	4	0	*1	250	150
13	1.2	1.1	Grass	Grass	7.8	M	130	2	2	40	39	**22	2-	140	138	**3	4	0	*1	250	275
14	1.6	1.5	Grass	Grass	6.2	M	130	2	0	100	39	*4	0	200	138	*1	5	0	*1	250	375
15	2.0	2.0	Grass	Grass	6.2	M	130	2	0	100	39	*4	0	200	138	*1	5	0	*1	250	500
16	2.5	2.3	Grass	Grass	6.2	M	130	2	0	100	39	*4	0	200	138	*1	5	0	*1	250	575
17	3.1	2.2	Grass	Grass	7.7	M	130	2	2	40	39	**22	2-	140	138	**3	4	0	*1	250	550
18	4.3	4.1	Grass	Grass	7.7	M	130	2	2	40	39	**22	2-	140	138	**3	4	0	*1	250	1025
19	1.3	1.1	Grass	Grass	7.5	M	130	2	2	40	39	**22	2+	120	138	**3	5	0	*1	250	275
20	1.8	1.8	Grass	Grass	7.5	M	130	2	2	40	39	**22	2+	120	138	**3	5	0	*1	250	450
21	2.6	2.3	Grass	Grass	7.5	M	130	2	2	40	39	**22	2+	120	138	**3	5	0	*1	250	575
22	2.7	2.2	Grass	Grass	7.7	M	130	2	2	40	39	**22	2+	120	138	**3	5	0	*1	250	550
23	2.2	2.2	Grass	Grass	8.2	M	130	2	2	40	39	**22	2-	140	138	**3	5	0	*1	250	550
24	2.1	1.9	Grass	Grass	7.7	M	130	2	2	40	39	**22	2+	120	138	**3	5	0	*1	250	475
26	2.5	2.5	Grass	Grass	7.6	M	130	2	2	40	39	**22	2-	140	138	**3	5	0	*1	250	625
27	2.9	2.9	Grass	Grass	7.6	M	130	2	2	40	39	**22	2-	140	138	**3	5	0	*1	250	725
Ha	49.3	45.7																			11425

Nutrient requirement based on values described in the nutrient management guide (RB209) updated May 2017.

Phosphate and Potash requirements based on **Grass Silage, 1 Cuts (23t/ha)** (target DM yield 9-12t/ha) (Nutrient management guide (RB209) updated May 2017) with aftermath grazing.

Expected Grazing yield of 4-5t/ha

Crop use based on **Grass** totalling **23t/ha** yield where **1.7kg/t P<sub>2</sub>O<sub>5</sub>** and **6kg/t K<sub>2</sub>O** removed in offtake (Nutrient management guide) (RB209) updated May 2017)

\*N, P, K and Mg stated are **Available** concentrations in kg/ha

\*\***Total** nutrient content of waste used on P index 2 or above.

Availability of nutrients in waste - N measured as NH<sub>4</sub>, P<sub>2</sub>O<sub>5</sub> 20%, K<sub>2</sub>O 20%, Mg 20%

Total N supplied at an application rate of 250t/ha is 80kg/ha

Table 12. DCWW Pontsticill EFFLUENT

						N			P <sub>2</sub> O <sub>5</sub>				K <sub>2</sub> O				Mg				
Field Reference	Total Area	Sprd Area	Previous Crop	Next Crop	Soil pH	SNS	Req	*In	P	Req	Crop Use	*In	K	Req	Crop Use	*In	Mg	Req	*In	Rate t/ha	Totals tonnes
						kg/ha	kg/ha	kg/ha	kg/ha	kg/ha	kg/ha	kg/ha	kg/ha	kg/ha	kg/ha	kg/ha	kg/ha	kg/ha	kg/ha		
1	2.8	2.5	Grass	Grass	7.8	M	130	3	2	40	39	**34	2-	140	138	**5	3	0	*3	124	310
2	0.9	0.9	Grass	Grass	7.8	M	130	3	2	40	39	**34	2-	140	138	**5	3	0	*3	124	112
3	1.1	1.0	Grass	Grass	7.8	M	130	3	2	40	39	**34	2-	140	138	**5	3	0	*3	124	124
4	1.0	0.9	Grass	Grass	7.8	M	130	3	2	40	39	**34	2-	140	138	**5	3	0	*3	124	112
5	1.1	1.1	Grass	Grass	7.7	M	130	3	2	40	39	**34	2+	120	138	**5	5	0	*3	124	136
6	1.9	1.8	Grass	Grass	7.7	M	130	3	2	40	39	**34	2+	120	138	**5	5	0	*3	124	223
7	1.1	1.1	Grass	Grass	7.7	M	130	3	2	40	39	**34	2+	120	138	**5	5	0	*3	124	136
8	1.2	1.2	Grass	Grass	7.8	M	130	3	2	40	39	**34	2-	140	138	**5	4	0	*3	124	149
9	1.0	1.0	Grass	Grass	7.8	M	130	3	2	40	39	**34	2-	140	138	**5	4	0	*3	124	124
10	1.9	1.9	Grass	Grass	7.6	M	130	3	2	40	39	**34	2-	140	138	**5	5	0	*3	124	236
11	1.9	1.6	Grass	Grass	8.2	M	130	3	2	40	39	**34	2-	140	138	**5	5	0	*3	124	198
12	0.6	0.6	Grass	Grass	7.8	M	130	3	2	40	39	**34	2-	140	138	**5	4	0	*3	124	74
13	1.2	1.1	Grass	Grass	7.8	M	130	3	2	40	39	**34	2-	140	138	**5	4	0	*3	124	136
14	1.6	1.5	Grass	Grass	6.2	M	130	3	0	100	39	*7	0	200	138	*1	5	0	*5	124	186
15	2.0	2.0	Grass	Grass	6.2	M	130	3	0	100	39	*7	0	200	138	*1	5	0	*5	124	248
16	2.5	2.3	Grass	Grass	6.2	M	130	3	0	100	39	*7	0	200	138	*1	5	0	*5	124	285
17	3.1	2.2	Grass	Grass	7.7	M	130	3	2	40	39	**34	2-	140	138	**5	4	0	*3	124	273
18	4.3	4.1	Grass	Grass	7.7	M	130	3	2	40	39	**34	2-	140	138	**5	4	0	*3	124	508
19	1.3	1.1	Grass	Grass	7.5	M	130	3	2	40	39	**34	2+	120	138	**5	5	0	*3	124	136
20	1.8	1.8	Grass	Grass	7.5	M	130	3	2	40	39	**34	2+	120	138	**5	5	0	*3	124	223
21	2.6	2.3	Grass	Grass	7.5	M	130	3	2	40	39	**34	2+	120	138	**5	5	0	*3	124	285
22	2.7	2.2	Grass	Grass	7.7	M	130	3	2	40	39	**34	2+	120	138	**5	5	0	*3	124	273
23	2.2	2.2	Grass	Grass	8.2	M	130	3	2	40	39	**34	2-	140	138	**5	5	0	*3	124	273
24	2.1	1.9	Grass	Grass	7.7	M	130	3	2	40	39	**34	2+	120	138	**5	5	0	*3	124	236
26	2.5	2.5	Grass	Grass	7.6	M	130	3	2	40	39	**34	2-	140	138	**5	5	0	*3	124	310
27	2.9	2.9	Grass	Grass	7.6	M	130	3	2	40	39	**34	2-	140	138	**5	5	0	*3	124	360
Ha	49.3	45.7																			5667

Nutrient requirement based on values described in the nutrient management guide (RB209) updated May 2017.

Phosphate and Potash requirements based on **Grass Silage, 1 Cuts (23t/ha)** (target DM yield 9-12t/ha) (Nutrient management guide (RB209) updated May 2017) with aftermath grazing.

Expected Grazing yield of 4-5t/ha

Crop use based on **Grass** totalling **23t/ha** yield where **1.7kg/t P<sub>2</sub>O<sub>5</sub>** and **6kg/t K<sub>2</sub>O** removed in offtake (Nutrient management guide) (RB209) updated May 2017)

\*N, P, K and Mg stated are **Available** concentrations in kg/ha

\*\***Total** nutrient content of waste used on P index 2 or above.

Availability of nutrients in waste - N measured as NH<sub>4</sub>, P<sub>2</sub>O<sub>5</sub> 20%, K<sub>2</sub>O 20%, Mg 20%

Total N supplied at an application rate of 124t/ha is 116kg/ha

Table 13. DCWW Pontsticill SLUDGE

						N			P <sub>2</sub> O <sub>5</sub>				K <sub>2</sub> O				Mg				
Field Reference	Total Area	Sprd Area	Previous Crop	Next Crop	Soil pH	SNS	Req	*In	P	Req	Crop Use	*In	K	Req	Crop Use	*In	Mg	Req	*In	Rate	Totals
							kg/ha	kg/ha	Ind	kg/ha	kg/ha	kg/ha	Ind	kg/ha	kg/ha	kg/ha	Ind	kg/ha	kg/ha	kg/ha	Ind
1	2.8	2.5	Grass	Grass	7.8	M	130	1	2	40	39	**33	2-	140	138	**4	3	0	*2	60	150
2	0.9	0.9	Grass	Grass	7.8	M	130	1	2	40	39	**33	2-	140	138	**4	3	0	*2	60	54
3	1.1	1.0	Grass	Grass	7.8	M	130	1	2	40	39	**33	2-	140	138	**4	3	0	*2	60	60
4	1.0	0.9	Grass	Grass	7.8	M	130	1	2	40	39	**33	2-	140	138	**4	3	0	*2	60	54
5	1.1	1.1	Grass	Grass	7.7	M	130	1	2	40	39	**33	2+	120	138	**4	5	0	*2	60	66
6	1.9	1.8	Grass	Grass	7.7	M	130	1	2	40	39	**33	2+	120	138	**4	5	0	*2	60	108
7	1.1	1.1	Grass	Grass	7.7	M	130	1	2	40	39	**33	2+	120	138	**4	5	0	*2	60	66
8	1.2	1.2	Grass	Grass	7.8	M	130	1	2	40	39	**33	2-	140	138	**4	4	0	*2	60	72
9	1.0	1.0	Grass	Grass	7.8	M	130	1	2	40	39	**33	2-	140	138	**4	4	0	*2	60	60
10	1.9	1.9	Grass	Grass	7.6	M	130	1	2	40	39	**33	2-	140	138	**4	5	0	*2	60	114
11	1.9	1.6	Grass	Grass	8.2	M	130	1	2	40	39	**33	2-	140	138	**4	5	0	*2	60	96
12	0.6	0.6	Grass	Grass	7.8	M	130	1	2	40	39	**33	2-	140	138	**4	4	0	*2	60	36
13	1.2	1.1	Grass	Grass	7.8	M	130	1	2	40	39	**33	2-	140	138	**4	4	0	*2	60	66
14	1.6	1.5	Grass	Grass	6.2	M	130	1	0	100	39	*7	0	200	138	*1	5	0	*2	60	90
15	2.0	2.0	Grass	Grass	6.2	M	130	1	0	100	39	*7	0	200	138	*1	5	0	*2	60	120
16	2.5	2.3	Grass	Grass	6.2	M	130	1	0	100	39	*7	0	200	138	*1	5	0	*2	60	138
17	3.1	2.2	Grass	Grass	7.7	M	130	1	2	40	39	**33	2-	140	138	**4	4	0	*2	60	132
18	4.3	4.1	Grass	Grass	7.7	M	130	1	2	40	39	**33	2-	140	138	**4	4	0	*2	60	246
19	1.3	1.1	Grass	Grass	7.5	M	130	1	2	40	39	**33	2+	120	138	**4	5	0	*2	60	66
20	1.8	1.8	Grass	Grass	7.5	M	130	1	2	40	39	**33	2+	120	138	**4	5	0	*2	60	108
21	2.6	2.3	Grass	Grass	7.5	M	130	1	2	40	39	**33	2+	120	138	**4	5	0	*2	60	138
22	2.7	2.2	Grass	Grass	7.7	M	130	1	2	40	39	**33	2+	120	138	**4	5	0	*2	60	132
23	2.2	2.2	Grass	Grass	8.2	M	130	1	2	40	39	**33	2-	140	138	**4	5	0	*2	60	132
24	2.1	1.9	Grass	Grass	7.7	M	130	1	2	40	39	**33	2+	120	138	**4	5	0	*2	60	114
26	2.5	2.5	Grass	Grass	7.6	M	130	1	2	40	39	**33	2-	140	138	**4	5	0	*2	60	150
27	2.9	2.9	Grass	Grass	7.6	M	130	1	2	40	39	**33	2-	140	138	**4	5	0	*2	60	174
Ha	49.3	45.7																			2742

Nutrient requirement based on values described in the nutrient management guide (RB209) updated May 2017.

Phosphate and Potash requirements based on **Grass Silage, 1 Cuts (23t/ha)** (target DM yield 9-12t/ha) (Nutrient management guide (RB209) updated May 2017) with aftermath grazing.

Expected Grazing yield of 4-5t/ha

Crop use based on **Grass** totalling **23t/ha** yield where **1.7kg/t P<sub>2</sub>O<sub>5</sub>** and **6kg/t K<sub>2</sub>O** removed in offtake (Nutrient management guide) (RB209) updated May 2017)

\*N, P, K and Mg stated are **Available** concentrations in kg/ha

**\*\*Total** nutrient content of waste used on P index 2 or above.

Availability of nutrients in waste - N measured as NH<sub>4</sub>, P<sub>2</sub>O<sub>5</sub> 20%, K<sub>2</sub>O 20%, Mg 20%

Total N supplied at an application rate of 60t/ha is 109kg/ha

Table 14. DCWW Talybont

						N			P <sub>2</sub> O <sub>5</sub>				K <sub>2</sub> O				Mg				
Field Reference	Total Area	Sprd Area	Previous Crop	Next Crop	Soil pH	SNS	Req	*In	P	Req	Crop Use	*In	K	Req	Crop Use	*In	Mg	Req	*In	Rate	Totals
							kg/ha	kg/ha	Ind	kg/ha	kg/ha	kg/ha	Ind	kg/ha	kg/ha	kg/ha	Ind	kg/ha	kg/ha	kg/ha	Ind
1	2.8	2.5	Grass	Grass	7.8	M	130	3	2	40	39	**39	2-	140	138	**6	3	0	*2	180	450
2	0.9	0.9	Grass	Grass	7.8	M	130	3	2	40	39	**39	2-	140	138	**6	3	0	*2	180	162
3	1.1	1.0	Grass	Grass	7.8	M	130	3	2	40	39	**39	2-	140	138	**6	3	0	*2	180	180
4	1.0	0.9	Grass	Grass	7.8	M	130	3	2	40	39	**39	2-	140	138	**6	3	0	*2	180	162
5	1.1	1.1	Grass	Grass	7.7	M	130	3	2	40	39	**39	2+	120	138	**6	5	0	*2	180	198
6	1.9	1.8	Grass	Grass	7.7	M	130	3	2	40	39	**39	2+	120	138	**6	5	0	*2	180	324
7	1.1	1.1	Grass	Grass	7.7	M	130	3	2	40	39	**39	2+	120	138	**6	5	0	*2	180	198
8	1.2	1.2	Grass	Grass	7.8	M	130	3	2	40	39	**39	2-	140	138	**6	4	0	*2	180	216
9	1.0	1.0	Grass	Grass	7.8	M	130	3	2	40	39	**39	2-	140	138	**6	4	0	*2	180	180
10	1.9	1.9	Grass	Grass	7.6	M	130	3	2	40	39	**39	2-	140	138	**6	5	0	*2	180	342
11	1.9	1.6	Grass	Grass	8.2	M	130	3	2	40	39	**39	2-	140	138	**6	5	0	*2	180	288
12	0.6	0.6	Grass	Grass	7.8	M	130	3	2	40	39	**39	2-	140	138	**6	4	0	*2	180	108
13	1.2	1.1	Grass	Grass	7.8	M	130	3	2	40	39	**39	2-	140	138	**6	4	0	*2	180	198
14	1.6	1.5	Grass	Grass	6.2	M	130	4	0	100	39	*11	0	200	138	*2	5	0	*3	250	375
15	2.0	2.0	Grass	Grass	6.2	M	130	4	0	100	39	*11	0	200	138	*2	5	0	*3	250	500
16	2.5	2.3	Grass	Grass	6.2	M	130	4	0	100	39	*11	0	200	138	*2	5	0	*3	250	575
17	3.1	2.2	Grass	Grass	7.7	M	130	3	2	40	39	**39	2-	140	138	**6	4	0	*2	180	396
18	4.3	4.1	Grass	Grass	7.7	M	130	3	2	40	39	**39	2-	140	138	**6	4	0	*2	180	738
19	1.3	1.1	Grass	Grass	7.5	M	130	3	2	40	39	**39	2+	120	138	**6	5	0	*2	180	198
20	1.8	1.8	Grass	Grass	7.5	M	130	3	2	40	39	**39	2+	120	138	**6	5	0	*2	180	324
21	2.6	2.3	Grass	Grass	7.5	M	130	3	2	40	39	**39	2+	120	138	**6	5	0	*2	180	414
22	2.7	2.2	Grass	Grass	7.7	M	130	3	2	40	39	**39	2+	120	138	**6	5	0	*2	180	396
23	2.2	2.2	Grass	Grass	8.2	M	130	3	2	40	39	**39	2-	140	138	**6	5	0	*2	180	396
24	2.1	1.9	Grass	Grass	7.7	M	130	3	2	40	39	**39	2+	120	138	**6	5	0	*2	180	342
26	2.5	2.5	Grass	Grass	7.6	M	130	3	2	40	39	**39	2-	140	138	**6	5	0	*2	180	450
27	2.9	2.9	Grass	Grass	7.6	M	130	3	2	40	39	**39	2-	140	138	**6	5	0	*2	180	522
Ha	49.3	45.7																			8632

Nutrient requirement based on values described in the nutrient management guide (RB209) updated May 2017.

Phosphate and Potash requirements based on **Grass Silage, 1 Cuts (23t/ha)** (target DM yield 9-12t/ha) (Nutrient management guide (RB209) updated May 2017) with aftermath grazing.

Expected Grazing yield of 4-5t/ha

Crop use based on **Grass** totalling **23t/ha** yield where **1.7kg/t P<sub>2</sub>O<sub>5</sub>** and **6kg/t K<sub>2</sub>O** removed in offtake (Nutrient management guide) (RB209) updated May 2017)

\*N, P, K and Mg stated are **Available** concentrations in kg/ha

\*\***Total** nutrient content of waste used on P index 2 or above.

Availability of nutrients in waste - N measured as NH<sub>4</sub>, P<sub>2</sub>O<sub>5</sub> 20%, K<sub>2</sub>O 20%, Mg 20%

Total N supplied at an application rate of 250t/ha is 162kg/ha

## 5 Compliance with NVZ regulations

Table 15. Compliance with NVZ regulations

Does the site fall within a designated NVZ?	Y <input type="checkbox"/> N <input checked="" type="checkbox"/> (Please skip to section 6)																														
Do closed periods apply for the wastes to be applied?	<p>Y <input type="checkbox"/> N <input checked="" type="checkbox"/></p> <p>Applicable to: N/A</p> <p>If yes, please indicate the appropriate period:</p> <table border="1"> <thead> <tr> <th>Start Date</th> <th>End Date</th> <th>Land Use</th> <th>Soil Type</th> <th></th> </tr> </thead> <tbody> <tr> <td>1st Aug</td> <td>31st Dec</td> <td>Tillage Land</td> <td>Shallow/Sandy</td> <td><input type="checkbox"/></td> </tr> <tr> <td>1st Sept</td> <td>31st Dec</td> <td>Grassland</td> <td>Shallow/Sandy</td> <td><input type="checkbox"/></td> </tr> <tr> <td>16th Sept</td> <td>31st Dec</td> <td>Tillage Land*</td> <td>Shallow/Sandy</td> <td><input type="checkbox"/></td> </tr> <tr> <td>1st Oct</td> <td>31st Jan</td> <td>Tillage Land</td> <td>All Other Soils</td> <td><input type="checkbox"/></td> </tr> <tr> <td>15th Oct</td> <td>31st Jan</td> <td>Grassland</td> <td>All Other Soils</td> <td><input type="checkbox"/></td> </tr> </tbody> </table> <p>*For Tillage Land with crops sown on or before 15th September</p> <p>If no, applications will be carried out as per CoGAP <i>i.e.</i> when ground conditions are suitable and when no heavy rain is forecast.</p>	Start Date	End Date	Land Use	Soil Type		1st Aug	31st Dec	Tillage Land	Shallow/Sandy	<input type="checkbox"/>	1st Sept	31st Dec	Grassland	Shallow/Sandy	<input type="checkbox"/>	16th Sept	31st Dec	Tillage Land*	Shallow/Sandy	<input type="checkbox"/>	1st Oct	31st Jan	Tillage Land	All Other Soils	<input type="checkbox"/>	15th Oct	31st Jan	Grassland	All Other Soils	<input type="checkbox"/>
Start Date	End Date	Land Use	Soil Type																												
1st Aug	31st Dec	Tillage Land	Shallow/Sandy	<input type="checkbox"/>																											
1st Sept	31st Dec	Grassland	Shallow/Sandy	<input type="checkbox"/>																											
16th Sept	31st Dec	Tillage Land*	Shallow/Sandy	<input type="checkbox"/>																											
1st Oct	31st Jan	Tillage Land	All Other Soils	<input type="checkbox"/>																											
15th Oct	31st Jan	Grassland	All Other Soils	<input type="checkbox"/>																											
Will application rates comply with crop requirement and field/whole farm limit?	Please refer to tables 6-14																														
Previous applications:	Please refer to the LPD1.																														

## 6 Benefits and nutrients supplied to the soil or crop from this application

### 6.1 Receiving soils

The nutrient status of individual fields to be registered are provided in tables 6-15 above. General soil type(s) for the fields to be registered are;

Table 16. Soil type

Light sand soils	Soils which are sand, loamy sand or sandy loam to 40cm depth and are sand or loamy sand between 40 and 80 cm, or over sandstone rock.	<input type="checkbox"/>
Shallow soils	Soils over impermeable subsoils and those where the parent rock (chalk, limestone or other rock) is within 40cm of the soil surface. Sandy soils developed over sandstone rock should be regarded as light sand soils.	<input type="checkbox"/>
Medium soils	Mostly medium-textured mineral soils that do not fall into any other soil category. This includes sandy loams over clay, deep loams, and silty or clayey topsoils that have sandy or loamy subsoils.	<input checked="" type="checkbox"/>

Deep clayey soils	Soils with predominantly sandy clay loam, silty clay loam, clay loam, sandy clay, silty clay or clay topsoil overlying clay subsoil to more than 40cm depth. Deep clayey soils normally need artificial field drainage.	<input type="checkbox"/>
Deep silty soils	Soils of sandy silt loam, silt loam or silty clay loam textures to 100 cm depth or more. Silt soils formed on marine alluvium, warp soils (river alluvium) and brickearth soils are in this category. Silty clays of low fertility should be regarded as other mineral soils.	<input type="checkbox"/>
Organic soils	Soils that are predominantly mineral but with between 10 and 20% organic matter to depth. These can be distinguished by darker colouring that stains the fingers black or grey.	<input type="checkbox"/>
Peat soils	Soils that contain more than 20% organic matter derived from sedge or similar peat material.	<input type="checkbox"/>

The soil analyses (**Soil Analysis**) shows the soils to have sufficient background concentrations of Mg (*i.e.* ADAS Index 3-5). It is therefore unlikely that the crop will require any additional input of Mg over the course of the cropping cycle. The wastes contains some Mg but it is highly unlikely that applications of these materials will increase background levels in the receiving soil over time and are only likely to have a soil conditioning effect by increasing the base element content.

## 6.2 Waste characterisation

Full characterisations of individual wastes with total and available nutrients at the recommended rates for each waste stream are supplied in **5. Waste Analyses**. This information is further summarised against the nutrient requirements for proposed crops in tables 6-14 above.

The limiting factors on the wastes are –

- Maximum application rate of 250t/ha – Cefn Dryscoed, Crai LQ, Hirwaun and Llyswen
- Phosphate –Talybont,
- Arsenic – Court Farm, Crai SL, Ponsticill.

## 6.3 Summary of benefits

These wastes are a source of essential elements N, P, K, macronutrients Mg, Ca, S and provide trace amounts of micronutrients. Wastes are beneficially used to replace a proportion of the bagged mineral fertiliser used by farmers. The recommended application rates shown in tables 6-15 are based on the crop requirement and soil analysis.

Clean water treatment sludges contain significant amounts of organic matter. Additions of organic matter to soil will improve soil structural stability, biological activity, water and nutrient holding capacity, *i.e.* resistance to drought, and reduction of localised flooding, reduced leaching of nutrients, and improved workability in soil. Organic matter is a particularly good source of N and S, and organic acids that aid nutrient solubility and uptake, as well as enhancing microbial activity for enhanced nutrient cycling in soils.

## 6.4 Additional requirements

The silage crop may require additional N and K to achieve optimum yield.

## 7 Potential negative impacts to the soil or crop from this application

### 7.1 Potentially Toxic Elements (PTEs)

All the wastes contain traces of PTEs, however concentrations applied to the receiving soils are below maximum upper limits for heavy metal applications described in the Sludge (Use in Agriculture) Regulations 1989 (SI, 1989). Refer to interpretations in **5. Waste Analyses**.

### 7.2 Other waste characteristics

The pH levels in the wastes range from 5.5-7.5.

It is unlikely that soil pH will decrease following the application detailed here due to the extensive buffering capacity of the receiving soils. The pH levels of the receiving soils are between 7.5 and 8.2, therefore it is unlikely that availability of any naturally occurring heavy metals present in these soils will become more available after application of these wastes.

### 7.3 Operational factors

1. Wastes will be applied at low trajectory and will have little visual impact as they are not brightly coloured.
2. Potential compaction of receiving soil will be mitigated by suitable adjustment of tyres/tyre pressure to match soil conditions, direction of spreading and load to be spread.
3. Wastes will be applied when ground and weather conditions are suitable, following CoGAP to avoid soil damage including wheel ruts, compaction, structural damage, erosion and run-off.
4. Sampling methods will be consistent with those set out in the RB209, and the analysis for PTEs are consistent with the code of agricultural practice.
5. With regards to odour management for any potentially odorous material – the materials will only be disturbed when the material is being spread, and application to land will be done under permit conditions, following procedures in our permit EMS to minimise risk of odour emissions.

## 8 Sensitive human and environmental receptors

Table 17. Sensitive receptors close to the deployed area

<b>Receptor</b>	<b>Distance from Area</b>	<b>Emission Type</b>	<b>Likelihood of Emission Detection</b> <b>Red=High</b> <b>Amber=Moderate Green=Low</b>	<b>Mitigation for Red/Amber</b>
Maes Y Faenor & Berthlwyd	Adjacent to field 3 & 10.	Dust	<i>Unlikely due to low dry matter levels and direction of prevailing wind.</i>	
Bryn-derwen	26m S of field 1	Dust	<i>Unlikely due to low dry matter levels and direction of prevailing wind.</i>	
Nant Glais Caves SSSI & Cwm Taf Fechan SSSI	380m from the spreading area		Please refer to the SSRA.	

## 9 Practices to reduce the impacts of the operation on identified sensitive receptors

Mitigation measures to safeguard site-specific high and moderate likelihood of emission detection by sensitive receptors are shown in purple in Table 17. Generic measures (in addition to permit requirements and following the EMS) to reduce potential negative impacts of the proposed spreading operation will be as follows;

1. Spreading will only be undertaken when weather conditions are suitable within restrictions outlined in CoGAP and any relevant closed periods.
2. Spreading will not be carried out in any areas of a field that will be sub-soiled.
3. Machinery operations will take account of soil conditions, slopes *etc.*
4. Liquid-spreading machinery will be turned off and lifted away from soil prior to turning at the end of each run.
5. Machinery will be checked daily when in use, regularly serviced and spreading equipment calibrated. Umbilical hoses will be regularly checked for damage to prevent leaks.
6. Machinery turns will not be executed in the buffer strips.
7. Waste deliveries to field/stores will be supervised.
8. All spillages will be reported immediately to NRW.

## 10 Contingency planning

Replacement spreading machinery will be available to prevent waste being retained in faulty machinery. Hire vehicles will be used if required. All machinery will be fully serviced.

There will be a sufficient number of trained staff available to ensure that the operation continues throughout operational hours (*i.e.* there will be sufficient cover for illness, holiday *etc.*).

In adverse weather, storage is available until ground/weather conditions become favourable for land application.

In circumstances where the wastes cannot be stored or spread beyond normal capacities, wastes will be diverted to a local alternative deployment or DCWW sewage treatment works.