

**J Plant Ltd**

**Environmental Risk Assessment and Management Plan**

Hazard	Receptor	Pathway	Management Plan	Probability	Consequence	Risk
TO AIR FROM SITE ACTIVITIES						
<p>Dusts and Particulates</p> <p>Releases of particulates or dust from mechanical processing</p> <p>Releases of particulates or dust from storage and handling of wastes and residues.</p>	<p>Industrial Residents 50m away.</p> <p>Ecosystems</p> <p>Air quality</p>	<p>Air transport/ Wind blown</p>	<p>The waste materials handled are under normal circumstances of solid form and the potential for dust generation is therefore limited. Compliance with waste acceptance procedures will prevent the receipt of dust generating wastes.</p> <p>The wastes and process residues will be adequately stored and treated in designated areas and in a manner so as to prevent the potential release of dusts and particulates. Storage and containment may include managed stockpiles, bays, bins, skips, containers, stillages, sacks or drums.</p> <p>All activities take place on impermeable surface with sealed drainage system, or on a hardstanding minimising the risk of generation of dusts from site surfacing. Integrity of the surfacing is maintained. Environment Plans are maintained.</p> <p>Good housekeeping will be employed to reduce quantities of particulates and dust on the site.</p> <p>Dust/particulates are controlled through the ongoing monitoring of site operations by the site management team who will undertake regular inspections and undertake remedial action if dust/particulates are identified as a problem.</p> <p>Dust suppression techniques such as dampening and the use of a mechanical sweeper will be employed as necessary to prevent unacceptable emissions.</p> <p>Where appropriate and reasonably practicable, the parts of the mechanical Shredder Treatment process with the potential to give rise to dusts are fitted with dust suppressing technology to eliminate fugitive emissions from plant and machinery during the process.</p> <p>Drop heights will be kept to a minimum to prevent the generation of fugitive emissions of dusts.</p> <p>Distances that material has to travel will be kept to a minimum with due care and consideration being given to unloading and loading areas and distance from storage area.</p> <p>Meteorological conditions such as prevailing wind direction and speed will be taken into account where there is the potential for activities to give rise to dusts.</p> <p>Traffic speed including vehicles and mobile plant is limited to minimise dust generation by vehicle movement on site.</p> <p>Any complaints regarding dusts/particulates will be investigated and appropriate action taken if the</p>	Medium	<p>Dust Nuisance, loss of amenity</p> <p>Respiratory illness</p>	<p>Low / Not significant with measures indicated in place</p>

			site is found to be the source of the emission. All complaints will be recorded.			
<p>Noise &amp; Vibration</p> <p>Noise and vibrations from plant, machinery and vehicle movements</p> <p>Noise from general waste handling</p> <p>Noise and vibrations from treatment operations</p>	<p>Industrial Residents 50m away</p> <p>Ecosystems structures</p>	<p>Air transport and vibration through the ground</p>	<p>Permits require activities free from noise levels likely to cause annoyance.</p> <p>Where appropriate waste treatment process which represents the greatest risk of noise will be located with due care and regard having been given to the proximity of sensitive receptors.</p> <p>Mobile plant is silenced to current recommended standards.</p> <p>All equipment and vehicles will be maintained in line with manufacturer's recommendations.</p> <p>Vehicles, plant and machinery are switched off when not in use where practicable.</p> <p>Drop heights (deliveries and products) are kept to the practical minimum in line with company best practice.</p> <p>Site staff will undertake regular inspections and undertake remedial action if noise or vibrations are identified as a problem.</p> <p>Control and monitoring of waste acceptance procedures ensure wastes likely to cause explosions are minimised. Monitoring and control of explosions through proactive education of suppliers.</p> <p>Any complaints regarding noise or vibration will be investigated and appropriate action taken if the site is found to be the source. All complaints will be recorded.</p>	Medium	Noise Nuisance, loss of amenity	Low / Not significant with measures indicated in place
Odour from waste acceptance	Industrial Residents 50m away	Air transport/ Wind blown	<p>Permits require activities free from odour levels likely to cause annoyance.</p> <p>The waste types handled are unlikely to give rise to malodours and compliance with waste acceptance procedures to prevent receipt of odour generating wastes.</p> <p>The processes do not give rise to malodors or residues with malodors.</p> <p>Site staff will undertake regular inspections and undertake remedial action if odour is identified as a problem.</p> <p>Good housekeeping will be implemented across the site to minimise the risk of odours occurring.</p> <p>Any complaints regarding odour will be investigated and appropriate action taken if the site is found to be the source of odour. All complaints will be recorded.</p>	Low	Odour Nuisance, loss of amenity	Low / Not significant with measures indicated in place
Evaporative emission of	Industrial Residents	Air Transport/	<p>Insignificant source of fugitive emissions of VOC – No treatment of petroleum products, No combustion processes on sites. No storage of petroleum for use. Vehicles/plant almost entirely</p>	Very Low	Deterioration in local air quality.	Very Low/Not

Volatile Organic Compounds	50m away  Ecosystems structures Air Quality	Wind blown	<p>diesel.</p> <p>Contained in designated sealed storage vacuum tanks with gauges.</p> <p>Integrity of tanks inspected regularly.</p>		Can react with NOx to form ground-level ozone which at high concentrations can be harmful to human health, damage crops, other plant life and materials such as rubber.	significant
TO WATER FROM SITE ACTIVITIES						
Potentially contaminated run off from  Waste storage and treatment	<p>Sensitive ecosystems/</p> <p>Potable water supplies/ abstraction points</p> <p>Ground water</p> <p>Land</p> <p>Ecosystems</p>	<p>Run-off, via drainage system</p> <p>Through the ground or cracks in impermeable surface</p>	<p>All treatment takes place on impermeable surface with sealed drainage system, or on a hardstanding and the integrity of the surfacing and drainage system are monitored and maintained minimising the risk of contaminated run off escaping the containment of site. Environment Plans are maintained and infrastructure improvement plans are in place where required.</p> <p>Drainage system including gullies, drains, silt traps and interceptors are regularly inspected and maintained where appropriate. Interceptor will periodically be cleaned out.</p> <p>Good housekeeping will prevent the build up of dust/ mud and debris on site which has the potential to adversely affect the water quality. Please see dust and particulates and mud and debris section for more details.</p> <p>The discharge is monitored and where appropriate it is sampled in accordance with discharge consents, permits or internal guidance.</p> <p>Compliance with waste acceptance procedures will prevent the receipt of non permitted wastes</p> <p>The wastes and process residues will be adequately stored and treated in a manner so as to prevent the escape of potentially contaminating run off.</p> <p>Permits require potentially polluting wastes to be adequately contained,</p> <p>Site staff will undertake regular inspections of waste storage areas and undertake remedial action if potentially contaminated run off is identified as a problem.</p>	Medium	<p>Deterioration of water quality of aquatic ecosystems</p> <p>Contamination of groundwater</p> <p>Contamination of land</p> <p>Loss of amenity</p> <p>Loss of resource</p>	Low/Not significant with measures indicated in place
TO LAND FROM SITE ACTIVITIES						
Mud and Debris	<p>Industrial Residents 50m away.</p> <p>Ecosystems</p>	<p>Vehicles entering and leaving site</p>	<p>Appropriate measures to be taken to prevent/ minimise debris and mud being generated on site and tracked off site.</p> <p>Please see Dust and particulate management.</p>	Low	Mud Nuisance, loss of amenity. Health & Safety.	Low / Not significant with measures indicated in place

Litter from wastes received on site	Industrial Residents 50m away.	Air transport/ Wind blown	The waste materials handled are under normal circumstances of heavy solid form and the potential for litter generation is therefore limited. Compliance with waste acceptance procedures will prevent the receipt of litter generating wastes.	Low	Litter Nuisance, loss of amenity	Low / Not significant with measures indicated in place
Litter from storage of waste and process residues	Ecosystems	Scavenger Birds and animals – Pests	Duty of care - the wastes and process residues will be adequately stored and treated in a manner so as to prevent the potential release of litter. This containment will be sufficient to prevent escape of litter and may constitute a designated storage bay or skip. Wastes with significant potential to generate fugitive emissions of litter would be stored in a covered skip, container or sack.			
Litter from processing.		Vehicles entering and leaving site	Processes with the potential to generate litter will be adequately contained. Where it is not possible to contain processes with the potential to generate litter, activities will be undertaken with due regard for meteorological conditions such as prevailing wind direction and speed.  Duty of Care where appropriate, vehicles, skips, containers are covered which minimises risk of wastes escaping the control of the producer/haulier/site operator.  Site staff will undertake regular inspections and undertake remedial action if litter is identified as a problem. Good housekeeping will be implemented across the site to minimise the risk of litter accumulating on site.  The waste materials handled are under normal circumstances unlikely to contain wastes that attract pests.  Appropriate measures to prevent/ minimise pests include regular inspections by site management and where appropriate, pest control contractors.  Any complaints regarding litter will be investigated and appropriate action taken if the site is found to be the source of litter. All complaints will be recorded.  Any escape of litter beyond the boundary of the site will be cleared up as soon as it is practicable and safe to do so.			
TO AIR, WATER & LAND FROM ACCIDENTS						
Containers or boxes could be dropped or contents spilt during transfer.	Ecosystem	Run-off, via drainage system	All treatment takes place on impermeable surface with sealed drainage system, or on a hardstanding and the integrity of the surfacing and drainage system are monitored and maintained minimising the risk of contaminated run off escaping the containment of site.  Plant operatives suitably trained.		Contamination of local watercourse or sewer  Deterioration of water quality of aquatic ecosystems	Low/ Not significant with measures indicated in place
Forks could puncture		Through the ground or cracks in impermea	Vehicles suitable maintained  Appropriate containment including lids where appropriate.			

containment		ble surface	Careful location of containment of substances with pollution potential to minimise risk of damage of containment.			
Plant or equipment failure	Ecosystem	As above	Scheduled programme of maintenance for plant and equipment. Approved contractors are used Records kept.  Failure of plant and equipment used for waste treatment alone would not result directly in a fugitive emission.	Low	As above	Low/ Not significant
Containment failure including:  Leak from diesel storage  Leak from oil storage  Breach of containment bund.  Vandalism of containment	Ecosystem	As above	All activities take place on impermeable surface with sealed drainage system, or on a hardstanding and the integrity of the surfacing and drainage system are monitored and maintained minimising the risk of contaminated run off escaping the containment of site. Environment Plans are maintained and infrastructure improvement plans are in place where required.  Drainage system including gullies, drains, silt traps and interceptors are regularly inspected and maintained where appropriate. Interceptor will periodically be cleaned out.  Good housekeeping will ensure spills are attended to immediately.  All potential polluting liquids (both for use and wastes) will be stored in containers with secondary containment capable of holding more than 110% of the tank capacity. The ancillary equipment will also be bunded. The capacity and integrity of bunds will be monitored and remedial action taken where necessary.  Drums and IBC will also be appropriately contained. Bunded storage and drip trays will not be over loaded. All containers will be labelled.  The integrity of Underground storage tanks will be assessed by competent persons.  A number of spill kits will be sited at strategic locations around the site. All appropriate personnel will be trained on Pollution Prevention and Control. Spillages will be attended to immediately. Storage areas will be regularly inspected. Damaged/leaking storage containers will be repaired/replaced.  Emergency Contingency Plan includes documented procedures for handling spillages to minimise impacts.  The site is secure minimising the risk of unauthorised access & vandalism.	Low	Contamination of local watercourse or sewer  Deterioration of water quality of aquatic ecosystems	Low/ Not significant with measures indicated in place
Fumes/ smoke from accidental combustion of incoming / stored wastes; or	Industrial Residents 50m away.  Ecosystems	Air Transport/ Wind blown	Waste acceptance and storage procedures include provision of fire breaks where appropriate and highlight specific storage and handling requirements for wastes identified as fire.  Permitted activity does not allow burning waste.  Site security prevents unauthorised access and minimise risk of arson.	Low	Smoke nuisance, loss of amenity, respiratory irritation Deterioration of air quality	Low / Not significant with measures indicated in place

Vandalism/ Arson			<p>Fire prevention, management and training.</p> <p>Fire Extinguishers in key locations.</p> <p>Site personnel appropriately trained in the use of fire fighting equipment.</p>		Chance of fire spreading.	
Failure to contain Fire Fighting water	Ecosystems	Drainage system	<p>Wastes handled generally non hazardous so fire waters should be relatively uncontaminated.</p> <p>Drainage infrastructure designed to direct water to interceptors. Site Management and Fire Brigade responsible in event of emergency.</p>	Low	Contamination of local watercourse	Low / Not significant
Incompatibl e wastes coming into contact	Industrial Residents 50m away.  air, water and land	Drainage system, Air Transport	<p>Waste acceptance and control procedures. Rejection or quarantine of non conforming waste types. Designated storage areas.</p> <p>Waste handled easily identifiable and with solid properties that mean they are generally compatible with other waste types handled.</p>	Low	Fumes, smoke nuisance, potential H&S implications. Contamination of waters	Low/Not significant
Emissions of effluent prior to testing	Ecosystem	Drainage system	There are no emissions of industrial process effluents or water treatment systems within the company There are therefore no possible sources of fugitive emissions regarding this potential hazard.	N/A	N/A	N/A

