

This form will report compliance with your permit as determined by an NRW officer

Site	Llanwern Steelworks EPR/BS3905IP	Permit Ref	BS3905IP		
Operator/Permit holder	Tata Steel UK Limited				
Regime	Installations				
Date of assessment	04/05/2020	Time in	N/A	Out	N/A
Assessment type	Report/Data Review				
Parts of the permit assessed	6.3.2, 6.1.2				
Lead officer's name	Richards, Gareth (Rivers House)				
Accompanied by					
Recipient's name/position	Michael Launder/Hayley Jeremiah/ Environment Team	Date issued	04/05/2020		

## Section 1 – Compliance Assessment Summary

This is based on the requirements of the permit under the Environmental Permitting Regulations or the licence under the Water Resources Act 1991 as amended by the Water Act 2003. A detailed explanation is captured in "Compliance Assessment Report Detail" (Section 2) and any actions you may need to take are given in the "Action(s)" (section 4). This summary details where we believe any non-compliance with the permit has occurred, the relevant condition and how the non-compliance has been categorised using our Compliance Classification Scheme (CCS). CCS Scores can be consolidated or suspended where appropriate, to reflect the impact of some non-compliances more accurately. For more details of our CCS scheme, contact your local office.

Permit conditions and compliance summary	CCS Category	Condition(s) breached
E1 - Emissions - Air	C3	6.1.2

**KEY:** See Section 5 for breach categories, suspended scores will be indicated as such.  
**A** = Assessed or assessed in part (no evidence of non-compliance), **X** = Action only,  
**O** = Ongoing non-compliance, not scored.

<b>Number of breaches recorded</b>	1	<b>Total compliance score</b> (see section 5 for scoring scheme)	4
------------------------------------	---	---	---

If the Number of breaches recorded is greater than zero, please see Section 3 for our proposed enforcement response

## Section 2 – Compliance Assessment Report Detail

This section contains a report of our findings and will usually include information on:

- The part(s) of the permit that were assessed (eg. Maintenance, training, combustion plant, etc)
- Where the type of assessment was 'Data Review' details of the report/results triggering the assessment
- Any non-compliances identified
- Any non-compliances with directly applicable legislation
- Details of any multiple non-compliances
- Information on the compliance score accrued inc.
- Details of advice given
- Any other areas of concern
- Any actions requested
- Any examples of good practice
- A reference to photos taken

Tata have provided two Schedule 1 Notifications (Part As and Bs) for emission exceedances, the individual details are summarised below:

26/2/2020 Part A Notification for suspended solids exceedances at W1 on 18th February 2020, Part B was subsequently received on 9th April 2020. Reported values of 216 mg/l. In respect of this instance, the immediate cause was excess rainfall and resultant surface water from former parts of the operational site that still feed into the remaining installation. NRW accepts that the issue is beyond the direct control of Tata. In addition there are plans to improve the water quality of discharges that originate from the St Modwen's development site which feed into the Tata effluent system. On this basis, together with the nil environmental impact from the discharge of effluent with raised SS (ultimate flow into the River Severn estuary that has a very high inherent SS level), no non-compliances have been recorded. This follows the same approach adopted in previous CAR forms.

It remains important that Tata continue discussions with St Modwens to identify a permanent solution to the issue and NRW should be informed of progress. **Action (1)** Tata need to update NRW on these discussions. Update provided by Tata on 28th April 2020. **Action complete.**

17/04/2020 Part A and B Notification received for a HCl exceedance at A7 on 11th March 2020. Reported value of 249.1 mg/m<sup>3</sup>. No operational cause for the exceedance was identified, process control records for scrubber water conductivity were normal. A repeat test is being arranged as soon as practicable.

Results of the repeat test were provided on 30th April 2020. These confirmed that the resampling was compliant with the 10 mg/m<sup>3</sup> emission limit, reported value (average of two tests was 8.9 mg/m<sup>3</sup>). No reason for the previously reported high value had been identified.

## EPR Compliance Assessment Report

**Report ID:  
CAR\_NRW0036562**

**This form will report compliance with your permit as determined by an NRW officer**

Site	Llanwern Steelworks EPR/BS3905IP	Permit Ref	BS3905IP
Operator/Permit holder	Tata Steel UK Limited	Date	04/05/2020

### Section 3 – Enforcement Response

You must take immediate action to rectify any non-compliance and prevent repetition. Non-compliance with your permit conditions constitutes an offence and can result in criminal prosecutions and/or suspension or revocation of a permit. Please read the detailed assessment in Section 2 and the steps you need to take in Section 4 below.

In respect of the above non-compliance you have been issued with a warning. At present we do not intend to take further enforcement action. This does not preclude us from taking additional enforcement action if further relevant information comes to light or offences continue.

### Section 4 – Action(s)

This section summarises the actions identified during the assessment along with the timescales for when they will need to be completed.

Criteria Ref.	CCS Category	Action required/advised	Due Date
See Section 1 above			
E1	C3	Repeat measurement and identify any operational issues that could have led to the exceedance	30/04/2020

## Section 5 – Compliance notes for the Operator

To ensure you correct actual or potential non-compliance we may

- Advise on corrective actions verbally or in writing
- Require you to take specific actions verbally or in writing
- Issue a notice
- Require you to review your procedures or management system
- Change some of the conditions of your permit
- Decide to undertake a full review of your permit

Any breach of a permit condition is an offence and we may take legal action against you

- We will normally provide advice and guidance to assist you to come back into compliance either after an offence is committed or where we consider that an offence is likely to be committed. This is without prejudice to any other enforcement response that we consider may be required.
- Enforcement action can include the issue of a formal caution, prosecution, the service of a notice and/or suspension or revocation of the permit.

**See our Enforcement and Civil Sanctions guidance for further information**

This report does not relieve the site operator of the responsibility to

- Ensure you comply with the conditions of the permit at all times and prevent pollution of the environment
- Ensure you comply with other legislative provisions which may apply

### Non-compliance scores and categories

CCS category	Description	Score
C1	A non-compliance that could have a major environmental effect	60
C2	A non-compliance which could have a significant environmental effect	31
C3	A non-compliance which could have a minor environmental effect	4
C4	A non-compliance which has no potential environmental effect	0.1

**Operational Risk Appraisal (Opra)** - Compliance assessment findings may affect your Opra score and/or your charges. This score influences the resource we use to assess permit compliance.

## Section 6 – General information

### Data protection notice

The information on this form will be processed by the Natural Resources Wales (NRW) to fulfil its regulatory and monitoring functions and to maintain the relevant public register(s). The NRW may also use and/or disclose it in connection with:

- Offering/providing you with its literature/services relating to environmental matters
- Consulting with the public, public bodies and other organisations (eg. Health and Safety Executive, local authorities) on environmental issues
- Carrying out statistical analysis, research and development on environmental issues
- Providing public register information to enquirers
- Investigating possible breaches of environmental law
- Assessing customer service satisfaction and improving its service
- Freedom of Information Act/Environmental Regulations request

The NRW may pass it on to its agents/representatives to do these things on its behalf. You should ensure that any persons named on this form are informed of the contents of this data protection notice.

### Disclosure of information

The NRW will provide a copy of this report to the public register(s). However, if you consider that any information contained in this report should not be released to the public register(s) on the grounds of commercial confidentiality, you must write to your local area office within fifteen working days of receipt of this form indicating which information it concerns and why it should not be released, giving your reasons in full.

### Customer charter

#### What can I do if I disagree with this compliance assessment report?

If you are unable to resolve the issue with your site officer, you should firstly discuss the matter with officer's line managers using the informal appeals procedure. If you wish to raise your dispute further through our official Complaints and Commendations procedure, phone our general enquiry number 0300 065 3000 (Mon to Fri 08.00 – 18.00) and ask for the Customer Contact team or send an email to enquiries@naturalresourceswales.gov.uk. If you are still dissatisfied you can make a complaint to the Public Services Ombudsman for Wales. For advice on how to complain to the Ombudsman phone their helpline on 0845 607 0987.

#### Welsh Language

If you would like this form in Welsh please contact your Regulatory Officer.