



Unit 7-8 Hawarden Business Park  
Manor Road (off Manor Lane)  
Hawarden  
Deeside  
CH5 3US

Tel: (01244) 528700

Fax: (01244) 528701

email: hawardencustomerservices@alsglobal.com

Website: www.alsenvironmental.co.uk

Newport City Council  
Civic Centre  
Newport  
NP20 4UR

**Attention:** Robert Hester

## CERTIFICATE OF ANALYSIS

**Date of report Generation:** 18 March 2020  
**Customer:** Newport City Council  
**Sample Delivery Group (SDG):** 200306-6  
**Your Reference:** GW & Leach March 2020  
**Location:** Docks Way  
**Report No:** 546351

**This report has been revised and directly supersedes 546308 in its entirety.**

We received 11 samples on Friday March 06, 2020 and 11 of these samples were scheduled for analysis which was completed on Wednesday March 18, 2020. Accredited laboratory tests are defined within the report, but opinions, interpretations and on-site data expressed herein are outside the scope of ISO 17025 accreditation.

Should this report require incorporation into client reports, it must be used in its entirety and not simply with the data sections alone.

Chemical testing (unless subcontracted) performed at ALS Environmental Hawarden (Method codes TM) or ALS Environmental Aberdeen (Method codes S).

All sample data is provided by the customer. The reported results relate to the sample supplied, and on the basis that this data is correct.

Incorrect sampling dates and/or sample information will affect the validity of results.

The customer is not permitted to reproduce this report except in full without the approval of the laboratory.

Approved By:

**Sonia McWhan**

Operations Manager





# CERTIFICATE OF ANALYSIS

Validated

<b>SDG:</b> 200306-6	<b>Client Reference:</b> GW & Leach March 2	<b>Report Number:</b> 546351
<b>Location:</b> Docks Way	<b>Order Number:</b> 700149932	<b>Superseded Report:</b> 546308

## Received Sample Overview

Lab Sample No(s)	Customer Sample Ref.	AGS Ref.	Depth (m)	Sampled Date
21827599	C4		0.00 - 0.00	04/03/2020
21827689	C2B		0.00 - 0.00	04/03/2020
21827587	C3B		0.00 - 0.00	04/03/2020
21827634	GW06_13		0.00 - 0.00	04/03/2020
21827610	GW06_36		0.00 - 0.00	04/03/2020
21827623	GW06_37		0.00 - 0.00	04/03/2020
21827645	GW06_39		0.00 - 0.00	04/03/2020
21827576	GW09_35		0.00 - 0.00	04/03/2020
21827656	GW12_38		0.00 - 0.00	04/03/2020
21827667	GW06_14A		0.00 - 0.00	04/03/2020
21827678	LF08_07		0.00 - 0.00	04/03/2020

**Maximum Sample/Coolbox Temperature (°C) :** 5.4

**ISO5667-3 Water quality - Sampling - Part3 -**

During Transportation samples shall be stored in a cooling device capable of maintaining a temperature of (5±3)°C.

ALS have data which show that a cool box with 4 frozen icepacks is capable of maintaining pre-chilled samples at a temperature of (5±3)°C for a period of up to 24hrs.

**Only received samples which have had analysis scheduled will be shown on the following pages.**



# CERTIFICATE OF ANALYSIS

Validated

<b>SDG:</b>	200306-6	<b>Client Reference:</b>	GW & Leach March 2	<b>Report Number:</b>	546351
<b>Location:</b>	Docks Way	<b>Order Number:</b>	700149932	<b>Superseded Report:</b>	546308

<b>Results Legend</b>  <div style="display: flex; flex-direction: column; gap: 5px;"> <div style="display: flex; align-items: center;"><span style="background-color: yellow; border: 1px solid black; padding: 2px;">X</span> Test</div> <div style="display: flex; align-items: center;"><span style="background-color: red; color: white; border: 1px solid black; padding: 2px;">N</span> No Determination Possible</div> </div> Sample Types - S - Soil/Solid UNS - Unspecified Solid GW - Ground Water SW - Surface Water LE - Land Leachate PL - Prepared Leachate PR - Process Water SA - Saline Water TE - Trade Effluent TS - Treated Sewage US - Untreated Sewage RE - Recreational Water DW - Drinking Water Non-regulatory UNL - Unspecified Liquid SL - Sludge G - Gas OTH - Other	Lab Sample No(s)	Customer Sample Reference	AGS Reference	Depth (m)	Container	Sample Type	
		21827599	C4		0.00 - 0.00	H2SO4 (ALE244)	LE
		21827689	CZB		0.00 - 0.00	500ml Plastic (ALE208)	LE
		21827587	C3B		0.00 - 0.00	250ml BOD (ALE212)	LE
						0.5l glass bottle (ALE227)	LE
						ZnAc (ALE246)	LE
						Vial (ALE297)	LE
					Vial (ALE297)	LE	
					NaOH (ALE245)	LE	
					HNO3 Filtered (ALE204)	LE	
					H2SO4 (ALE244)	LE	
					500ml Plastic (ALE208)	LE	
					250ml BOD (ALE212)	LE	
					0.5l glass bottle (ALE227)	LE	
					ZnAc (ALE246)	LE	
					Vial (ALE297)	LE	
					NaOH (ALE245)	LE	
					HNO3 Filtered (ALE204)	LE	
					H2SO4 (ALE244)	LE	
					500ml Plastic (ALE208)	LE	
					250ml BOD (ALE212)	LE	
					0.5l glass bottle (ALE227)	LE	
					ZnAc (ALE246)	LE	
					Vial (ALE297)	LE	
					Vial (ALE297)	LE	
					NaOH (ALE245)	LE	
					HNO3 Filtered (ALE204)	LE	
					H2SO4 (ALE244)	LE	
					500ml Plastic (ALE208)	LE	
					250ml BOD (ALE212)	LE	
					0.5l glass bottle (ALE227)	LE	
					ZnAc (ALE246)	LE	
					Vial (ALE297)	LE	
					Vial (ALE297)	LE	
					NaOH (ALE245)	LE	
					HNO3 Filtered (ALE204)	LE	
					H2SO4 (ALE244)	LE	
					500ml Plastic (ALE208)	LE	
					250ml BOD (ALE212)	LE	
					0.5l glass bottle (ALE227)	LE	
					ZnAc (ALE246)	LE	
					Vial (ALE297)	LE	
					Vial (ALE297)	LE	
					NaOH (ALE245)	LE	
					HNO3 Filtered (ALE204)	LE	
					H2SO4 (ALE244)	LE	
					500ml Plastic (ALE208)	LE	
					250ml BOD (ALE212)	LE	
					0.5l glass bottle (ALE227)	LE	
					ZnAc (ALE246)	LE	
					Vial (ALE297)	LE	
					Vial (ALE297)	LE	
					NaOH (ALE245)	LE	
					HNO3 Filtered (ALE204)	LE	
					H2SO4 (ALE244)	LE	
					500ml Plastic (ALE208)	LE	
					250ml BOD (ALE212)	LE	
					0.5l glass bottle (ALE227)	LE	
					ZnAc (ALE246)	LE	
					Vial (ALE297)	LE	
					Vial (ALE297)	LE	
					NaOH (ALE245)	LE	
					HNO3 Filtered (ALE204)	LE	
					H2SO4 (ALE244)	LE	
					500ml Plastic (ALE208)	LE	
					250ml BOD (ALE212)	LE	
					0.5l glass bottle (ALE227)	LE	
					ZnAc (ALE246)	LE	
					Vial (ALE297)	LE	
					Vial (ALE297)	LE	
					NaOH (ALE245)	LE	
					HNO3 Filtered (ALE204)	LE	
					H2SO4 (ALE244)	LE	
					500ml Plastic (ALE208)	LE	
					250ml BOD (ALE212)	LE	
					0.5l glass bottle (ALE227)	LE	
					ZnAc (ALE246)	LE	
					Vial (ALE297)	LE	
					Vial (ALE297)	LE	
					NaOH (ALE245)	LE	
					HNO3 Filtered (ALE204)	LE	
					H2SO4 (ALE244)	LE	
					500ml Plastic (ALE208)	LE	
					250ml BOD (ALE212)	LE	
					0.5l glass bottle (ALE227)	LE	
					ZnAc (ALE246)	LE	
					Vial (ALE297)	LE	
					Vial (ALE297)	LE	
					NaOH (ALE245)	LE	
					HNO3 Filtered (ALE204)	LE	
					H2SO4 (ALE244)	LE	
					500ml Plastic (ALE208)	LE	
					250ml BOD (ALE212)	LE	
					0.5l glass bottle (ALE227)	LE	
					ZnAc (ALE246)	LE	
					Vial (ALE297)	LE	
					Vial (ALE297)	LE	
					NaOH (ALE245)	LE	
					HNO3 Filtered (ALE204)	LE	
					H2SO4 (ALE244)	LE	
					500ml Plastic (ALE208)	LE	
					250ml BOD (ALE212)	LE	
					0.5l glass bottle (ALE227)	LE	
					ZnAc (ALE246)	LE	
					Vial (ALE297)	LE	
					Vial (ALE297)	LE	
					NaOH (ALE245)	LE	
					HNO3 Filtered (ALE204)	LE	
					H2SO4 (ALE244)	LE	
					500ml Plastic (ALE208)	LE	
					250ml BOD (ALE212)	LE	
					0.5l glass bottle (ALE227)	LE	
					ZnAc (ALE246)	LE	
					Vial (ALE297)	LE	
					Vial (ALE297)	LE	
					NaOH (ALE245)	LE	
					HNO3 Filtered (ALE204)	LE	
					H2SO4 (ALE244)	LE	
					500ml Plastic (ALE208)	LE	
					250ml BOD (ALE212)	LE	
					0.5l glass bottle (ALE227)	LE	
					ZnAc (ALE246)	LE	
					Vial (ALE297)	LE	
					Vial (ALE297)	LE	
					NaOH (ALE245)	LE	
					HNO3 Filtered (ALE204)	LE	
					H2SO4 (ALE244)	LE	
					500ml Plastic (ALE208)	LE	
					250ml BOD (ALE212)	LE	
					0.5l glass bottle (ALE227)	LE	
					ZnAc (ALE246)	LE	
					Vial (ALE297)	LE	
					Vial (ALE297)	LE	
					NaOH (ALE245)	LE	
					HNO3 Filtered (ALE204)	LE	
					H2SO4 (ALE244)	LE	
					500ml Plastic (ALE208)	LE	
					250ml BOD (ALE212)	LE	
					0.5l glass bottle (ALE227)	LE	
					ZnAc (ALE246)	LE	
					Vial (ALE297)	LE	
					Vial (ALE297)	LE	
					NaOH (ALE245)	LE	
					HNO3 Filtered (ALE204)	LE	
					H2SO4 (ALE244)	LE	
					500ml Plastic (ALE208)	LE	
					250ml BOD (ALE212)	LE	
					0.5l glass bottle (ALE227)	LE	
					ZnAc (ALE246)	LE	
					Vial (ALE297)	LE	
					Vial (ALE297)	LE	
					NaOH (ALE245)	LE	
					HNO3 Filtered (ALE204)	LE	
					H2SO4 (ALE244)	LE	
					500ml Plastic (ALE208)	LE	
					250ml BOD (ALE212)	LE	
					0.5l glass bottle (ALE227)	LE	
					ZnAc (ALE246)	LE	
					Vial (ALE297)	LE	
					Vial (ALE297)	LE	
					NaOH (ALE245)	LE	
					HNO3 Filtered (ALE204)	LE	
					H2SO4 (ALE244)	LE	
					500ml Plastic (ALE208)	LE	
					250ml BOD (ALE212)	LE	
					0.5l glass bottle (ALE227)	LE	
					ZnAc (ALE246)	LE	
					Vial (ALE297)	LE	
					Vial (ALE297)	LE	
					NaOH (ALE245)	LE	
					HNO3 Filtered (ALE204)	LE	
					H2SO4 (ALE244)	LE	
					500ml Plastic (ALE208)	LE	
					250ml BOD (ALE212)	LE	
					0.5l glass bottle (ALE227)	LE	
					ZnAc (ALE246)	LE	
					Vial (ALE297)	LE	
					Vial (ALE297)	LE	
					NaOH (ALE245)	LE	
					HNO3 Filtered (ALE204)	LE	
					H2SO4 (ALE244)	LE	
					500ml Plastic (ALE208)	LE	
					250ml BOD (ALE212)	LE	
					0.5l glass bottle (ALE227)	LE	
					ZnAc (ALE246)	LE	
					Vial (ALE297)	LE	
					Vial (ALE297)	LE	
					NaOH (ALE245)	LE	
					HNO3 Filtered (ALE204)	LE	
					H2SO4 (ALE244)	LE	
					500ml Plastic (ALE208)	LE	
					250ml BOD (ALE212)	LE	
					0.5l glass bottle (ALE227)	LE	
					ZnAc (ALE246)	LE	
					Vial (ALE297)	LE	
					Vial (ALE297)	LE	
					NaOH (ALE245)	LE	
					HNO3 Filtered (ALE204)	LE	
					H2SO4 (ALE244)	LE	
					500ml Plastic (ALE208)	LE	
					250ml BOD (ALE212)	LE	
					0.5l glass bottle (ALE227)	LE	
					ZnAc (ALE246)	LE	
					Vial (ALE297)	LE	
					Vial (ALE297)	LE	
					NaOH (ALE245)	LE	
					HNO3 Filtered (ALE204)	LE	
					H2SO4 (ALE244)	LE	
					500ml Plastic (ALE208)	LE	
					250ml BOD (ALE212)	LE	
					0.5l glass bottle (ALE227)	LE	
					ZnAc (ALE246)	LE	
					Vial (ALE297)	LE	
					Vial (ALE297)	LE	
					NaOH (ALE245)	LE	





# CERTIFICATE OF ANALYSIS

Validated

<b>SDG:</b>	200306-6	<b>Client Reference:</b>	GW & Leach March 2	<b>Report Number:</b>	546351
<b>Location:</b>	Docks Way	<b>Order Number:</b>	700149932	<b>Superseded Report:</b>	546308

<b>Results Legend</b> <div style="margin-top: 5px;"> <span style="background-color: yellow; border: 1px solid black; padding: 2px;">X</span> Test             <span style="background-color: red; color: white; border: 1px solid black; padding: 2px;">N</span> No Determination Possible         </div> <b>Sample Types -</b> S - Soil/Solid UNS - Unspecified Solid GW - Ground Water SW - Surface Water LE - Land Leachate PL - Prepared Leachate PR - Process Water SA - Saline Water TE - Trade Effluent TS - Treated Sewage US - Untreated Sewage RE - Recreational Water DW - Drinking Water Non-regulatory UNL - Unspecified Liquid SL - Sludge G - Gas OTH - Other	Lab Sample No(s)	Customer Sample Reference	AGS Reference	Depth (m)	Container	Sample Type																			
								H2SO4 (ALE244)	500ml Plastic (ALE208)	250ml BOD (ALE212)	0.5l glass bottle (ALE227)	ZnAc (ALE246)	VIAI (ALE297)	NaOH (ALE245)	HNO3 Filtered (ALE204)	H2SO4 (ALE244)	500ml Plastic (ALE208)	250ml BOD (ALE212)	0.5l glass bottle (ALE227)	ZnAc (ALE246)	VIAI (ALE297)	NaOH (ALE245)	HNO3 Filtered (ALE204)		
								LE	LE	LE	LE	LE	LE	LE	LE	LE	LE	LE	LE	LE	LE	LE	LE	LE	
	Sulphide	All			0.00 - 0.00								X												
	Total Organic and Inorganic Carbon	All			0.00 - 0.00												X								X
	VOC MS (W)	All			0.00 - 0.00								X												X

21827610	GW06_36	0.00 - 0.00	ZnAc (ALE246)	GW	X				X	
			Vial (ALE297)	GW						
			NaOH (ALE245)	GW						
			HNO3 Filtered (ALE204)	GW						
			H2SO4 (ALE244)	GW						
			500ml Plastic (ALE208)	GW						
			250ml BOD (ALE212)	GW						
			0.5l glass bottle (ALE227)	GW						
			ZnAc (ALE246)	GW	X					
			Vial (ALE297)	GW						X
			NaOH (ALE245)	GW						
			HNO3 Filtered (ALE204)	GW						
			21827587	C3B	0.00 - 0.00	ZnAc (ALE246)	LE	X		
Vial (ALE297)	LE									
NaOH (ALE245)	LE									
HNO3 Filtered (ALE204)	LE									
HNO3 Filtered (ALE204)	LE									



# CERTIFICATE OF ANALYSIS

Validated

<b>SDG:</b>	200306-6	<b>Client Reference:</b>	GW & Leach March 2	<b>Report Number:</b>	546351
<b>Location:</b>	Docks Way	<b>Order Number:</b>	700149932	<b>Superseded Report:</b>	546308

<b>Results Legend</b>  <div style="display: flex; flex-direction: column; gap: 5px;"> <div style="display: flex; align-items: center;"><span style="background-color: yellow; border: 1px solid black; width: 15px; height: 15px; margin-right: 5px;"></span> Test</div> <div style="display: flex; align-items: center;"><span style="background-color: red; color: white; border: 1px solid black; width: 15px; height: 15px; margin-right: 5px;"></span> No Determination Possible</div> </div> <b>Sample Types -</b> S - Soil/Solid UNS - Unspecified Solid GW - Ground Water SW - Surface Water LE - Land Leachate PL - Prepared Leachate PR - Process Water SA - Saline Water TE - Trade Effluent TS - Treated Sewage US - Untreated Sewage RE - Recreational Water DW - Drinking Water Non-regulatory UNL - Unspecified Liquid SL - Sludge G - Gas OTH - Other	Lab Sample No(s)	Customer Sample Reference	AGS Reference	Depth (m)	Container	Sample Type	
		21827623	GW06_37		0.00 - 0.00	H2SO4 (ALE244)	GW
						500ml Plastic (ALE208)	GW
						250ml BOD (ALE212)	GW
						0.5l glass bottle (ALE227)	GW
						ZnAc (ALE246)	GW
						Vial (ALE297)	GW
					NaOH (ALE245)	GW	
					HNO3 Filtered (ALE204)	GW	
					H2SO4 (ALE244)	GW	
					500ml Plastic (ALE208)	GW	
					250ml BOD (ALE212)	GW	
					0.5l glass bottle (ALE227)	GW	
					ZnAc (ALE246)	GW	
					Vial (ALE297)	GW	
					NaOH (ALE245)	GW	
					HNO3 Filtered (ALE204)	GW	
					H2SO4 (ALE244)	GW	
					500ml Plastic (ALE208)	GW	
					250ml BOD (ALE212)	GW	
					0.5l glass bottle (ALE227)	GW	
					ZnAc (ALE246)	GW	
					Vial (ALE297)	GW	
					NaOH (ALE245)	GW	
					HNO3 Filtered (ALE204)	GW	
					H2SO4 (ALE244)	GW	
					500ml Plastic (ALE208)	GW	
					250ml BOD (ALE212)	GW	
					0.5l glass bottle (ALE227)	GW	
					ZnAc (ALE246)	GW	
					Vial (ALE297)	GW	
					NaOH (ALE245)	GW	
					HNO3 Filtered (ALE204)	GW	
					H2SO4 (ALE244)	GW	
					500ml Plastic (ALE208)	GW	
					250ml BOD (ALE212)	GW	
					0.5l glass bottle (ALE227)	GW	
					ZnAc (ALE246)	GW	
					Vial (ALE297)	GW	
					NaOH (ALE245)	GW	
					HNO3 Filtered (ALE204)	GW	
					H2SO4 (ALE244)	GW	
					500ml Plastic (ALE208)	GW	
					250ml BOD (ALE212)	GW	
					0.5l glass bottle (ALE227)	GW	
					ZnAc (ALE246)	GW	
					Vial (ALE297)	GW	
					NaOH (ALE245)	GW	
					HNO3 Filtered (ALE204)	GW	
					H2SO4 (ALE244)	GW	
					500ml Plastic (ALE208)	GW	
					250ml BOD (ALE212)	GW	
					0.5l glass bottle (ALE227)	GW	
					ZnAc (ALE246)	GW	
					Vial (ALE297)	GW	
					NaOH (ALE245)	GW	
					HNO3 Filtered (ALE204)	GW	
					H2SO4 (ALE244)	GW	
					500ml Plastic (ALE208)	GW	
					250ml BOD (ALE212)	GW	
					0.5l glass bottle (ALE227)	GW	
					ZnAc (ALE246)	GW	
					Vial (ALE297)	GW	
					NaOH (ALE245)	GW	
					HNO3 Filtered (ALE204)	GW	
					H2SO4 (ALE244)	GW	
					500ml Plastic (ALE208)	GW	
					250ml BOD (ALE212)	GW	
					0.5l glass bottle (ALE227)	GW	
					ZnAc (ALE246)	GW	
					Vial (ALE297)	GW	
					NaOH (ALE245)	GW	
					HNO3 Filtered (ALE204)	GW	
					H2SO4 (ALE244)	GW	
					500ml Plastic (ALE208)	GW	
					250ml BOD (ALE212)	GW	
					0.5l glass bottle (ALE227)	GW	
					ZnAc (ALE246)	GW	
					Vial (ALE297)	GW	
					NaOH (ALE245)	GW	
					HNO3 Filtered (ALE204)	GW	
					H2SO4 (ALE244)	GW	
					500ml Plastic (ALE208)	GW	
					250ml BOD (ALE212)	GW	
					0.5l glass bottle (ALE227)	GW	
					ZnAc (ALE246)	GW	
					Vial (ALE297)	GW	
					NaOH (ALE245)	GW	
					HNO3 Filtered (ALE204)	GW	
					H2SO4 (ALE244)	GW	
					500ml Plastic (ALE208)	GW	
					250ml BOD (ALE212)	GW	
					0.5l glass bottle (ALE227)	GW	
					ZnAc (ALE246)	GW	
					Vial (ALE297)	GW	
					NaOH (ALE245)	GW	
					HNO3 Filtered (ALE204)	GW	
					H2SO4 (ALE244)	GW	
					500ml Plastic (ALE208)	GW	
					250ml BOD (ALE212)	GW	
					0.5l glass bottle (ALE227)	GW	
					ZnAc (ALE246)	GW	
					Vial (ALE297)	GW	
					NaOH (ALE245)	GW	
					HNO3 Filtered (ALE204)	GW	
					H2SO4 (ALE244)	GW	
					500ml Plastic (ALE208)	GW	
					250ml BOD (ALE212)	GW	
					0.5l glass bottle (ALE227)	GW	
					ZnAc (ALE246)	GW	
					Vial (ALE297)	GW	
					NaOH (ALE245)	GW	
					HNO3 Filtered (ALE204)	GW	
					H2SO4 (ALE244)	GW	
					500ml Plastic (ALE208)	GW	
					250ml BOD (ALE212)	GW	
					0.5l glass bottle (ALE227)	GW	
					ZnAc (ALE246)	GW	
					Vial (ALE297)	GW	
					NaOH (ALE245)	GW	
					HNO3 Filtered (ALE204)	GW	
					H2SO4 (ALE244)	GW	
					500ml Plastic (ALE208)	GW	
					250ml BOD (ALE212)	GW	
					0.5l glass bottle (ALE227)	GW	
					ZnAc (ALE246)	GW	
					Vial (ALE297)	GW	
					NaOH (ALE245)	GW	
					HNO3 Filtered (ALE204)	GW	
					H2SO4 (ALE244)	GW	
					500ml Plastic (ALE208)	GW	
					250ml BOD (ALE212)	GW	
					0.5l glass bottle (ALE227)	GW	
					ZnAc (ALE246)	GW	
					Vial (ALE297)	GW	
					NaOH (ALE245)	GW	
					HNO3 Filtered (ALE204)	GW	
					H2SO4 (ALE244)	GW	
					500ml Plastic (ALE208)	GW	
					250ml BOD (ALE212)	GW	
					0.5l glass bottle (ALE227)	GW	
					ZnAc (ALE246)	GW	
					Vial (ALE297)	GW	
					NaOH (ALE245)	GW	
					HNO3 Filtered (ALE204)	GW	
					H2SO4 (ALE244)	GW	
					500ml Plastic (ALE208)	GW	
					250ml BOD (ALE212)	GW	
					0.5l glass bottle (ALE227)	GW	
					ZnAc (ALE246)	GW	
					Vial (ALE297)	GW	
					NaOH (ALE245)	GW	
					HNO3 Filtered (ALE204)	GW	
					H2SO4 (ALE244)	GW	
					500ml Plastic (ALE208)	GW	
					250ml BOD (ALE212)	GW	
					0.5l glass bottle (ALE227)	GW	
					ZnAc (ALE246)	GW	
					Vial (ALE297)	GW	
					NaOH (ALE245)	GW	
					HNO3 Filtered (ALE204)	GW	
					H2SO4 (ALE244)	GW	
					500ml Plastic (ALE208)	GW	
					250ml BOD (ALE212)	GW	
					0.5l glass bottle (ALE227)	GW	
					ZnAc (ALE246)	GW	
					Vial (ALE297)	GW	
					NaOH (ALE245)	GW	
					HNO3 Filtered (ALE204)	GW	
					H2SO4 (ALE244)	GW	
					500ml Plastic (ALE208)	GW	
					250ml BOD (ALE212)	GW	
					0.5l glass bottle (ALE227)	GW	
					ZnAc (ALE246)	GW	
					Vial (ALE297)	GW	
					NaOH (ALE245)	GW	
					HNO3 Filtered (ALE204)	GW	
					H2SO4 (ALE244)	GW	
					500ml Plastic (ALE208)	GW	
					250ml BOD (ALE212)	GW	
					0.5l glass bottle (ALE227)	GW	
					ZnAc (ALE246)	GW	
					Vial (ALE297)	GW	
					NaOH (ALE245)	GW	
					HNO3 Filtered (ALE204)	GW	
					H2SO4 (ALE244)	GW	
					500ml Plastic (ALE208)	GW	
					250ml BOD (ALE212)	GW	
					0.5l glass bottle (ALE227)	GW	
					ZnAc (ALE246)	GW	
					Vial (ALE297)	GW	
					NaOH (ALE245)	GW	
					HNO3 Filtered (ALE204)	GW	
					H2SO4 (ALE244)	GW	
					500ml Plastic (ALE208)	GW	
					250ml BOD (ALE212)	GW	
					0.5l glass bottle (ALE227)	GW	
					ZnAc (ALE246)	GW	
					Vial (ALE297)	GW	
					NaOH (ALE245)	GW	
					HNO3 Filtered (ALE204)	GW	
					H2SO4 (ALE244)	GW	
					500ml Plastic (ALE208)	GW	
					250ml BOD (ALE212)	GW	
					0.5l glass bottle (ALE227)	GW	
					ZnAc (ALE246)	GW	
					Vial (ALE297)	GW	
					NaOH (ALE245)	GW	
					HNO3 Filtered (ALE204)	GW	
					H2SO4 (ALE244)	GW	
					500ml Plastic (ALE208)	GW	
					250ml BOD (ALE212)	GW	
					0.5l glass bottle (ALE227)	GW	
					ZnAc (ALE246)	GW	





# CERTIFICATE OF ANALYSIS

Validated

<b>SDG:</b>	200306-6	<b>Client Reference:</b>	GW & Leach March 2	<b>Report Number:</b>	546351
<b>Location:</b>	Docks Way	<b>Order Number:</b>	700149932	<b>Superseded Report:</b>	546308

<b>Results Legend</b>  <div style="display: flex; flex-direction: column; gap: 5px;"> <div style="display: flex; align-items: center;"><span style="background-color: yellow; border: 1px solid black; padding: 2px; margin-right: 5px;">X</span> Test</div> <div style="display: flex; align-items: center;"><span style="background-color: red; color: white; border: 1px solid black; padding: 2px; margin-right: 5px;">N</span> No Determination Possible</div> </div> Sample Types - S - Soil/Solid UNS - Unspecified Solid GW - Ground Water SW - Surface Water LE - Land Leachate PL - Prepared Leachate PR - Process Water SA - Saline Water TE - Trade Effluent TS - Treated Sewage US - Untreated Sewage RE - Recreational Water DW - Drinking Water Non-regulatory UNL - Unspecified Liquid SL - Sludge G - Gas OTH - Other	Lab Sample No(s)	Customer Sample Reference	AGS Reference	Depth (m)	Container	Sample Type																	
		21827623	GW06_37		0.00 - 0.00	H2SO4 (ALE244) 500ml Plastic (ALE208) 250ml BOD (ALE212) 0.5l glass bottle (ALE227)	GW																
		21827645	GW06_39		0.00 - 0.00	H2SO4 (ALE244) 500ml Plastic (ALE208) 250ml BOD (ALE212) 0.5l glass bottle (ALE227)	GW																
		21827576	GW09_35		0.00 - 0.00	H2SO4 (ALE244) 500ml Plastic (ALE208) 250ml BOD (ALE212) 0.5l glass bottle (ALE227)	GW																
						H2SO4 (ALE244) 500ml Plastic (ALE208) 250ml BOD (ALE212) 0.5l glass bottle (ALE227)	GW																
						H2SO4 (ALE244) 500ml Plastic (ALE208) 250ml BOD (ALE212) 0.5l glass bottle (ALE227)	GW																
						H2SO4 (ALE244) 500ml Plastic (ALE208) 250ml BOD (ALE212) 0.5l glass bottle (ALE227)	GW																
Sulphide	All	NDPs: 0 Tests: 11																					
VOC MS (W)	All	NDPs: 0 Tests: 11																					

21827667	GW06_14A	0.00 - 0.00	ZnAc (ALE246)	GW	X	
			Vial (ALE297)	GW		X
			NaOH (ALE245)	GW		
			HNO3 Filtered (ALE204)	GW		
			H2SO4 (ALE244)	GW		
			500ml Plastic (ALE208)	GW		
			250ml BOD (ALE212)	GW		
			0.5l glass bottle (ALE227)	GW		
			ZnAc (ALE246)	GW	X	
			Vial (ALE297)	GW		X
			NaOH (ALE245)	GW		
			HNO3 Filtered (ALE204)	GW		
			H2SO4 (ALE244)	GW		
			500ml Plastic (ALE208)	GW		
250ml BOD (ALE212)	GW					
0.5l glass bottle (ALE227)	GW					
ZnAc (ALE246)	GW	X				
Vial (ALE297)	GW					
NaOH (ALE245)	GW					
HNO3 Filtered (ALE204)	GW					
21827576	GW09_35	0.00 - 0.00	ZnAc (ALE246)	GW		X
			Vial (ALE297)	GW		
			NaOH (ALE245)	GW		X
			HNO3 Filtered (ALE204)	GW		





# CERTIFICATE OF ANALYSIS

Validated

<b>SDG:</b>	200306-6	<b>Client Reference:</b>	GW & Leach March 2	<b>Report Number:</b>	546351
<b>Location:</b>	Docks Way	<b>Order Number:</b>	700149932	<b>Superseded Report:</b>	546308

<b>Results Legend</b>  <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: yellow; border: 1px solid black; width: 15px; height: 15px; margin-right: 5px; text-align: center; line-height: 15px;"><b>X</b></div> <b>Test</b> </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: red; color: white; border: 1px solid black; width: 15px; height: 15px; margin-right: 5px; text-align: center; line-height: 15px;"><b>N</b></div> <b>No Determination Possible</b> </div> <b>Sample Types -</b> S - Soil/Solid UNS - Unspecified Solid GW - Ground Water SW - Surface Water LE - Land Leachate PL - Prepared Leachate PR - Process Water SA - Saline Water TE - Trade Effluent TS - Treated Sewage US - Untreated Sewage RE - Recreational Water DW - Drinking Water Non-regulatory UNL - Unspecified Liquid SL - Sludge G - Gas OTH - Other	<b>Lab Sample No(s)</b>									21827678	
	<b>Customer Sample Reference</b>									LF08_07	
	<b>AGS Reference</b>										
	<b>Depth (m)</b>									0.00 - 0.00	
	<b>Container</b>	0.5l glass bottle (ALEZ27)	250ml BOD (ALEZ12)	500ml Plastic (ALEZ08)	500ml Plastic (ALEZ44)	H2SO4 (ALEZ04)	HNO3 Filtered (ALEZ04)	NaOH (ALEZ45)	V/I (ALEZ97)	ZnAc (ALEZ46)	LE
	<b>Sample Type</b>	LE	LE	LE	LE	LE	LE	LE	LE	LE	LE
	<b>VOC MS (W)</b>	All	NDPs: 0 Tests: 11						<b>X</b>		



# CERTIFICATE OF ANALYSIS

Validated

<b>SDG:</b>	200306-6	<b>Client Reference:</b>	GW & Leach March 2	<b>Report Number:</b>	546351
<b>Location:</b>	Docks Way	<b>Order Number:</b>	700149932	<b>Superseded Report:</b>	546308

Results Legend			Customer Sample Ref.	C4	C2B	C3B	GW06_13	GW06_36	GW06_37
# ISO17025 accredited.			<b>Depth (m)</b> <b>Sample Type</b> <b>Date Sampled</b> <b>Sampled Time</b> <b>Date Received</b> <b>SDG Ref</b> <b>Lab Sample No.(s)</b> <b>AGS Reference</b>	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
M mCERTS accredited.				Land Leachate (LE)	Land Leachate (LE)	Land Leachate (LE)	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)
aq Aqueous / settled sample.				04/03/2020	04/03/2020	04/03/2020	04/03/2020	04/03/2020	04/03/2020
diss.filt Dissolved / filtered sample.									
tot.unfilt Total / unfiltered sample.									
* Subcontracted - refer to subcontractor report for accreditation status.									
** % recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery				06/03/2020	06/03/2020	06/03/2020	06/03/2020	06/03/2020	06/03/2020
(F) Trigger breach confirmed				200306-6	200306-6	200306-6	200306-6	200306-6	200306-6
1-3+@ Sample deviation (see appendix)				21827599	21827689	21827587	21827634	21827610	21827623
Component	LOD/Units	Method							
Ionic balance	% Diff	Calulation	-4.17	0.306	-8.88	-2.68	-4.57	-7.21	
Alkalinity, Total as CaCO3	<2 mg/l	TM043				815	1010	1210	
Alkalinity, Total as CaCO3 (diss.filt)	<2 mg/l	TM043	3730	3720	3770	820	1020	1170	
Alkalinity, Bicarbonate as CaCO3 (diss.filt)	<2 mg/l	TM043	3730		3770				
BOD, unfiltered	<1 mg/l	TM045	222	43.2	96.7	1.83	3.85	4.01	
Carbon, Organic (diss.filt)	<3 mg/l	TM090				12.9	12.6	39.1	
Organic Carbon, Total	<3 mg/l	TM090	362	249	392				
Ammoniacal Nitrogen as N	<0.2 mg/l	TM099	418	638	537	11.1	8.41	46.7	
Sulphide	<0.01 mg/l	TM101	0.926	0.0834	0.705	<0.01	1.84	1.53	
COD, unfiltered	<7 mg/l	TM107	1250	818	1290	74	156	229	
Conductivity @ 20 deg.C	<0.005 mS/cm	TM120	9.12	8.22	8.05	6.99	9.76	14.5	
Arsenic (diss.filt)	<0.5 µg/l	TM152	151	36.8	39.4	6.83	1.11	61.6	
Boron (diss.filt)	<10 µg/l	TM152	6910	5780	1210	1260	1210	2790	
Cadmium (diss.filt)	<0.08 µg/l	TM152	<0.08	<0.08	<0.08	<0.08	<0.08	<0.08	
Chromium (diss.filt)	<1 µg/l	TM152	99	94	111	<1	<1	<1	
Copper (diss.filt)	<0.3 µg/l	TM152	0.389	2.71	<0.3	<0.3	<0.3	<0.3	
Lead (diss.filt)	<0.2 µg/l	TM152	0.42	<0.2	<0.2	<0.2	<0.2	<0.2	
Manganese (diss.filt)	<3 µg/l	TM152	1070	676	329	171	222	340	
Nickel (diss.filt)	<0.4 µg/l	TM152	62	78.1	30.8	1.27	1.04	1.03	
Selenium (diss.filt)	<1 µg/l	TM152	1.37	1.07	<1	<1	<1	<1	
Zinc (diss.filt)	<1 µg/l	TM152	20.5	19.3	5.75	2.7	<1	<1	
Sodium (Dis.Filt)	<0.076 mg/l	TM152	920	800	726	1230	1810	2720	
Magnesium (Dis.Filt)	<0.036 mg/l	TM152	210	127	85.6	185	202	296	
Potassium (Dis.Filt)	<0.2 mg/l	TM152	261	331	110	47	59.5	84.2	
Calcium (Dis.Filt)	<0.2 mg/l	TM152	357	105	115	99.8	185	101	
Iron (Dis.Filt)	<0.019 mg/l	TM152	0.154	1.71	0.138	0.333	0.269	4.17	
Hardness, Total as CaCO3	<0.65 mg/l	TM152	1840	785	641	1010	1290	1540	
EPH Range >C10 - C40 (aq)	<100 µg/l	TM172	2710	6310	1660	<100	194	267	
Nitrite as NO2	<0.05 mg/l	TM184	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	
Phosphate (Ortho as PO4)	<0.05 mg/l	TM184	10.3	11.1	10.5	3.61	12.8	5.38	
Sulphate	<2 mg/l	TM184	131	127	61	106	79.6	<2	
Chloride	<2 mg/l	TM184	1560	951	907	2170	3370	5440	





# CERTIFICATE OF ANALYSIS

Validated

<b>SDG:</b>	200306-6	<b>Client Reference:</b>	GW & Leach March 2	<b>Report Number:</b>	546351
<b>Location:</b>	Docks Way	<b>Order Number:</b>	700149932	<b>Superseded Report:</b>	546308

Results Legend			Customer Sample Ref.		GW06_39	GW09_35	GW12_38	GW06_14A	LF08_07
# ISO17025 accredited. M MCERTS accredited. aq Aqueous / filtered sample. diss.filt Dissolved / filtered sample. tot.unfilt Total / unfiltered sample. * Subcontracted - refer to subcontractor report for accreditation status. ** % recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery (F) Trigger breach confirmed 1-3+@ Sample deviation (see appendix)	Depth (m) Sample Type Date Sampled Sampled Time Date Received SDG Ref Lab Sample No.(s) AGS Reference								
<b>Component</b>	<b>LOD/Units</b>	<b>Method</b>							
Ionic balance	% Diff	Calulation	0.168	-16.9	7.15	-2.91	0.949		
Alkalinity, Total as CaCO3	<2 mg/l	TM043	900 #	815 #	420 #	540 #			
Alkalinity, Total as CaCO3 (diss.filt)	<2 mg/l	TM043	915		415	520	2980		
Alkalinity, Bicarbonate as CaCO3 (diss.filt)	<2 mg/l	TM043					2980		
BOD, unfiltered	<1 mg/l	TM045	1.96 #	2.45 #	9.49 #	5.45 #	33.6 #		
Carbon, Organic (diss.filt)	<3 mg/l	TM090	20	10.9	19.4	21.9			
Organic Carbon, Total	<3 mg/l	TM090					190		
Ammoniacal Nitrogen as N	<0.2 mg/l	TM099	6.12 #	8.2 #	<0.2 #	4.64 #	504		
Sulphide	<0.01 mg/l	TM101	0.0685 #	<0.01 #	0.0173 #	0.02 #	0.0281 #		
COD, unfiltered	<7 mg/l	TM107	65.6 #	97.5 #	111 #	146 #	612 #		
Conductivity @ 20 deg.C	<0.005 mS/cm	TM120	3.48 #	10.2 #	1.43 #	7.91 #	7.29 #		
Arsenic (diss.filt)	<0.5 µg/l	TM152	12.8 2 #	2.26 #	2.73 #	2.13 #	23.9 #		
Boron (diss.filt)	<10 µg/l	TM152	1200 2 #	902 #	461 #	998 #	4890 #		
Cadmium (diss.filt)	<0.08 µg/l	TM152	<0.08 2 #	<0.08 #	<0.08 #	<0.08 #	<0.08 #		
Chromium (diss.filt)	<1 µg/l	TM152	<1 2 #	<1 #	<1 #	<1 #	32.4 #		
Copper (diss.filt)	<0.3 µg/l	TM152	<0.3 2 #	0.855 #	6.89 #	2.46 #	8.92 #		
Lead (diss.filt)	<0.2 µg/l	TM152	<0.2 2 #	<0.2 #	0.325 #	0.399 #	<0.2 #		
Manganese (diss.filt)	<3 µg/l	TM152	5020 2 #	452 #	190 #	340 #	961 #		
Nickel (diss.filt)	<0.4 µg/l	TM152	5.89 2 #	1.92 #	5.58 #	5.06 #	89.9 #		
Selenium (diss.filt)	<1 µg/l	TM152	<1 2 #	<1 #	1.13 #	<1 #	<1 #		
Zinc (diss.filt)	<1 µg/l	TM152	14.3 2 #	12.7 #	11.2 #	27.7 #	133 #		
Sodium (Dis.Filt)	<0.076 mg/l	TM152	418 2 #	1340 #	140 #	1320 #	711 #		
Magnesium (Dis.Filt)	<0.036 mg/l	TM152	137 2 #	211 #	48.4 #	195 #	135 #		
Potassium (Dis.Filt)	<0.2 mg/l	TM152	63.8 2 #	41.3 #	20.4 #	69.1 #	290 #		
Calcium (Dis.Filt)	<0.2 mg/l	TM152	299 2 #	180 #	227 #	221 #	165 #		
Iron (Dis.Filt)	<0.019 mg/l	TM152	11.3 2 #	0.0678 #	0.0278 #	<0.019 #	0.691 #		
Hardness, Total as CaCO3	<0.65 mg/l	TM152	1330 2	1320	766	1360	972		
EPH Range >C10 - C40 (aq)	<100 µg/l	TM172	131 #	101 #	169 #	198 #	402 #		
Nitrite as NO2	<0.05 mg/l	TM184	<0.05 #	<0.05 #	<0.05 #	0.268 #	<0.05 #		
Phosphate (Ortho as PO4)	<0.05 mg/l	TM184	<0.05 #	5.2 #	<0.05 #	0.297 #	0.339 #		
Sulphate	<2 mg/l	TM184	633 #	116 #	321 #	602 #	427 #		
Chloride	<2 mg/l	TM184	526 #	3650 #	141 #	2440 #	834 #		









# CERTIFICATE OF ANALYSIS

Validated

**SDG:** 200306-6      **Client Reference:** GW & Leach March 2      **Report Number:** 546351  
**Location:** Docks Way      **Order Number:** 700149932      **Superseded Report:** 546308

## Table of Results - Appendix

Method No	Reference	Description
Calculation		
TM043	Method 2320B, AWWA/APHA, 20th Ed., 1999 / BS 2690: Part109 1984	Determination of alkalinity in aqueous samples
TM045	MEWAM BOD5 2nd Ed.HMSO 1988 / Method 5210B, AWWA/APHA, 20th Ed., 1999; SCA Blue Book 130	Determination of BOD5 (ATU) Filtered by Oxygen Meter on liquids
TM090	Method 5310, AWWA/APHA, 20th Ed., 1999 / Modified: US EPA Method 415.1 & 9060	Determination of Total Organic Carbon/Total Inorganic Carbon in Water and Waste Water
TM099	BS 2690: Part 7:1968 / BS 6068: Part2.11:1984	Determination of Ammonium in Water Samples using the Kone Analyser
TM101	Method 4500B & C, AWWA/APHA, 20th Ed., 1999	Determination of Sulphide in soil and water samples using the Kone Analyser
TM107	ISO 6060-1989	Determination of Chemical Oxygen Demand using COD Dr Lange Kit
TM120	Method 2510B, AWWA/APHA, 20th Ed., 1999 / BS 2690: Part 9:1970	Determination of Electrical Conductivity using a Conductivity Meter
TM152	Method 3125B, AWWA/APHA, 20th Ed., 1999	Analysis of Aqueous Samples by ICP-MS
TM172	Analysis of Petroleum Hydrocarbons in Environmental Media – Total Petroleum Hydrocarbon Criteria	EPH in Waters
TM184	EPA Methods 325.1 & 325.2,	The Determination of Anions in Aqueous Matrices using the Kone Spectrophotometric Analysers
TM208	Modified: US EPA Method 8260b & 624	Determination of Volatile Organic Compounds by Headspace / GC-MS in Waters
TM227	Standard methods for the examination of waters and wastewaters 20th Edition, AWWA/APHA Method 4500.	Determination of Total Cyanide, Free (Easily Liberatable) Cyanide and Thiocyanate
TM256	The measurement of Electrical Conductivity and the Laboratory determination of pH Value of Natural, Treated and Wastewaters. HMSO, 1978. ISBN 011 751428 4.	Determination of pH in Water and Leachate using the GLpH pH Meter

NA = not applicable.

Chemical testing (unless subcontracted) performed at ALS Environmental Hawarden (Method codes TM) or ALS Environmental Aberdeen (Method codes S).



# CERTIFICATE OF ANALYSIS

Validated

<b>SDG:</b>	200306-6	<b>Client Reference:</b>	GW & Leach March 2	<b>Report Number:</b>	546351
<b>Location:</b>	Docks Way	<b>Order Number:</b>	700149932	<b>Superseded Report:</b>	546308

## Test Completion Dates

Lab Sample No(s)	21827599	21827689	21827587	21827634	21827610	21827623	21827645	21827576	21827656	21827667
Customer Sample Ref.	C4	C2B	C3B	GW06_13	GW06_36	GW06_37	GW06_39	GW09_35	GW12_38	GW06_14A
AGS Ref.										
Depth	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
Type	Land Leachate	Land Leachate	Land Leachate	Ground Water	Ground Water	Ground Water	Ground Water	Ground Water	Ground Water	Ground Water
Alkalinity as CaCO3				06-Mar-2020	06-Mar-2020	06-Mar-2020	06-Mar-2020	06-Mar-2020	06-Mar-2020	06-Mar-2020
Alkalinity Filtered as CaCO3	06-Mar-2020	18-Mar-2020	06-Mar-2020	17-Mar-2020	17-Mar-2020	17-Mar-2020	17-Mar-2020	06-Mar-2020	17-Mar-2020	17-Mar-2020
Ammoniacal Nitrogen	13-Mar-2020	13-Mar-2020	13-Mar-2020	12-Mar-2020	12-Mar-2020	12-Mar-2020	12-Mar-2020	12-Mar-2020	12-Mar-2020	12-Mar-2020
Anions by Kone (w)	11-Mar-2020	11-Mar-2020	11-Mar-2020	11-Mar-2020	11-Mar-2020	11-Mar-2020	11-Mar-2020	11-Mar-2020	11-Mar-2020	11-Mar-2020
BOD True Total	12-Mar-2020	11-Mar-2020	11-Mar-2020	12-Mar-2020	11-Mar-2020	11-Mar-2020	12-Mar-2020	11-Mar-2020	12-Mar-2020	11-Mar-2020
COD Unfiltered	13-Mar-2020	11-Mar-2020	12-Mar-2020	12-Mar-2020	12-Mar-2020	12-Mar-2020	11-Mar-2020	12-Mar-2020	12-Mar-2020	13-Mar-2020
Conductivity (at 20 deg.C)	10-Mar-2020	10-Mar-2020	10-Mar-2020	10-Mar-2020	10-Mar-2020	10-Mar-2020	10-Mar-2020	10-Mar-2020	10-Mar-2020	10-Mar-2020
Cyanide Comp/Free/Total/Thiocyanate	11-Mar-2020	11-Mar-2020	11-Mar-2020	11-Mar-2020	11-Mar-2020	11-Mar-2020	11-Mar-2020	11-Mar-2020	11-Mar-2020	11-Mar-2020
Dissolved Metals by ICP-MS	12-Mar-2020	12-Mar-2020	12-Mar-2020	12-Mar-2020	12-Mar-2020	12-Mar-2020	12-Mar-2020	12-Mar-2020	11-Mar-2020	12-Mar-2020
Dissolved Organic/Inorganic Carbon				13-Mar-2020	15-Mar-2020	13-Mar-2020	13-Mar-2020	15-Mar-2020	13-Mar-2020	13-Mar-2020
EPH (DRO) (C10-C40) Aqueous (W)	11-Mar-2020	11-Mar-2020	11-Mar-2020	12-Mar-2020	11-Mar-2020	11-Mar-2020	11-Mar-2020	11-Mar-2020	11-Mar-2020	11-Mar-2020
Ionic Balance	13-Mar-2020	18-Mar-2020	13-Mar-2020	17-Mar-2020	17-Mar-2020	17-Mar-2020	17-Mar-2020	17-Mar-2020	17-Mar-2020	17-Mar-2020
Nitrite by Kone (w)	10-Mar-2020	10-Mar-2020	10-Mar-2020	10-Mar-2020	10-Mar-2020	10-Mar-2020	10-Mar-2020	10-Mar-2020	10-Mar-2020	10-Mar-2020
pH Value	12-Mar-2020	12-Mar-2020	12-Mar-2020	12-Mar-2020	12-Mar-2020	12-Mar-2020	12-Mar-2020	12-Mar-2020	12-Mar-2020	12-Mar-2020
Phosphate by Kone (w)	09-Mar-2020	09-Mar-2020	10-Mar-2020	09-Mar-2020	09-Mar-2020	09-Mar-2020	09-Mar-2020	09-Mar-2020	09-Mar-2020	09-Mar-2020
Sulphide	13-Mar-2020	13-Mar-2020	13-Mar-2020	13-Mar-2020	13-Mar-2020	10-Mar-2020	13-Mar-2020	13-Mar-2020	13-Mar-2020	10-Mar-2020
Total Organic and Inorganic Carbon	09-Mar-2020	09-Mar-2020	09-Mar-2020							
VOC MS (W)	11-Mar-2020	11-Mar-2020	11-Mar-2020	11-Mar-2020	11-Mar-2020	11-Mar-2020	11-Mar-2020	11-Mar-2020	11-Mar-2020	11-Mar-2020

Lab Sample No(s)	21827678
Customer Sample Ref.	LF08_07
AGS Ref.	
Depth	0.00 - 0.00
Type	Land Leachate
Alkalinity Filtered as CaCO3	06-Mar-2020
Ammoniacal Nitrogen	13-Mar-2020
Anions by Kone (w)	11-Mar-2020
BOD True Total	11-Mar-2020
COD Unfiltered	12-Mar-2020
Conductivity (at 20 deg.C)	10-Mar-2020
Cyanide Comp/Free/Total/Thiocyanate	11-Mar-2020
Dissolved Metals by ICP-MS	12-Mar-2020
EPH (DRO) (C10-C40) Aqueous (W)	11-Mar-2020
Ionic Balance	13-Mar-2020
Nitrite by Kone (w)	10-Mar-2020
pH Value	12-Mar-2020
Phosphate by Kone (w)	09-Mar-2020
Sulphide	10-Mar-2020
Total Organic and Inorganic Carbon	09-Mar-2020
VOC MS (W)	11-Mar-2020



# CERTIFICATE OF ANALYSIS

Validated

SDG: 200306-6  
Location: Docks Way

Client Reference: GW & Leach March 2  
Order Number: 700149932

Report Number: 546351  
Superseded Report: 546308

## Chromatogram


Analysis: EPH (DRO) (C10-C40) Aqueous (W)

Sample No : 21828749  
Sample ID : LF08\_07

Depth : 0.00 - 0.00

EPH Range Organics ( C10 - C40 )

Sample Identity: 20496881-  
Date Acquired : 10/03/2020 22:21:52 PM  
Units : mg/l





# CERTIFICATE OF ANALYSIS

Validated

SDG: 200306-6  
Location: Docks Way

Client Reference: GW & Leach March 2  
Order Number: 700149932

Report Number: 546351  
Superseded Report: 546308

## Chromatogram


Analysis: EPH (DRO) (C10-C40) Aqueous (W)

Sample No : 21828758  
Sample ID : C4

Depth : 0.00 - 0.00

EPH Range Organics ( C10 - C40 )

Sample Identity: 20496762-  
Date Acquired : 10/03/2020 21:09:04 PM  
Units : mg/l





# CERTIFICATE OF ANALYSIS

Validated

SDG: 200306-6  
Location: Docks Way

Client Reference: GW & Leach March 2  
Order Number: 700149932

Report Number: 546351  
Superseded Report: 546308

## Chromatogram


Analysis: EPH (DRO) (C10-C40) Aqueous (W)

Sample No : 21828868  
Sample ID : GW09\_35

Depth : 0.00 - 0.00

EPH Range Organics ( C10 - C40 )

Sample Identity: 20496729-  
Date Acquired : 10/03/2020 20:27:56 PM  
Units : mg/l





# CERTIFICATE OF ANALYSIS

Validated

SDG: 200306-6  
Location: Docks Way

Client Reference: GW & Leach March 2  
Order Number: 700149932

Report Number: 546351  
Superseded Report: 546308

## Chromatogram


Analysis: EPH (DRO) (C10-C40) Aqueous (W)

Sample No : 21828871  
Sample ID : GW06\_36

Depth : 0.00 - 0.00

EPH Range Organics ( C10 - C40 )

Sample Identity: 20496780-  
Date Acquired : 10/03/2020 22:45:31 PM  
Units : mg/l





# CERTIFICATE OF ANALYSIS

Validated

SDG: 200306-6  
Location: Docks Way

Client Reference: GW & Leach March 2  
Order Number: 700149932

Report Number: 546351  
Superseded Report: 546308

## Chromatogram


Analysis: EPH (DRO) (C10-C40) Aqueous (W)

Sample No : 21828885  
Sample ID : GW06\_14A

Depth : 0.00 - 0.00

EPH Range Organics ( C10 - C40 )

Sample Identity: 20496865-  
Date Acquired : 10/03/2020 23:09:19 PM  
Units : mg/l





# CERTIFICATE OF ANALYSIS

Validated

SDG: 200306-6  
Location: Docks Way

Client Reference: GW & Leach March 2  
Order Number: 700149932

Report Number: 546351  
Superseded Report: 546308

## Chromatogram


Analysis: EPH (DRO) (C10-C40) Aqueous (W)

Sample No : 21828887  
Sample ID : GW06\_37

Depth : 0.00 - 0.00

EPH Range Organics ( C10 - C40 )

Sample Identity: 20496797-  
Date Acquired : 10/03/2020 20:20:28 PM  
Units : mg/l





# CERTIFICATE OF ANALYSIS

Validated

SDG: 200306-6  
Location: Docks Way

Client Reference: GW & Leach March 2  
Order Number: 700149932

Report Number: 546351  
Superseded Report: 546308

## Chromatogram


Analysis: EPH (DRO) (C10-C40) Aqueous (W)

Sample No : 21828903  
Sample ID : GW06\_39

Depth : 0.00 - 0.00

EPH Range Organics ( C10 - C40 )

Sample Identity: 20496831-  
Date Acquired : 10/03/2020 21:33:17 PM  
Units : mg/l





# CERTIFICATE OF ANALYSIS

Validated

SDG: 200306-6  
Location: Docks Way

Client Reference: GW & Leach March 2  
Order Number: 700149932

Report Number: 546351  
Superseded Report: 546308

## Chromatogram


Analysis: EPH (DRO) (C10-C40) Aqueous (W)

Sample No : 21829400  
Sample ID : C2B

Depth : 0.00 - 0.00

EPH Range Organics ( C10 - C40 )

Sample Identity: 20496898-  
Date Acquired : 10/03/2020 21:57:41 PM  
Units : mg/l





# CERTIFICATE OF ANALYSIS

Validated

SDG: 200306-6  
Location: Docks Way

Client Reference: GW & Leach March 2  
Order Number: 700149932

Report Number: 546351  
Superseded Report: 546308

## Chromatogram


Analysis: EPH (DRO) (C10-C40) Aqueous (W)

Sample No : 21829418  
Sample ID : C3B

Depth : 0.00 - 0.00

EPH Range Organics ( C10 - C40 )

Sample Identity: 20496745-  
Date Acquired : 10/03/2020 20:44:51 PM  
Units : mg/l





# CERTIFICATE OF ANALYSIS

Validated

SDG: 200306-6  
Location: Docks Way

Client Reference: GW & Leach March 2  
Order Number: 700149932

Report Number: 546351  
Superseded Report: 546308

## Chromatogram


Analysis: EPH (DRO) (C10-C40) Aqueous (W)

Sample No : 21829446  
Sample ID : GW12\_38

Depth : 0.00 - 0.00

EPH Range Organics ( C10 - C40 )

Sample Identity: 20496848-  
Date Acquired : 10/03/2020 19:32:00 PM  
Units : mg/l





# CERTIFICATE OF ANALYSIS

Validated

SDG: 200306-6  
Location: Docks Way

Client Reference: GW & Leach March 2  
Order Number: 700149932

Report Number: 546351  
Superseded Report: 546308

## Chromatogram


Analysis: EPH (DRO) (C10-C40) Aqueous (W)

Sample No : 21829477  
Sample ID : GW06\_13

Depth : 0.00 - 0.00

EPH Range Organics ( C10 - C40 )

Sample Identity: 20496814-  
Date Acquired : 11/03/2020 13:47:40 PM  
Units : mg/l





# CERTIFICATE OF ANALYSIS

<b>SDG:</b> 200306-6	<b>Client Reference:</b> GW & Leach March	<b>Report Number:</b> 546351
<b>Location:</b> Docks Way	<b>Order Number:</b> 700149932	<b>Superseded Report:</b> 546308

## Appendix

## General

1. Results are expressed on a dry weight basis (dried at 35°C) for all soil analyses except for the following: NRA and CEN Leach tests, flash point LOI, pH, ammonium as NH<sub>4</sub> by the BRE method, VOC TICs and SVOC TICs.

2. If sufficient sample is received a sub sample will be retained free of charge for 30 days after analysis is completed (e-mailed) for all sample types unless the sample is destroyed on testing. The prepared soil sub sample that is analysed for asbestos will be retained for a period of 6 months after the analysis date. All bulk samples will be retained for a period of 6 months after the analysis date. All samples received and not scheduled will be disposed of one month after the date of receipt unless we are instructed to the contrary. Once the initial period has expired, a storage charge will be applied for each month or part thereof until the client cancels the request for sample storage. ALS reserve the right to charge for samples received and stored but not analysed.

3. With respect to turnaround, we will always endeavour to meet client requirements wherever possible, but turnaround times cannot be absolutely guaranteed due to so many variables beyond our control.

4. We take responsibility for any test performed by sub-contractors (marked with an asterisk). We endeavour to use UKAS/MCERTS Accredited Laboratories, who either complete a quality questionnaire or are audited by ourselves. For some determinands there are no UKAS/MCERTS Accredited Laboratories, in this instance a laboratory with a known track record will be utilised.

5. If no separate volatile sample is supplied by the client, or if a headspace or sediment is present in the volatile sample, the integrity of the data may be compromised. This will be flagged up as an invalid VOC on the test schedule and the result marked as deviating on the test certificate.

6. NDP - No determination possible due to insufficient/unsuitable sample.

7. Results relate only to the items tested.

8. LoDs (Limit of Detection) for wet tests reported on a dry weight basis are not corrected for moisture content.

9. **Surrogate recoveries** - Surrogates are added to your sample to monitor recovery of the test requested. A % recovery is reported, results are not corrected for the recovery measured. Typical recoveries for organics tests are 70-130%. Recoveries in soils are affected by organic rich or clay rich matrices. Waters can be affected by remediation fluids or high amounts of sediment. Test results are only ever reported if all of the associated quality checks pass; it is assumed that all recoveries outside of the values above are due to matrix affect.

10. Stones/debris are not routinely removed. We always endeavour to take a representative sub sample from the received sample.

11. In certain circumstances the method detection limit may be elevated due to the sample being outside the calibration range. Other factors that may contribute to this include possible interferences. In both cases the sample would be diluted which would cause the method detection limit to be raised.

12. Mercury results quoted on soils will not include volatile mercury as the analysis is performed on a dried and crushed sample.

13. For leachate preparations other than Zero Headspace Extraction (ZHE) volatile loss may occur.

14. For the BSEN 12457-3 two batch process to allow the cumulative release to be calculated, the volume of the leachate produced is measured and filtered for all tests. We therefore cannot carry out any unfiltered analysis. The tests affected include volatiles GCFID/GCMS and all subcontracted analysis.

15. Analysis and identification of specific compounds using GCFID is by retention time only, and we routinely calibrate and quantify for benzene, toluene, ethylbenzenes and xylenes (BTEX). For total volatiles in the C5-C12 range, the total area of the chromatogram is integrated and expressed as ug/kg or ug/l. Although this analysis is commonly used for the quantification of gasoline range organics (GRO), the system will also detect other compounds such as chlorinated solvents, and this may lead to a falsely high result with respect to hydrocarbons only. It is not possible to specifically identify these non-hydrocarbons, as standards are not routinely run for any other compounds, and for more definitive identification, volatiles by GCMS should be utilised.

16. We are accredited to MCERTS for sand, clay and loam/topsoil, or any of these materials - whether these are derived from naturally occurring soil profiles, or from fill/made ground, as long as these materials constitute the major part of the sample. Other coarse granular material such as concrete, gravel and brick are not accredited if they comprise the major part of the sample.

17. **Tentatively Identified Compounds (TICs)** are non-target peaks in VOC and SVOC analysis. All non-target peaks detected with a concentration above the LoD are subjected to a mass spectral library search. Non-target peaks with a library search confidence of >75% are reported based on the best mass spectral library match. When a non-target peak with a library search confidence of <75% is detected it is reported as "mixed hydrocarbons". Non-target compounds identified from the scan data are semi-quantified relative to one of the deuterated internal standards, under the same chromatographic conditions as the target compounds. This result is reported as a semi-quantitative value and reported as Tentatively Identified Compounds (TICs). TICs are outside the scope of UKAS accreditation and are not moisture corrected.

### 18. Sample Deviations

If a sample is classed as deviated then the associated results may be compromised.

1	Container with Headspace provided for volatiles analysis
2	Incorrect container received
3	Deviation from method
§	Sampled on date not provided
◆	Sample holding time exceeded in laboratory
@	Sample holding time exceeded due to late arrival of instructions or samples

### 19. Asbestos

When requested, the individual sub sample scheduled will be analysed in house for the presence of asbestos fibres and asbestos containing material by our documented in house method TM048 based on HSG 248 (2005), which is accredited to ISO17025. If a specific asbestos fibre type is not found this will be reported as "Not detected". If no asbestos fibre types are found all will be reported as "Not detected" and the sub sample analysed deemed to be clear of asbestos. If an asbestos fibre type is found it will be reported as detected (for each fibre type found). Testing can be carried out on asbestos positive samples, but, due to Health and Safety considerations, may be replaced by alternative tests or reported as No Determination Possible (NDP). The quantity of

#### Identification of Asbestos in Bulk Materials & Soils

The results for identification of asbestos in bulk materials are obtained from supplied bulk materials which have been examined to determine the presence of asbestos fibres using ALS (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

The results for identification of asbestos in soils are obtained from a homogenised sub sample which has been examined to determine the presence of asbestos fibres using ALS (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

Asbestos Type	Common Name
Chrysotile	White Asbestos
Amosite	Brown Asbestos
Crocidolite	Blue Asbestos
Fibrous Actinolite	-
Fibrous Anthophyllite	-
Fibrous Tremolite	-

#### Visual Estimation Of Fibre Content

Estimation of fibre content is not permitted as part of our UKAS accredited test other than: - Trace - Where only one or two asbestos fibres were identified.

#### Respirable Fibres

Respirable fibres are defined as fibres of <3 µm diameter, longer than 5 µm and with aspect ratios of at least 3:1 that can be inhaled into the lower regions of the lung and are generally acknowledged to be most important predictor of hazard and risk for cancers of the lung.

Standing Committee of Analysts, *The Quantification of Asbestos in Soil (2107)*.

**Further guidance on typical asbestos fibre content of manufactured products can be found in HSG 264.**

**The identification of asbestos containing materials and soils falls within our schedule of tests for which we hold UKAS accreditation, however opinions, interpretations and all other information contained in the report are outside the scope of UKAS accreditation.**