


- Notes
1. This drawing should be read in conjunction with all relevant consultants drawings and specialist contractors/supply chain drawings and specifications.
 2. All dimensions are in m, all levels in mOD unless specified otherwise.
 3. All drainage works are to be in accordance with The Building Regulations part H and CESWI 7th Edition unless specified otherwise.
 4. For Downpipes information refer to Above Ground Drainage drawings.
 5. All Foul Drainage pipes to be Ø100 at 1/40 gradient and all Surface Water pipes to be Ø100 at 1/60 gradient unless specified otherwise on the plans and schedules.
 6. Foul Water Pipes and fittings to be Plastic to BS EN 1401-1:2009.
 7. Surface Water Pipes and fittings to be Plastic to BS EN 1401-1:2009.
 8. All above ground drainage connections to have an access-eye/rodding-eye at the base of the stack pipe.



Revision				
Issue	Date	By	Chkd	Appd
T1	01.06.18	MF	NH	NH
Tender Issue.				
T2	05.12.18	MF	NH	NH
Covered yard removed to suit VE.				
T3	30.01.19	MF	NH	NH
Crib wall shown at edge of yard. Washpad tank relocated.				
T4	31.07.19	MF	NH	NH
Proposed yard channels updated where clouded.				
T5	12.08.19	MF	NH	NH
Proposed yard channels updated where clouded to suit new layout.				
C1	11.10.19	MF	NH	NH
Issued for Construction.				
C2	31.03.20	MF	NH	NH
Amended to suit wash pad & stores.				

HL Structural Engineers
HL Structural Engineers Ltd.
Liverpool Science Park, 131 Mount Pleasant
Liverpool, L3 5TF
t: +44 (0)151 440 2185
w: www.HLEngineers.co.uk
Client
National Trust

Job Title
**Whitegate Project
Bodnant Gardens**

Drawing Title
Proposed Drainage Layout

Sheet 3 of 3

Scale at A1
1:125
Drawing Status
Construction

Job No	Drawing No	Issue
0344	D-L-003	C2