

Schedule 5 - Notification

These pages outline the information that the operator must provide.

Units of measurement used in information supplied under Part A and B requirements shall be appropriate to the circumstances of the emission. Where appropriate, a comparison should be made of actual emissions and authorised emission limits.

If any information is considered commercially confidential, it should be separated from non-confidential information, supplied on a separate sheet and accompanied by an application for commercial confidentiality under the provisions of the EP Regulations.

Part A

Permit Number	EPR/UP3335SN
Name of operator	Blaenau Gwent County Borough Council
Location of Facility	Silent Valley Landfill Site Cwm
Time and date of the detection	8/6/20

(a) Notification requirements for any malfunction, breakdown or failure of equipment or techniques, accident, or fugitive emission which has caused, is causing or may cause significant pollution

To be notified within 24 hours of detection	
Date and time of the event	8/6/20
Reference or description of the location of the event	Manhole no: 6 Cendl Terrace Cwm
Description of where any release into the environment took place	Surcharging manhole overflowed to stream
Substances(s) potentially released	Landfill leachate
Best estimate of the quantity or rate of release of substances	8700m ³ (based on average of 348m ³ per day at beginning of May)
Measures taken, or intended to be taken, to stop any emission	Lagoon shutoff. Manholes and pipework cleared
Description of the failure or accident.	Silt blocked sewer line causing blockage upstream, surcharging manhole and discharge into area.

(b) Notification requirements for the breach of a limit

To be notified within 24 hours of detection unless otherwise specified below	
Emission point reference/ source	
Parameter(s)	
Limit	
Measured value and uncertainty	
Date and time of monitoring	
Measures taken, or intended to be taken, to stop the emission	

Time periods for notification following detection of a breach of a limit	
Parameter	Notification period

(c) Notification requirements for the detection of any significant adverse environmental effect	
To be notified within 24 hours of detection	
Description of where the effect on the environment was detected	
Substances(s) detected	
Concentrations of substances detected	
Date of monitoring/sampling	

Part B - to be submitted as soon as practicable

Any more accurate information on the matters for notification under Part A.	
Measures taken, or intended to be taken, to prevent a recurrence of the incident	
Measures taken, or intended to be taken, to rectify, limit or prevent any pollution of the environment which has been or may be caused by the emission	
The dates of any unauthorised emissions from the facility in the preceding 24 months.	

Name*	Matthew Perry
Post	Service Manager Neighbourhood Services
Signature	<i>M Perry</i>
Date	12/06/2020

* authorised to sign on behalf of the operator