

Compliance Assessment Report CAR_NRW0036935

Licence being assessed: 24/67/5/0004.

For: Abstraction from Oerog Springs near Trevor, Cefn-Mawr, held by Hafren Dyfrdwy Cyfyngedig.

At: Trevor, Llangollen, LL20 7UH.

Type of assessment: Report/Data Review, Reason: Routine.

On 26/07/2020 - 02/08/2020.

Parts of licence assessed: Report from Hafren Dyfrdwy

NRW Lead Officer: Jenny Rees-Jones.

Report sent to: Elizabeth Franks, Environment & Natural Resources specialist (Wales), on 05/10/2020.

1. Summary of our findings (full details in section 4)

Part of licenced activity assessed (criteria)	Assessment result	Licence condition
WR-A6 - Abstraction specified by licence - Quantities	Assessed (A)	
WR-C1 - Surface/groundwater level and protected flow - Minimum hands-off flow/level requirements	Assessed (A)	

Result types are explained in more detail in the 'Important Information' section below.

2. What action is required?

No action required.

3. What will happen next?

Any non-compliance we have identified and recorded on this form is an offence. It can result in criminal prosecution or civil sanctions being imposed depending on the circumstances of the offence.

At this time, we do not intend to take any further action.

This statement does not stop us from taking additional enforcement action if further relevant information comes to light or offences continue.

4. Details of our assessment

During the period of dry weather in 2020, NRW did not carry out compliance inspections on this site due to Covid 19 restrictions. Alternatively, NRW contacted Hafren Dyfrdwy, requesting data to check compliance and asking specific questions at certain sites. Hafren

Dyfrdwy provided a report for this abstraction by email on 18/08/2020 and further information on 15/09/2020.


Abstracted quantities were provided for the date of inspection (02/08) and the previous 7 days. These were all within the daily licensed quantity of 3409.5m³.

Licence number	Meter reading		Quantities (m ³) – on day of check and previous 7 days							
	Totaliser	Instantaneous	0	1	2	3	4	5	6	7
24/67/5/0004	4057712	99.4m ³	2429	3051	1763	1799	1799	2917	2293	2284

Hafren Dyfrdwy provided a spreadsheet of data showing quantities abstracted, readings of total flow and compensation water flow dating from the present back to pre 2020. The information provided indicated that the abstraction was compliant with daily maximum quantities in the licence. Data was missing on occasional days. HD explained that this information is collected by operatives visiting site. As the site is not visited every day there are some gaps in this data, however the site is monitored remotely and information is all available on the SCADA system upon request.

Condition 10a of the licence requires that the rate of abstraction should not exceed 87.5% of the flow of water from Oerog Springs. The data provided showed that the compensation flow is compliant with condition 10a which requires that the rate of abstraction should not exceed 87.5% of the flow of water from Oerog Springs on the days where data is available. There are a few days where data is missing as explained above. Condition 10d requires that daily records of compensation flow are made. Tom Buchanan (Senior Technician) confirmed by email on 02/10/2020 that HD's SCADA system shows the compensation flow of 12.5% had been maintained each day for the last year, and that figures are available on request.

A graph of compensation flow was provided by HD:



The graph shows that Hafren Dyfrdwy were delivering comfortably in excess of

compensation flow requirements on the dates where data is shown.

Please note that the assessment in this form is based only on the information provided by Hafren Dyfrdwy on request, in place of an on site inspection this year. Daily abstraction returns will be requested and a full record will be required then as usual. A complete assessment of abstracted quantities and compensation flow will be made upon receipt of the full set of daily data.

Please contact me if you wish to discuss further.

Jenny Rees-Jones, Environment Officer

jenny.rees-jones@cyfoethnaturiolcymru.gov.uk

If you have any queries about this report, or to discuss completion of any actions, please contact the NRW Officer named above.

Important information

Legal status of this report

Your licence is issued to you under the Water Resources Act 1991 as amended by the Water Act 2003. You have a responsibility to comply with the conditions of your licence and prevent pollution/harm to the environment. You must also ensure that you comply with any other relevant legislation that may apply to your site's operations.

This report explains the findings of our assessment and any action you are required to take. We categorise non-compliance using our guidance for assessing non-compliance at regulated sites.

When we find potential non-compliance/s we will normally give you advice on how to maintain compliance.

To correct non-compliance, we may:

- require you to take specific actions
- issue a notice.

Any advice and guidance we give will be without prejudice to any other enforcement response that we consider may be required.

Assessment results and non-compliance categories (used in section 1):

Assessment result	Description
Assessed (A)	Assessed or assessed in part, no evidence of non-compliance found
Action only (X)	Action only relating to the activity assessment
Ongoing (O)	Ongoing non-compliance, not scored

Non-compliance category	Description
C1 Major	Potential to have a major, serious, persistent and/or extensive impact or effect on the environment, people and/or property
C2 Significant	Potential to have a significant impact or effect on the environment, people and/or property
C3 Minor	Potential to have a minor or minimal impact or effect on the environment, people and/or property
C4 No environmental impact	Non-compliance at a regulated site that cannot foreseeably have any impact on the environment, people and/or property

If your assessment result in Section 1 is suspended, what does this mean?

In line with our guidance, we may suspend non-compliance for up to six months to allow time for remedial action to be taken. These will be re-instated if the action is not completed.

Full list of Water resource action criteria (used in section 1 and 2):**WR A: Abstraction specified by Licence**

- WR-A1 Source of supply
- WR-A2 Points of abstraction
- WR-A3 Means of abstraction
- WR-A4 Purposes of abstraction
- WR-A5 Period of abstraction
- WR-A6 Quantities
- WR-A7 Land
- WR-A8 Other specified on licence

WR B: Abstraction measurement and records

- WR-B1 Means of measurement
- WR-B2 Recording
- WR-B3 Reporting

WR C: Surface / Groundwater level and protected flow

- WR-C1 Minimum hands-off flow/level requirements
- WR-C2 Flow/level measurement devices
- WR-C3 Recording
- WR-C4 Reporting

WR D: Environmental monitoring and information

- WR-D1 Recording
- WR-D2 Reporting
- WR-D3 Notifications

WR E: Fish and eel passage

- WR-E1 Infrastructure specified by licence
- WR-E2 Maintenance and records

WR F: Discharge

- WR-F1 Point of discharge
- WR-F2 Infrastructure
- WR-F3 Measurement
- WR-F4 Recording
- WR-F5 Reporting

WR G: Impoundment specified by licence

- WR-G1 Inland water to be impounded
- WR-G2 Manner and extent of impoundment
- WR-G3 Point(s) of impoundment
- WR-G4 Construction and removal requirements
- WR-G5 Other specified on licence

WR H: Borehole infrastructure

- WR-H1 Infrastructure and accessibility
- WR-H2 Maintenance and calibration

Enforcement response

Any licence condition non-compliance is an offence and we may take legal action against you. Action we take can include prosecution or civil sanctions. See our Enforcement and Sanctions Guidance for further information.

Data protection notice

You should make sure that anyone named in this report knows that the information it contains will be processed by Natural Resources Wales to fulfil its regulatory and monitoring functions and to maintain the relevant public register(s).

We may also use and/or disclose the report in connection with:

- offering or providing you with our literature or services relating to environmental matters
- consulting with the public, public bodies and other organisations (e.g. Health and Safety Executive, local authorities) on environmental issues
- carrying out statistical analysis, research and development on environmental issues
- providing public register information to enquirers
- investigating possible breaches of environmental law
- assessing customer service satisfaction and improving our service
- Freedom of Information Act or Environmental Information Regulations requests.

We may also pass it on to our agents or representatives to do these things on our behalf.

Disclosure of information – this report will be available to view on-line

If you think this report contains commercially confidential information that should not be placed on our public register, you must contact your local Natural Resources Wales office within **fifteen working days** of receiving this report, using the contact details in the accompanying email or letter. You must give a full explanation of why it should not be added to our public register, including specifying which information is commercially confidential. We will assess your request and respond to you within 20 working days to let you know if we agree to your request.

What do I do if I disagree with the report or have a complaint?

If you disagree with this compliance assessment report, you should contact the lead officer without delay to discuss your concerns.

If you are unable to resolve the issue with the lead officer or their line manager you should contact our Customer Contact team on 0300 065 3000 (Mon to Fri 08:00 – 18:00), or email enquiries@naturalresourceswales.gov.uk for details of how to raise your dispute further through our Complaints and Commendations procedure.

If you are dissatisfied with our response, you can contact the Public Services Ombudsman for Wales by phone on 0300 7900203 or by email at ask@ombudsman.wales

Welsh Language Standards

We are committed to establishing Natural Resources Wales as a naturally bilingual organisation. We will provide compliance reports in your preferred language.