

Mr. Andy Stocks
Caulmert Ltd
14 Farrington Way
Eastwood Links Business Park
Eastwood
Nottinghamshire
NG16 3BF

Our ref: EPR/BU0800IZ/V012
Your ref:

Date: 22nd December 2020

Dear Mr. Stocks,

We need more information about your application and an additional fee

Application reference: EPR/BU0800IZ/V012
Operator: 3C Waste Limited
Facility: Llanddulas Landfill Site

Thank you for your application received on 28th July 2020.

We need to ask you for some more information, and an additional application fee before we can do any more work on it.

You have applied to include three new waste codes in your permit. These are:

- 16 10 02 aqueous liquid wastes other than those mentioned in 16 10 01
- 19 05 99 wastes from aerobic treatment of solid wastes not otherwise specified
- 19 07 03 landfill leachate other than those mentioned in 19 07 02

You mention in your application that waste code 19 07 03 was previously included in the permit but has now been removed for reasons unknown. However this waste code is still included in your permit. It was added as part of variation V009 in 2012 in Table S3.2 (Permitted waste types accepted for treatment in the leachate treatment plant). As far as we can see, Table S3.2 has not been altered since the 2012 variation.

For the other two waste codes you have proposed to include in the permit (16 10 02 and 19 05 99), please can you provide information on what you expect the composition of these wastes to be. How do you expect the composition of these new wastes to differ from the composition of wastes currently treated in the leachate treatment plant? Can you provide evidence that the leachate treatment plant can treat the combination of these new effluents and the existing leachates?

I have attached a Welsh Water sewer discharge consent for Llanddulas Landfill Site to this email. Please can you confirm if this is the most up to date version?

Please can you explain how you will operate to continue to meet the discharge limits in the Welsh Water sewer discharge consent once you start to accept and treat the new waste

Ebost/Email Llinos.Owen@cyfoethnaturiolcymru.gov.uk
Llinos.Owen@naturalresourceswales.gov.uk

Gwasanaeth Trwyddedu Cymru, Cyfoeth Naturiol Cymru, Tŷ Cambria, 29 Heol Casnewydd, Caerdydd. CF24 0TP
Wales Permitting Service, Natural Resources Wales, Cambria House, 29 Newport Road, Cardiff. CF24 0TP

Gwefan/Website www.cyfoethnaturiolcymru.gov.uk
www.naturalresourceswales.gov.uk

Croesewir gohebiaeth yn y Gymraeg a'r Saesneg
Correspondence welcomed in Welsh and English

types? This should include updated operating techniques and details of any process monitoring.


The additional fee is needed because we need to consider the impacts that the new waste streams may have on the treatment process and discharge. Therefore you should make additional payment to cover the difference between the amount that you have already paid and the fee due for a normal variation.

Please reply within 20 working days from the date of this letter. If we don't hear from you we must return your application and fee.

When we receive the additional information and fee we'll continue to check the details in your application. If there's enough there for us to begin the process of deciding whether or not we can grant your application we say the application is 'duly made' and we'll let you know this by letter.

Please quote our reference if you contact us. If you have any questions please email Llinos.Owen@naturalresourceswales.gov.uk.

Yours sincerely,



Llinos Owen
Senior Officer (Installations and RSR Permitting)

Ebost/Email Llinos.Owen@cyfoethnaturiolcymru.gov.uk
Llinos.Owen@naturalresourceswales.gov.uk

Gwasanaeth Trwyddedu Cymru, Cyfoeth Naturiol Cymru, Tŷ Cambria, 29 Heol Casnewydd, Caerdydd. CF24 0TP
Wales Permitting Service, Natural Resources Wales, Cambria House, 29 Newport Road, Cardiff. CF24 0TP

Gwefan/Website www.cyfoethnaturiolcymru.gov.uk
www.naturalresourceswales.gov.uk

Croesewir gohebiaeth yn y Gymraeg a'r Saesneg
Correspondence welcomed in Welsh and English