

Good afternoon,

I have finished my initial assessment of your application and require some additional information.

1. There is a pond in the middle of field 41 which requires a 10m buffer zone.

ACTION: Please submit an amended spread plan with all water courses correctly buffered

Please see the amended spreading plan with buffer

2. There is a water issue (spring) above field 43 (please see attached) that requires a 50m buffer zone. Your application is taking place in a SPZ phase 3 all water courses must be correctly buffered.

ACTION: Please submit amended spread plan with correct buffer zones.

Spring issue has been buffered on amended spreading plan, buffers also added to water course in field 36, 38

3. There is an area of protected species (Amphibians and reptiles) in field 39.

ACTION: Please amend the spread plan to remove this section from the spread area.

Please see the adjusted buffer and reduced spread area in field 39. The tonnage has been reduced throughout the application to reflect the reduction in spreading area

Your Application will be paused until I receive your response. Please respond no later than 15/03/21.

Best regards

Ethan

Ethan Banfield

Swyddog Trwyddedu Gwastraff 1 / Waste Permitting Officer 1

Cyfoeth Naturiol Cymru / Natural Resources Wales

Ffôn/ Phone: 03000 65 3023

Ty Cambria, Caerdydd / Ty Cambria, Cardiff

In light of recent events, I am currently working from home and as such not contactable on the phone. If you need to get in touch, please email me and I will respond as quickly as possible.