

The Company Secretary
Dŵr Cymru Cyfyngedig
Dŵr Cymru Welsh Water Linea
Fortran Road
St. Mellons
Cardiff
CF3 0LT

Our ref: EPR/FP3232KG

Date: 22 April 2021

Dear Sir/Madam,

Your permit variation is complete

Permit reference: EPR/FP3232KG
Operator: Dŵr Cymru Cyfyngedig
Facility: Cardiff East Wastewater Treatment Works CHP Facility

Following the publication of the revised Best Available Techniques (BAT) Reference Document (BREF) for Waste Treatment, our determination of your Waste Treatment review variation is complete. We're satisfied that you can continue to carry out your activities in accordance with the variation, without harm to the environment or human health. I enclose a notice showing the changes to your permit. Please keep this in a safe place with your other permit records.

This letter contains web links to other documents. If you aren't able to access these, phone our Customer Services Centre for help.

If you're not already familiar with our document 'How to comply with your environmental permit' please look at it, as this will help you understand how to meet the conditions of the permit. You can find this on the Natural Resources Wales website at <http://naturalresources.wales/media/2110/how-to-comply-with-your-environmental-permit.pdf>

Please look at the table below and note any of the information or actions that apply to your permit.

Ffôn/Tel 029 2046 4419
Ffacs/Fax 029 2046 8874
Ebost/Email Lucinda.hall@cyfoethnaturiolcymru.gov.uk
Lucinda.hall@naturalresourceswales.gov.uk

Canolfan Trwyddedu Cymru (Caerdydd), Cyfoeth Naturiol Cymru, Tŷ Cambria, 29 Heol Casnewydd, Caerdydd. CF24 0TP
Wales Permitting Centre (Cardiff), Natural Resources Wales, Cambria House, 29 Newport Road, Cardiff. CF24 0TP

Gwefan/Website www.cyfoethnaturiolcymru.gov.uk
www.naturalresourceswales.gov.uk

Croesewir gohebiaeth yn y Gymraeg a'r Saesneg
Correspondence welcomed in Welsh and English

If...	then..
the variation means you are carrying out a waste operation or activity and need to submit quarterly waste returns on waste movements Note This does not apply to permits that only have standalone water discharge or groundwater activities.	Please request the latest version of our waste return template from waste.returns@cyfoethnaturiolcymru.gov.uk prior to completing your first return. Information on deadlines and guidance to assist with completing waste returns is available on our website: https://naturalresources.wales/waste/new-wales-operator-waste-return-and-deadlines-for-returns/?lang=en When you complete your return use the waste returns reference above and submit to: waste.returns@cyfoethnaturiolcymru.gov.uk If you do not have web access phone our Customer Services Centre
you need to submit other returns	send these to your area office. Speak to your area officer to check local arrangements.
your variation has added an installation to your permit for the first time	we've enclosed the pollution inventory letter, notice and fact sheet

Rights of appeal

If you are not happy with any permit condition that has been imposed by the variation you may appeal to the Welsh Ministers. If you want to appeal any condition imposed as a result of your application you must make your appeal no later than six months from the date of the variation notice. If you want to appeal any condition we've added as a Natural Resources Wales initiated variation you must make your appeal no later than two months from the date of the notice.

Further information about making an appeal and the forms you will need are available from the Planning Inspectorate website or from the contact details below.

The Planning Inspectorate, Crown Buildings, Cathays Park, Cardiff, CF10 3NQ.

Phone: 029 2082 3866 / 389, Fax: 029 2082 5150, Email: wales@pins.gsi.gov.uk

You must send written notice of the appeal and the documents listed below to the Welsh Ministers to the respective Planning Inspectorate address above. At the same time you must send us a copy of the notice and documents to

Permitting Service, Natural Resources Wales, Cambria House, 29 Newport Road, Cardiff, CF24 0TP

Phone: 0300 065 3000

The documents are:

- a statement of the grounds of appeal;
- a copy of any relevant application;
- a copy of any relevant environmental permit;
- a copy of any relevant correspondence between the appellant and the regulator;
- a copy of any decision or notice which is the subject matter of the appeal; and
- a statement indicating whether you wish the appeal to be in the form of a hearing or dealt with by way of written representations.

You may withdraw an appeal by notifying the Welsh Ministers in writing and sending a copy of that notification to us.

Following the UK's departure from the EU on 31 January 2020 and the end of the transition period on 31 December 2020, the legal obligations relating to compliance with environmental permits and legislation will continue to apply. NRW will continue to issue and regulate all permits and licenses in line with our current practice. If you have any questions about your permits or licenses and/or site management, please contact our Customer Care Centre on 03000 653 000.

Yours faithfully,

A handwritten signature in blue ink, appearing to read 'Lucinda Hall', is positioned above the printed name.

Lucinda Hall MCIWM BSc (Hons)
Permitting Consultant Installations and RSR Permitting Team

Cc. Dave Holthofer Dave.Holthofer@dwrcymru.com
James Camis James.Camis@dwrcymru.com