

Compliance Assessment Report CAR_NRW0038299

Permit being assessed: BP0251001

For: Llechryd WTW Llechryd Near Cardigan, held by DWR CYMRU CYFYNGEDIG
At: Llechryd, Nr Cardigan, Dyfed, SA43 2QN.

Type of assessment carried out: Report/Data Review, Reason: Routine.
On 19/05/2021.

Parts of permit assessed: See criteria below

NRW Lead Officer: Jeremy Goddard.

Report sent to: CARS mailbox, CARS mailbox, on 19/05/2021.

1. Summary of our findings (full details in section 4)

Part of permitted activity assessed (criteria)	Assessment result	Permit condition
WQ-C1 - Emissions and monitoring - Emissions to water	C4 No impact	Condition 3.1.1, Schedule 3, Table S3.1

Result types are explained in more detail in the 'Important Information' section below.

2. What action is required?

Criteria	Action needed	Complete by
WQ-C1	Improve operations and keep flows below the limit for maximum rate of discharge.	31/05/2021

Action criteria codes are listed in the 'Important information' section below.

3. What will happen next?

Any non-compliance we have identified and recorded on this form is an offence. It can result in criminal prosecution and/or suspension or revocation of your permit.

You are non-compliant with your permit.

At this time, we are issuing you with a warning for the non-compliance recorded above. Warnings may influence future enforcement response for continued or further non-compliance.

This statement does not stop us from taking additional enforcement action if further relevant information comes to light or offences continue.

4. Details of our assessment

This compliance assessment report is a follow-up to report, CAR_NRW0037559.

Two ACTIONS were set in CAR_NRW0037559. The first was as follows:

Please investigate and confirm in writing the reason for a 15-minute flow discharge reading of 40.96 litres per second at 11.30 hours on 04/11/2019. This is over twice the maximum discharge rate of 20 litres per second.

An email received from Sarah Harries of Dwr Cymru on 24/03/2021 confirmed that the data originally submitted to Natural Resources Wales relating to instantaneous flow through the site's MCERT meter was incorrect and applied to Llechryd STW and not Llechryd WTW as requested. New data flow data applicable to Llechryd WTW has been received and reviewed.

Condition 3.1.1, Schedule 3, Table S3.1 states that the maximum rate of discharge should be 20 litres per second. We have reviewed the new flow data that has been submitted for Llechryd WTW. Whilst the majority of flow readings taken are less than 20 litres per second this limit was exceeded on the following occasions:

06/06/2020 21:30	76.4	21.22
06/06/2020 21:45	76.1	21.14
06/06/2020 22:00	76.1	21.14
06/06/2020 22:15	75.9	21.08
15/06/2020 18:15	72.2	20.06
15/06/2020 18:45	72.3	20.08
21/06/2020 18:30	72.5	20.14
21/06/2020 18:45	72.2	20.06
21/06/2020 22:00	72.7	20.19
23/06/2020 21:00	73.2	20.33
23/06/2020 21:15	72.7	20.19
23/06/2020 21:30	72.6	20.17

This has been assessed as a Category 4 permit non-compliance which has no foreseeable environmental harm due to the exceedances being within 20% of the numerical limit. Please ensure that in future the flow rate remains within the limit set in your Environmental Permit of 20 litres per second.

The second ACTION listed in compliance assessment report CAR_NRW0037559 was as follows:

Please investigate why there are no results logged against the OSM sample taken on 13 November 2019 and why this sample has not been reported to Natural Resources Wales, even if it is a 'no flow' result. Please respond in writing.

OSM sampling non-compliances have subsequently been reviewed in compliance report, CAR_NRW0038208 dated 12/05/2021. Please refer to the ACTIONS specified within that report.

ENDS

If you have any queries about this report, or to discuss completion of any actions, please contact the NRW Officer named above.

Important information

Legal status of this report

Your permit is issued to you under the Environmental Permitting Regulations. You have a responsibility to comply with the conditions of your permit and prevent pollution/harm to the environment. You must also ensure that you comply with any other relevant legislation that may apply to your site's operations.

This report explains the findings of our assessment and any action you are required to take. We categorise non-compliance using our guidance for assessing non-compliance at regulated sites.

When we find potential non-compliance/s we will normally give you advice on how to maintain compliance.

To correct non-compliance, we may:

- require you to take specific actions
- issue a notice
- review the conditions of your permit.

Any advice and guidance we give will be without prejudice to any other enforcement response that we consider may be required.

Assessment results and non-compliance categories (used in section 1):

Assessment result	Description
Assessed (A)	Assessed or assessed in part, no evidence of non-compliance found
Action only (X)	Action only relating to the activity assessment
Ongoing (O)	Ongoing non-compliance, not scored

Non-compliance category	Description
C1 Major	Potential to have a major, serious, persistent and/or extensive impact or effect on the environment, people and/or property
C2 Significant	Potential to have a significant impact or effect on the environment, people and/or property
C3 Minor	Potential to have a minor or minimal impact or effect on the environment, people and/or property
C4 No environmental impact	Non-compliance at a regulated site that cannot foreseeably have any impact on the environment, people and/or property

If your assessment result in Section 1 is suspended, what does this mean?

In line with our guidance, we may suspend non-compliance for up to six months to allow time for remedial action to be taken. These will be re-instated if the action is not completed.

Full list of water quality action criteria (used in section 1 and 2):**WQ A: Management**

- WQ-A1 General management

WQ B: Operations

- WQ-B1 Permitted activities
- WQ-B2 The site
- WQ-B3 Operating techniques
- WQ-B4 Improvement programme
- WQ-B5 Pre-operational conditions

WQ C: Emissions and monitoring

- WQ-C1 Emissions to water
- WQ-C2 Emissions to land
- WQ-C3 Emissions of substances not controlled by emission limits
- WQ-C4 Installation of monitoring boreholes

WQ D: Information

- WQ-D1 Records
- WQ-D2 Reporting
- WQ-D3 Notifications

Enforcement response

Any permit condition non-compliance is an offence and we may take legal action against you. Action we take can include prosecution, serving a notice on you and/or suspension or revocation of your permit. See our Enforcement and Sanctions Guidance for further information.

Data protection notice

You should make sure that anyone named in this report knows that the information it contains will be processed by Natural Resources Wales to fulfil its regulatory and monitoring functions and to maintain the relevant public register(s).

We may also use and/or disclose the report in connection with:

- offering or providing you with our literature or services relating to environmental matters
- consulting with the public, public bodies and other organisations (e.g. Health and Safety Executive, local authorities) on environmental issues
- carrying out statistical analysis, research and development on environmental issues
- providing public register information to enquirers
- investigating possible breaches of environmental law
- assessing customer service satisfaction and improving our service
- Freedom of Information Act or Environmental Information Regulations requests.

We may also pass it on to our agents or representatives to do these things on our behalf.

Disclosure of information – this report will be available to view on-line

If you think this report contains commercially confidential information that should not be placed on our public register, you must contact your local Natural Resources Wales office within **fifteen working days** of receiving this report, using the contact details in the accompanying email or letter. You must give a full explanation of why it should not be

added to our public register, including specifying which information is commercially confidential. We will assess your request and respond to you within 20 working days to let you know if we agree to your request.

What do I do if I disagree with the report or have a complaint?

If you disagree with this compliance assessment report, you should contact the lead officer without delay to discuss your concerns.

If you are unable to resolve the issue with the lead officer or their line manager you should contact our Customer Contact team on 0300 065 3000 (Monday to Friday 08:00 – 18:00), or email enquiries@naturalresourceswales.gov.uk for details of how to raise your dispute further through our Complaints and Commendations procedure.

If you are dissatisfied with our response, you can contact the Public Services Ombudsman for Wales by phone on 0300 7900203 or by email at ask@ombudsman.wales

Welsh Language Standards

We are committed to establishing Natural Resources Wales as a naturally bilingual organisation. We will provide compliance reports in your preferred language.