

Permit Number: PP3238LX Operator: Hexion UK Limited

Installation: Barry Thermosets Plant Form Number: E1 / 25/04/2013

Reporting of emissions to water (other than to sewer) for the period from 26/06/2020 to 24/09/2020

Emission Point	Substance / Parameter	Reference Period	Result ^[1]	Average Result ^[5]	Test Method	Sample Date and Times ^[2]	Uncertainty ^[3]
E1	Total suspended solids	24-hour flow proportional sample	132	60.5	BS EN 872 2005 /BS6068-2.54 2005	02/07/2020 09/07/2020 16/07/2020 23/07/2020 30/07/2020 06/08/2020 13/08/2020 20/08/2020 27/08/2020 03/09/2020 10/09/2020 17/09/2020 24/09/2020	16.5
W1	Free formaldehyde	As above	2	0.5	BS 2942 App D	As above	0.431
E1	Monohydric phenol	As above	3	0.5	BS6068-2.12 1990 ISO6439:1990	As above	0.625
E1	Methanol	As above	0	0	BS EN ISO 15680 2003	As above	0

Emission Point	Substance / Parameter	Reference Period	Result ^[1]	Average Result ^[5]	Test Method	Sample Date and Times ^[2]	Uncertainty ^[3]
E1	Chemical Oxygen Demand	As above	580	204	BS ISO 15705-2002/BS6068-2.80 2002	As above	72.8

1. The result given is the maximum value obtained during the reporting period (3 months), expressed in the same terms as the emission limit value.
2. For non-continuous measurements the date and time of the sample that produced the result is given. For continuous measurements the percentage of the process operating time covered by the result is given.
3. The uncertainty associated with the quoted result at the 95% confidence interval, unless otherwise stated.
4. An average of the samples taken over the reporting period (every 3 months).



Signed
(Authorised to sign as representative of Operator)

Date.....27th October 2020