

# Application for an environmental permit: Part B6.5 Discharging treated domestic sewage effluent of up to 15 cubic metres a day into ground or up to 20 cubic metres a day onto surface water

## About you

Please give details of the individual, or where relevant for groups or organisations of individuals, the main representative.	
<b>Title:</b>	Mr
<b>First name:</b>	Richard
<b>Last name:</b>	Bullock

Who will be named on the permit?
An individual

## Your address

For companies this must be the address on record at Companies House.	
<b>Address</b>	The Bakehouse, 7 Upper Nash Lamphey Pembroke
<b>Postcode</b>	SA71 5PQ
<b>Telephone - mobile</b>	07813827783
<b>Telephone - office</b>	01646 680163
<b>E-mail address</b>	richard@bullockconsulting.co.uk

## About this application

Have you spoken to us already about this application?If you have had discussions with us before your application, give us the case reference or details.
I applied for an exemption that was rejected ref number NRW-WQE062974. I also own number 7 Upper Upper Nash that has a treatment plant installed for which you granted permission for back in 2005.

About your sewage treatment facility: The term 'sewage treatment facility' is used throughout this application form. That term is explained in more detail in the guidance document that accompanies this application form. Where is the sewage treatment facility?

**Address** Holly Tree Cottage

5 Upper Nash

Lamphey

**Postcode** SA71 5PQ

**Telephone - mobile** -

**Telephone - office** -

**E-mail address** -

National Grid Reference for the centre of your sewage treatment facility (12 digit)

SN0219202507

## Your management system

Your permit requires you (as the operator) to ensure that you manage and operate your activities in accordance with a written management system. You can find guidance on management systems in the guidance notes to part B6.5 and on our website. Please tick the box below to confirm this.

I confirm that I have read the application form guidance and that my management system will meet NRW requirements.

## About your discharge

What type of premises does your sewage treatment facility serve? For example, the number of houses or a description such as a pub, café, restaurant, office and so on.

Single Storey 3 bedroom Cottage

When did your discharge start? (New or existing)

On or after 1 April 2010 - New

**If existing, when was it built (DD/MM/YYYY)?**

There was an existing Septic tank that has been there for over 50 years

## New discharges only

How far away is the nearest foul sewer from the boundary of the premises (in metres)?  
Foul sewer means public or private foul sewer. You will need to check this with your sewerage undertaker (usually your local water company) and you may also need to check if it is possible to connect to a private sewer.

no private sewer available, we are rural

To assess if it is reasonable to discharge your effluent to foul sewer: Discharges from domestic properties Multiply the number of properties served by the sewage treatment system by 30 metres.

	Number of properties served by the sewage treatment system	Multiplied by 30 (in metres)
Discharges from domestic properties	1	30

If your answer to the above question is greater than the distance to the nearest foul sewer, you must explain why you cannot discharge your effluent into the foul sewer. Before you submit the application, you must explore the possibility of connecting to the foul sewer, and send us evidence that you have approached the sewerage undertaker, including their formal response regarding connection, if relevant. You must also show the extra cost of connecting to a sewer compared to the treatment system you propose, and details of any physical obstacles for example roads, railways, rivers or canals. We will only agree to the use of private treatment systems within sewered areas if you can demonstrate that: the additional cost of connecting to the foul sewer would be unreasonable connection is not practically feasible, or the proposed private treatment system can be shown to significantly benefit the environment We are unlikely to grant a permit for a discharge of treated domestic sewage in circumstances where a private sewerage system is being proposed due to a lack of capacity in the nearest public sewerage network. The guidance document which supports this application will help you understand what information you need to provide in order to answer this question.

**Please provide your explanation below:**

There is no private sewer within miles of our property.

**What is the maximum volume of effluent you will discharge in a day (in cubic metres)?**

What is the maximum volume of effluent you will discharge in a day (in m3)?

1

Show how you calculated the figure given in the box below.

3 bedroom cottage.

**Your sample and discharge points**

What type of sewage treatment system will you be using to treat your effluent?

Package treatment plant that meets British Standard BS 12566

Sample Point location This does not apply if you are discharging to ground up to 5 cubic metres (5m<sup>3</sup>) a day from an existing system. You must provide a sample point where a sample of your discharge can be safely taken before it has mixed with any other discharges such as rainwater run off if you are making:

- an existing or new discharge to surface water
- an existing discharge to groundwater and the volume is more than 5 cubic metres (5m<sup>3</sup>) a day
- a new discharge to groundwater

You must also identify it on your plan. Tell us where your sample point is:

Same as outlet point

Discharge point location Please give the national grid reference for the discharge point (12 digit)

SN0219202507

Where will your treated effluent discharge to? If you are proposing to discharge multiple effluents, you must complete a separate application form for each effluent and submit the form, along with the correct application fee, for assessment.

Into land (drainage field)

## Discharges into land (drainage field)

Is your infiltration system new or existing?

On or after 1 April 2010 (new). You must answer the next five questions

**If existing, when was it built?**

There is also an existing one serving the existing septic tank.

Is your infiltration system designed and built to British Standard 6297:2007 + A1:2008?

Yes

On what date did you carry out a percolation test and dig a trial hole in line with British Standard 6297:2007 + A1:2008?

\* 19/06/2021

What is your percolation value (Vp) result (seconds per millimetre)?

57.45

Please show in the table how you worked out the percolation value:

	Trial 1	Trial 2	Trial 3	Average
Hole 1	50	46	58	51.33
Hole 2	54.8	62	74	63.6
Hole 3	-	-	-	-
Hole 4	-	-	-	-

If known, mark on the plan you have provided the extent of the infiltration system. Please write on the plan the length and width of the sides in metres. Please tick below to indicate this is complete

This is complete

For sewage treatment plants:

	p	x Vp	x 0.20 = A (in square metres)
For sewage treatment plants	5	57.45	57.45

Is any part of your infiltration system within 50 metres of a well, spring or borehole?

No (please skip the next question)

Is the well spring or borehole you have identified used to supply water?

No

Is any part of your infiltration system within 10 metres of a watercourse?

No

## Your site plan (see guidance note to part B6.5)

Please upload your plan here

- File: Holly Cottage HTC005.pdf - [Download](#)

## Payment

What date do you want the permit for this effluent to start? Please note that this is the date that your annual subsistence charges will start, even if you have not started to discharge, unless you contact us to change (delay) the start date.

\* 01/10/2021

Will the discharge take place all year?

Yes

Is the maximum volume of effluent you will discharge five cubic metres (m3) or less a day?

Yes - The reduced fee applies and you do not have to pay an annual subsistence charge.

Who can we talk to about your billing or invoice?

Same as application contact

How do you want to pay for your application fee?

Electronic transfer (e.g. BACS)

## Paying by electronic transfer

Please provide your reference for the payment.

**BACS reference** EPRHOLLY0005

**Amount paid** 0

## Declaration

Please upload written confirmation here

- File: 5 Upper Nash - Permit Letter.pdf - [Download](#)

If you knowingly or recklessly make a statement which is false or misleading to help you get an environmental permit (for yourself or another person), you are committing an offence under the Environmental Permitting (England and Wales) Regulations 2016. I declare that the information in this application is true to the best of my knowledge and belief. I understand that this application may be refused or approval withdrawn if I give false or incomplete information. I understand that if I knowingly or recklessly make a false or misleading statement: • I may be prosecuted; and • if convicted, I may have to pay a fine and/or go to prison. By signing below, you are confirming that you understand and agree with the declaration above.

<b>Title</b>	Mr
<b>First name</b>	Richard
<b>Last name</b>	Bullock
<b>On behalf of (if relevant)</b>	I'm the owner
<b>Today's date</b>	11th July 2021