

Martyn Grant  
The Royal Mint  
Llantrisant,  
Pontyclun,  
Rhondda Cynon Taf  
CF72 8YT

**Our ref: EPR/KP3135KV (PAN-012773)**  
**Your ref: EPR/KP3135KV**

**Date: 09/08/2021**

Dear Martyn

**We need more information about your application**

**Application reference:** PAN-012773

**Operator:** The Royal Mint Limited

**Facility:** The Royal Mint, Llantrisant, Pontyclun, Rhondda Cynon Taf, CF72 8YT

Thank you for your application received on 20/01/2021. The following is to confirm our conversation on 21/07/2021.

Unfortunately the fee you sent is incorrect. You have used an older charging factor which under calculated the fee. The fee should be £10556.00, you have paid £10010.00, therefore the remaining balance of £546.00 is payable. Please consult Form F1 on ways to pay the difference of £546.00 or contact The Permit Receipt team to arrange to pay by credit/debit card.

I need to ask you for some more information before I can do any more work on it. Please would you

- Provide a copy of your ISO14001 Environment Management System accreditation certificate.
- Provide an updated Accident Management Plan (AMP) for the installation including accident prevention and control measures in place for any new activities.
- Provide an updated site condition report in line with 'H5 Site Condition Report Guidance' that includes the additional land you have requested to be added to the installation boundary.
- Provide a clear site plan that shows the entire installation boundary (including proposed land) outlined in green and all emission points.
- Provide a complete risk assessment in line with H1 methodology or other equivalent method, as a minimum this should include potential impacts from fugitive emissions, noise and vibration and odour due to proposed variation.

Ffôn/Tel 0300 065 3000  
E-bost/Email [William.Wallace@cyfoethnaturiolcymru.gov.uk](mailto:William.Wallace@cyfoethnaturiolcymru.gov.uk)  
[William.Wallace@naturalresourceswales.gov.uk](mailto:William.Wallace@naturalresourceswales.gov.uk)

Canolfan Trwyddedu Cymru (Caerdydd), Cyfoeth Naturiol Cymru, Tŷ Cambria, 29 Heol Casnewydd, Caerdydd.  
CF24 0TP  
Wales Permitting Centre (Cardiff), Natural Resources Wales, Cambria House, 29 Newport Road, Cardiff. CF24 0TP

Gwefan/Website [www.cyfoethnaturiolcymru.gov.uk](http://www.cyfoethnaturiolcymru.gov.uk)  
[www.naturalresourceswales.gov.uk](http://www.naturalresourceswales.gov.uk)

Croesewir gohebiaeth yn y Gymraeg a'r Saesneg  
Correspondence welcomed in Welsh and English

- Provide an air emissions risk assessment that assesses potential impacts from the proposed variation in line with the following guidance: [Air emissions risk assessment for your environmental permit - GOV.UK \(www.gov.uk\)](https://www.gov.uk/guidance/air-emissions-risk-assessment-for-your-environmental-permit). H1 tool or an equivalent method can be used to screen the air emissions, if they do not screen out detailed air dispersion modelling should be completed and submitted.
- Provide details on secondary containment provided for any new primary containment including new tanks and pipework infrastructure including the new oil storage tank
- Confirm if the Trade Effluent Consent requires amendment due to proposed variation, if so provide a copy of the amended consent.
- Confirm if the process effluent discharged to the effluent treatment plant (ETP) is increasing due to the proposed variation. If so, confirm if the existing ETP has sufficient capacity to treat the proposed increase in throughput.
- Complete a Best Available Techniques (BAT) assessment for the new plating line including the ozone oxidation process.

If you need advice about how to complete the form, please contact your local area office. Call 0300 065 3000 and ask to speak to your local area office or your site officer.

Please reply within 20 working days from the date of this letter. If we don't hear from you we may return your application and fee.

If you email or write to us please quote the application reference PAN-012773 (EPR/KP3135KV) on any correspondence and send it to the relevant address below.

When we receive the missing items we'll continue to check the details in your application. If there's enough there for us to begin the process of deciding whether or not we can grant your application we say the application is 'duly made' and we'll let you know this by letter.

Please quote our reference if you contact us. If you have any questions please email [William.Wallace@naturalresourceswales.gov.uk](mailto:William.Wallace@naturalresourceswales.gov.uk).

Yours sincerely

William Wallace  
Permitting Officer, Installations and RSR