

Mr Graham Peacock
Biffa Waste Services
Hoods Close
Leicester
LE4 2BN

Our ref: EPR/RP3733PC PAN-010780

Your ref:-

Date: 09/12/2020

Dear Mr Peacock

We need more information about your application

Application reference: PAN-010780

Operator: Biffa Waste Services Limited

Facility: Trecatti Landfill site, Merthyr Tydfil, Glamorgan, CF48 4AB

Thank you for your application received on 22/06/2020.

Unfortunately the change that you have asked for involves more work than we can do as a minor technical variation. We must therefore charge your application as a normal variation. Please send additional payment (the normal variation amount minus the fee you have already paid) made payable to 'Natural Resources Wales' or contact permit receipt to arrange to pay by credit/debit card. The new fee must be based on the OPRA score of the site, times the charging rate, as stated in the guidance on our charging scheme.

I need to ask you for some more information before I can do any more work on it. Please would you

- provide us with answers to Form C2, question number 3c, with an updated financial provision calculations. While the new application may not alter the existing plan for closing the site, the addition of new hazardous waste may need to be taken into account and therefore an updated financial provision will need to be provided.
- provide us with answers to Form C2 and question number 3d3. A revised hydrogeological risk assessment will need to be submitted to us for assessment as part of the determination process. This will need to take into account the affect of the new waste that will be accepted for the site.
- provide us with answers to Form C2 and question number 3d3. More details on the depth of the leachate in the moncell.

Ffôn/Tel 0300 065 3000
Eboest/Email William.Wallace@cyfoethnaturiolcymru.gov.uk
William.Wallace@naturalresourceswales.gov.uk

Canolfan Trwyddedu Cymru (Caerdydd), Cyfoeth Naturiol Cymru, Tŷ Cambria, 29 Heol Casnewydd, Caerdydd.
CF24 0TP
Wales Permitting Centre (Cardiff), Natural Resources Wales, Cambria House, 29 Newport Road, Cardiff. CF24 0TP

Gwefan/Website www.cyfoethnaturiolcymru.gov.uk
www.naturalresourceswales.gov.uk

Croesewir gohebiaeth yn y Gymraeg a'r Saesneg
Correspondence welcomed in Welsh and English

- provide us with answers to questions Form C2, question number 3d3. Please provide us with a revised stability risk assessment. This would be required in order to properly assess if the separation wall is suitable for the new waste type. This should also include the latest data from the inclinometers.
- provide us with more information to question Form F Part 1 and Part 2. Please provide a OPRA score and spreadsheet used to calculate it. The score should be based on the most up to date information for the site. This is required for charging for a normal variation.

If you need advice about how to complete the form, or work out what your fee is, please contact your local area office. Call 0300 065 3000 and ask to speak to your local area office or your site officer.

Please reply within 10 working days from the date of this letter. If we don't hear from you we may return your application and fee.

If you email or write to us please quote the application reference EPR-RP3733PC PAN-010780 on any correspondence and send it to the relevant address below.

When we receive the missing items we'll continue to check the details in your application. If there's enough there for us to begin the process of deciding whether or not we can grant your application we say the application is 'duly made' and we'll let you know this by letter.

Please quote our reference if you contact us. If you have any questions email William.Wallace@naturalresourceswales.gov.uk.

Yours sincerely

William Wallace
Permitting Officer 2